



# Systematic Analysis of Cotton Non-specific Lipid Transfer Protein Family Revealed a Special Group That Is Involved in Fiber Elongation

Chengsheng Meng<sup>†</sup>, Yuanyuan Yan<sup>†</sup>, Zhengwen Liu, Liting Chen, Yan Zhang, Xiuxin Li, Liqiang Wu, Guiyin Zhang, Xingfen Wang\* and Zhiying Ma\*

North China Key Laboratory for Germplasm Resources of Education Ministry, Co-Innovation Center For Cotton Industry of Hebei Province, College of Agronomy, Hebei Agricultural University, Baoding, China

## OPEN ACCESS

### Edited by:

Guijun Yan,  
University of Western Australia,  
Australia

### Reviewed by:

Shahidul Islam,  
Murdoch University, Australia  
Habtamu Ayalew,  
Noble Research Institute, LLC,  
United States

### \*Correspondence:

Zhiying Ma  
mzhy@hebau.edu.cn  
Xingfen Wang  
cotton@hebau.edu.cn

<sup>†</sup>These authors have contributed  
equally to this work

### Specialty section:

This article was submitted to  
Plant Breeding,  
a section of the journal  
Frontiers in Plant Science

Received: 25 April 2018

Accepted: 16 August 2018

Published: 19 September 2018

### Citation:

Meng C, Yan Y, Liu Z, Chen L, Zhang Y, Li X, Wu L, Zhang G, Wang X and Ma Z (2018) Systematic Analysis of Cotton Non-specific Lipid Transfer Protein Family Revealed a Special Group That Is Involved in Fiber Elongation. *Front. Plant Sci.* 9:1285. doi: 10.3389/fpls.2018.01285

Non-specific lipid transfer proteins (nsLTPs) had been previously isolated from cotton fiber but their functions were unclear so far. Bioinformatic analysis of the tetraploid cotton genome database identified 138 *nsLTP* genes, falling into the 11 groups as reported previously. Different from *Arabidopsis*, cacao, and other crops, cotton type XI genes were considerably expanded and diverged earlier on chromosome At11, Dt11, and Dt08. Corresponding to the type XI genes, the type XI proteins (GhLtpXIs) all contained an extra N-terminal cap resulting in larger molecular weight. The research revealed that the expression of type XI genes was dramatically increased in fibers of tetraploid cotton compared with the two diploid progenitors. High-level of *GhLtpXIs* expression was observed in long-fibered cotton cultivars during fiber elongation. Ectopic expression of *GhLtpXIs* in *Arabidopsis* significantly enhanced trichome length, suggesting that *GhLtpXIs* promoted fiber elongation. Overall, the findings of this research provide insights into phenotypic evolution of *Gossypium* species and regulatory mechanism of nsLTPs during fiber development.

## HIGHLIGHT

A specific group, type XI nsLTPs, was identified with predominant expression in elongating fibers of *Gossypium hirsutum* based on evolutionary, transcriptional, and functional analyses.

**Keywords:** cotton, nsLTP, type XI, expansion, fiber development, fiber evolution

## INTRODUCTION

Cotton is one of the important commercial fiber crops worldwide. Cotton fiber initiates from the outer epidermis of the ovules, followed by extensive cell elongation (about 1,000~3,000 times) and cell wall synthesis (Basra and Malik, 1984; Kim and Triplett, 2001). In *G. hirsutum*, lint fibers start to develop prior to or on the day of anthesis, and fuzz fibers develop a few days later (Joshi et al., 1967; Stewart, 1975). Fiber quantity and length, to a large extent, determine cotton yield and quality of the resulting spun thread. Long-chain fatty acid (LCFA) functions as a regulator of endogenous ethylene biosynthesis in cotton ovules, which can maximize the extensibility of cotton fibers (Qin et al., 2007). However, it is unclear how LCFA is transported and accumulated on

the outer epidermis of ovules to regulate fiber development. The nsLTP is one of the well-known protein families with bound lipids (Boutrot et al., 2008) such as LCFA. Detailed studies of gene expression and function of nsLTPs are paramount for addressing the above question.

The nsLTPs are widely distributed in the plant kingdom and are capable to bind to acyl groups, various phospholipids and other fatty acid groups with a broad binding affinity (Ostergaard et al., 1993; Kader, 1996; Kragelund et al., 1997; Sodano et al., 1997; Charvolin et al., 1999; Han et al., 2001). It has been revealed that most nsLTPs have a small molecular weight of about 9 kDa in higher plants (Kader, 1996). All known plant nsLTPs contain an N-terminal signal peptide which is characterized by an eight cysteine motif (ECM) backbone forming four conserved disulfide bonds that stabilize a hydrophobic cavity to enclose the lipid to shield the hydrophobic portions of the lipid (Carvalho and Gomes, 2007; Boutrot et al., 2008; Wong et al., 2017). Plant nsLTPs are deemed to be responsible for the shuttling of lipids across cytoplasm and between membranes and regulate the beta-oxidation of fatty acids in glyoxysomes and the intracellular fatty acid pools (Kader, 1996; Cheng et al., 2004). Multiple physiological and biological functions of nsLTPs have been suggested, including membrane and liposome biogenesis (Pyee et al., 1994), somatic embryogenesis (Lee et al., 2009; Chae et al., 2010; Edstam and Edqvist, 2014), pollen development (Zhang et al., 2010; Chen et al., 2011), stress resistance (Zhang et al., 2016), defense (Molina et al., 1993; Schweiger et al., 2013), and signal transduction (Sarowar et al., 2009).

Cotton nsLTP genes have been isolated from fibers decades ago (Ma et al., 1995). *GH3*, *Ltp3*, *Ltp6*, and *GhLTPG1* are proved to be specifically expressed in fiber cells and *Ltp3* expression reaches to a maximum at the late fiber elongation stage (Ma et al., 1995; Han et al., 2013; Deng et al., 2016). Expression analysis showed that *GhLtp6*, *GhLtp7*, *GhLtp8*, and *GhLtp11* are highly expressed during fiber initiation (Han et al., 2013). Regarded as seed trichomes, fiber initiation, and elongation are regulated by MYB genes as leaf trichomes (Guan et al., 2008; Pu et al., 2008; Machado et al., 2009; Walford et al., 2011; Huang et al., 2013; Wang et al., 2013; Liu et al., 2015). And cotton *LTP3* was regulated by a MYB protein (Hsu et al., 2005). Thus it is supported that nsLTPs are involved in fiber development. However, the gene family members and the biological function during fiber development are largely unknown of these a few cotton nsLTPs cloned previously. The availability of genome sequence of *G. hirsutum* and insights into trichome developmental mechanism enable us to understand these scientific issues.

In *Arabidopsis* and rice, nsLTPs can be classified into several types (I, II, III, IV, V, VI, VII, VIII, IX, XI, and nsLTPy) based on the sequence similarity (Boutrot et al., 2008). Currently, 51 nsLTP genes have been identified in *Arabidopsis* (Boutrot et al., 2008; Li et al., 2014), 63 in rape and maize (Li et al., 2014; Wei and Zhong, 2014), 58 in sorghum (Wei and Zhong, 2014), and 52 in rice (Boutrot et al., 2008). In the present study, 138 nsLTP genes were identified in *G. hirsutum*

that considerably expanded in *Gossypium* species during fiber evolution. Both transcriptional and functional analyses suggested an important role of *GhLtpXIs* in promoting fiber elongation.

## MATERIALS AND METHODS

### Identification and Bioinformatics Analyses of nsLTP Genes

The genome sequences of *G. hirsutum* TM-1, *Gossypium arboreum*, *Gossypium raimondii*, *Arabidopsis thaliana*, *Brassica rapa*, *Theobroma cacao*, *Oryza sativa*, and *Vitis vinifera* were downloaded from CottonGen (<https://www.cottongen.org>), CottonFGD (<https://cottonfgd.org>), TAIR (<http://www.arabidopsis.org>), BRAD (<http://brassicadb.org>), Cacao Genome Database (<https://www.cacao genomedb.org>), RAP (<http://rapdb.dna.affrc.go.jp/>), and Grape Genome Browser (<http://www.genoscope.cns.fr/externe/GenomeBrowser/Vitis/>) networks, respectively. The local genomes including coding sequences and protein sequences were constructed with the blast-2.2.9 program downloaded from the national center for biotechnology information (NCBI) (<ftp://ftp.ncbi.nlm.nih.gov/blast/executables/release/2.2.9/blast-2.2.9-ia32-win32.exe>). Candidate nsLTP genes were identified by BLASTP against the local databases using published nsLTP protein sequences of *Arabidopsis* and *Brassica* (Li et al., 2014) as queries with a cut-off value of  $e^{-5}$ . The deduced protein sequences were analyzed for their signal peptides using SignalP 4.0 (<http://www.cbs.dtu.dk/services/SignalP>). Then the mature proteins with more than 120 amino acids were discarded, followed by analysis of the ECM domains with BioEdit. The structural domains were further analyzed with Batch Web CD-Search Tool (<http://www.ncbi.nlm.nih.gov/Structure/cdd/wrpsb.cgi>) and the members of nsLTPs were finally confirmed with HMMER. ProtParam (<http://web.expasy.org/protparam/>) was used to calculate the molecular weights and isoelectric points of GhLtps.

Multiple alignments of the nsLTP protein sequences of ECMs were performed using Clustal X version 2.0 program. Phylogenetic trees were constructed with the method of Maximum likelihood or Neighbor-Joining using MEGA 6.0 in pairwise complete deletion and Amino Acid P-distance model. For statistical reliability, bootstrap tests were carried out with 1,000 replicates.

The downloaded CDS and genomic sequences of *GhLtps* were used to construct gene structures on Gene Structure Display Server 2.0 (<http://gsds.cbi.pku.edu.cn/>). Mapinspect software was used to generate chromosome location image of each *GhLtp* according to their starting position on chromosomes. The segmental duplication was defined as the following: (1) the length of aligned sequences cover >80% of the longer gene; (2) the identity of the aligned regions >80%; (3) only one duplication event was counted for tightly linked genes (Kong et al., 2013; Wei et al., 2013; Liu et al., 2014). Tandem duplication was defined on the basis of the criteria that tandem duplicated genes are located within 15 predicted open reading frames or within

30 kb of each other (Shin and Bleecker, 2003; Wang et al., 2011). The non-synonymous to synonymous substitution ratio (Ka/Ks) for each duplicated *GhLtp* gene pairs was calculated using KaKs\_Calculator 2.0 software.

## Expression Analysis of Cotton *nsLTPs*

The RPKM (Reads Per Kilobase of gene model per Million mapped reads) values of *GhLtps* were extracted from our RNA-seq data using ovules [0 and 5 days post anthesis (DPA)] and fibers (10–30 DPA) collected from *G. hirsutum* cultivars including HY405, CCRI8, and ND601 (Ma et al., 2018). Expression pattern analysis and differential expression analysis were subsequently applied with online tools Trend (<http://www.omicshare.com/tools/Home/Soft/trend>) and Diffanalysis (<http://www.omicshare.com/tools/Home/Soft/diffanalysis>), respectively. The volcano plot was generated with Excel (Microsoft, United States) to display differentially expressed *GhLtps*. Transcriptome data of genome-wide gene expression in different organs and cotton species was obtained from cottonFGD (file name: fpkm.Ghir.NAU.txt.gz) and the FPKM (Fragments Per Kilobase of exon per Million fragments mapped) values of cotton *nsLTPs* were extracted for comparison between different tissues or organs and different *Gossypium* species. The heatmaps were generated with HemI version 1.0.

## Plant Materials

The cotton cultivars (HY405 and ND601) were grown in the growing season in the field in Baoding, Hebei (Latitude 38°48'N, 115°25'E). Cotton ovules (0 DPA) and fibers (5, 10, 15, and 20 DPA) were collected at 14:00–16:00 and fast frozen in liquid nitrogen for qPCR. The cotton cultivar TM-1 were grown at 28°C day/25°C night with 10 h light/14 h dark cycles in greenhouse of Hebei Agricultural University and ovules and fibers were collected at 10 DPA followed by fast frozen in liquid nitrogen for gene amplification.

*Arabidopsis* including Col wild-type (WT) plants and transgenic plants were grown at 22°C with 16 h light/8 h dark cycles in growth chamber at the North China Key Laboratory for Germplasm Resources of Education Ministry. Mature rosette leaves and cauline leaves were collected from flowering plants and frozen in liquid nitrogen before RNA extraction.

## RNA Extraction and Quantitative Real-Time PCR Analysis

Frozen tissues were ground to a fine powder in liquid nitrogen and the total RNA was extracted with RN09-EASYspin Plant RNA purification kit (Aidlab). After quality and quantity analysis with gel electrophoresis and NanoDrop 2000, the first cDNA strand was synthesized using the PrimerScript™ RT Master Mix (TaKaRa). Then quantitative real-time PCR was performed with Fast Super EvaGreen qPCR Master Mix (US EVERBRIGHT® INC) on an ABI 7500 Real-Time PCR machine. Three biological replicates of each sample and three technical replicates of each biological replicate were used. The relative expression level of the target gene was calculated with the difference between the cycle threshold (Ct) of the target gene and reference gene ( $\Delta Ct = Ct_{\text{targetgene}} - Ct_{\text{referencegene}}$ )

and corresponded to  $2^{-\Delta Ct}$ . Primers used for qPCR were designed against gene specific sequences of CDS and listed in **Supplemental Table S1**.

## Generation of Transgenic Plants Overexpressing *GhLtpXIs* in *Arabidopsis*

The full-length of *GhLtpXIs* coding sequences were PCR-amplified from cotton cDNA (RNA was extracted from ovules and fibers of TM-1) with primers listed in **Supplemental Table S1**, and the resulting products were cloned into pGreen 0229 harboring 35S promoter (Yu et al., 2004). After verification by nucleotide sequencing, the resulting vectors were transformed into *Agrobacterium* followed by transformation with floral dip into *Arabidopsis* WT (Col) plants. The transgenic plants were selected by BASTA and the first three mature rosette leaves were cut from the petioles after bolting for discoloration with gradient ethanol followed by observation of trichomes under microscope with 20× objective lens. The trichome length was measured using cellSens Standard (Olympus, Japan). Statistical analyses were performed using Excel (Microsoft, United States) with *T*-test (tail = 1, type = 3).

## RESULTS

### Identification and Classification of *nsLTP* Genes in *G. hirsutum*

To identify the entire collection of putative *nsLTP* genes in the *G. hirsutum* genome, local BlastP searches were conducted using 53 and 63 *nsLTP* protein sequences of *Arabidopsis* and *B. rapa* as queries on the whole genome of *G. hirsutum*. A total of 219 *GhLtp* genes were obtained. Each of the deduced protein sequences was analyzed with SignalP, after which 18 proteins lacking N-terminal signal sequences (NSS) were omitted. Since low molecular weight is a common character of *nsLTP* proteins, 46 mature proteins whose peptide length was more than 120 amino acids were not taken into consideration. Then 16 proteins lacking the Cys residues were excluded following manually scanning for the presence of the eight essential Cys residues and 1 protein without the M residue (starting residue) was removed. The remaining protein sequences were detected for the LTPAAI\_LTSS structure using the Batch Web CD-Search tool. Subsequently, the *GhLtp* candidates were further verified according to the HMMER method. Finally, 138 genes of *G. hirsutum* coding the *nsLTP* were confirmed (**Table 1**).

The sequence similarity method (Boutrot et al., 2008) was employed to classify the identified *GhLtps* and our results showed that the 138 *GhLtps* could be divided into 10 groups after multiple sequence alignments (**Table 1** and **Supplemental Table S2**). The results showed that the ECMs were highly conserved in all of the 138 *GhLtps*, which could form four disulfide bonds to stabilize the tertiary structure of hydrophobic cavity (**Figure 1**). Different from rice, wheat, rape, and *Arabidopsis*, in which the majority of *nsLTPs* belongs to type I or II (Boutrot et al., 2008; Li et al., 2014), type XI is the largest group in *G. hirsutum* (**Figure 1** and **Table 1**). The flanking amino acid residues of each CXC motif were conserved within the

TABLE 1 | Putative *nsLTP* genes identified in the genome of *G. hirsutum*.

| Name           | Gene ID     | Chromosome location         | Strand | CDS Length (bp) | AA <sup>a</sup> | Sp <sup>b</sup> | MP <sup>c</sup> (AA) | ECM <sup>d</sup>                  | MP (MW <sup>e</sup> ) | MP (pI <sup>f</sup> ) |
|----------------|-------------|-----------------------------|--------|-----------------|-----------------|-----------------|----------------------|-----------------------------------|-----------------------|-----------------------|
| <b>Type I</b>  |             |                             |        |                 |                 |                 |                      |                                   |                       |                       |
| GhLtp1         | GhA10g20264 | A02:3177157,3177498         | -      | 342             | 113             | 23              | 90                   | C-X9-C-X13-CC19-C-X1C-X21-C-X13-C | 6524.57               | 5.94                  |
| GhLtp2         | GhD10g2050  | D09:47878499,47878894       | +      | 396             | 131             | 26              | 105                  | C-X9-C-X13-CC19-C-X1C-X22-C-X13-C | 7947.31               | 8.51                  |
| GhLtp3         | GhA10g2302  | scaffold2284A09:62025,62414 | +      | 390             | 129             | 26              | 103                  | C-X9-C-X13-CC19-C-X1C-X22-C-X13-C | 7224.5                | 9.03                  |
| GhLtp4         | GhD11g1143  | D10:18523835,18524209       | -      | 375             | 124             | 27              | 97                   | C-X9-C-X15-CC19-C-X1C-X22-C-X13-C | 7947.31               | 8.51                  |
| GhLtp5         | GhA11g2324  | scaffold2673A10:15446,15820 | +      | 375             | 124             | 27              | 97                   | C-X9-C-X15-CC19-C-X1C-X22-C-X13-C | 7267.53               | 9.33                  |
| GhLtp6         | GhA10g0865  | A09:56336354,56336788       | -      | 435             | 144             | 27              | 117                  | C-X9-C-X15-CC19-C-X1C-X22-C-X13-C | 7208.51               | 9.44                  |
| GhLtp7         | GhA10g0866  | A09:56392915,56393396       | -      | 363             | 120             | 27              | 93                   | C-X9-C-X15-CC19-C-X1C-X22-C-X13-C | 7208.51               | 9.44                  |
| GhLtp8         | GhD10g0890  | D09:34044857,34045338       | -      | 363             | 120             | 27              | 93                   | C-X9-C-X15-CC19-C-X1C-X22-C-X13-C | 7947.31               | 8.51                  |
| GhLtp9         | GhD11g2459  | D13:60480760,60481188       | -      | 429             | 142             | 30              | 112                  | C-X9-C-X13-CC19-C-X1C-X24-C-X13-C | 8049.51               | 7.4                   |
| GhLtp10        | GhD10g2051  | D09:47884653,47885018       | +      | 366             | 121             | 30              | 91                   | C-X9-C-X13-CC19-C-X1C-X24-C-X13-C | 7947.31               | 8.51                  |
| GhLtp11        | GhA10g2303  | scaffold2284A09:68186,68653 | +      | 372             | 123             | 30              | 93                   | C-X9-C-X13-CC19-C-X1C-X24-C-X13-C | 7235.53               | 9.16                  |
| GhLtp12        | GhD11g2101  | D12:54017392,54017830       | -      | 354             | 117             | 26              | 91                   | C-X9-C-X14-CC19-C-X1C-X21-C-X13-C | 7974.42               | 8.84                  |
| GhLtp13        | GhA11g21921 | A12:81939867,81940280       | -      | 414             | 137             | 27              | 110                  | C-X9-C-X14-CC19-C-X1C-X21-C-X13-C | 7396.58               | 6.4                   |
| GhLtp14        | GhA10g0297  | A08:3429656,3430509         | -      | 351             | 116             | 26              | 90                   | C-X9-C-X13-CC19-C-X1C-X22-C-X8-C  | 6961.12               | 9.01                  |
| GhLtp15        | GhD10g0389  | D08:3976879,3977232         | -      | 354             | 117             | 26              | 91                   | C-X9-C-X13-CC19-C-X1C-X22-C-X14-C | 7863.11               | 4.03                  |
| GhLtp16        | GhD10g0388  | D08:3972723,3973067         | -      | 345             | 114             | 24              | 90                   | C-X9-C-X13-CC19-C-X1C-X22-C-X14-C | 7821.35               | 8.71                  |
| GhLtp17        | GhD10g1376  | D07:22260738,22261166       | +      | 429             | 142             | 27              | 115                  | C-X9-C-X16-CC19-C-X1C-X24-C-X15-C | 7821.35               | 8.71                  |
| GhLtp18        | GhD10g1065  | D05:9034074,9034505         | +      | 432             | 143             | 54              | 89                   | C-X9-C-X14-CC19-C-X1C-X21-C-X13-C | 7755.04               | 9.18                  |
| GhLtp19        | GhA10g3889  | scaffold1236A05:86713,87168 | +      | 351             | 116             | 25              | 91                   | C-X9-C-X14-CC19-C-X1C-X21-C-X13-C | 6935.9                | 5.36                  |
| GhLtp20        | GhA11g0687  | A11:6714268,6714704         | +      | 351             | 116             | 25              | 91                   | C-X9-C-X14-CC19-C-X1C-X22-C-X13-C | 7353.55               | 6.4                   |
| GhLtp21        | GhD11g0804  | D11:6889195,6889539         | +      | 345             | 114             | 25              | 89                   | C-X9-C-X13-CC19-C-X1C-X22-C-X13-C | 7947.31               | 8.51                  |
| GhLtp22        | GhA10g0541  | A08:8492350,8492783         | +      | 354             | 117             | 25              | 92                   | C-X9-C-X14-CC19-C-X1C-X22-C-X13-C | 7003.12               | 9.01                  |
| GhLtp23        | GhD10g0632  | D08:7953474,7953821         | +      | 348             | 115             | 25              | 90                   | C-X9-C-X14-CC19-C-X1C-X22-C-X13-C | 7936.16               | 4.03                  |
| GhLtp24        | GhD10g0179  | D01:1466417,1466764         | +      | 348             | 115             | 21              | 94                   | C-X9-C-X14-CC20-C-X1C-X23-C-X13-C | 7475.76               | 8.69                  |
| GhLtp25        | GhA10g0134  | A01:1242782,1243129         | +      | 348             | 115             | 21              | 94                   | C-X9-C-X14-CC20-C-X1C-X23-C-X13-C | 6524.57               | 5.94                  |
| GhLtp26        | GhD10g0758  | D07:9275887,9276400         | -      | 399             | 132             | 32              | 100                  | C-X9-C-X14-CC19-C-X1C-X21-C-X13-C | 7794.32               | 8.71                  |
| GhLtp27        | GhD11g2481  | D12:57766428,57766799       | +      | 372             | 123             | 23              | 100                  | C-X9-C-X16-CC19-C-X1C-X21-C-X13-C | 7993.38               | 8.51                  |
| GhLtp28        | GhA11g2346  | A12:86018663,86019034       | +      | 372             | 123             | 23              | 100                  | C-X9-C-X16-CC19-C-X1C-X21-C-X13-C | 7449.68               | 8.69                  |
| <b>Type II</b> |             |                             |        |                 |                 |                 |                      |                                   |                       |                       |
| GhLtp11        | GhA10g0486  | A09:38767755,38768036       | -      | 282             | 93              | 25              | 68                   | C-X7-C-X13-CC8-C-X1C-X23-C-X6-C   | 8092.51               | 8.44                  |
| GhLtp12        | GhD10g2478  | scaffold4367D09:5900,6181   | +      | 282             | 93              | 20              | 73                   | C-X7-C-X13-CC8-C-X1C-X23-C-X6-C   | 8843.68               | 10.15                 |
| GhLtp13        | GhD11g2535  | D12:58250975,58251268       | -      | 294             | 97              | 30              | 67                   | C-X7-C-X13-CC8-C-X1C-X23-C-X6-C   | 9150.59               | 8.19                  |
| GhLtp14        | GhA11g2427  | A12:86743057,86743350       | -      | 294             | 97              | 30              | 67                   | C-X7-C-X13-CC8-C-X1C-X23-C-X6-C   | 8729.3                | 9.42                  |
| GhLtp15        | GhA10g1580  | A07:60400717,60401007       | -      | 291             | 96              | 29              | 67                   | C-X7-C-X13-CC8-C-X1C-X23-C-X6-C   | 8050.37               | 8.57                  |
| GhLtp16        | GhD10g1765  | D07:41782012,41782302       | -      | 291             | 96              | 29              | 67                   | C-X7-C-X13-CC8-C-X1C-X23-C-X6-C   | 8829.44               | 7.73                  |
| GhLtp17        | GhA11g0503  | A12:11968391,11968681       | -      | 291             | 96              | 29              | 67                   | C-X7-C-X13-CC8-C-X1C-X23-C-X6-C   | 8353.67               | 8.18                  |

(Continued)

TABLE 1 | Continued

| Name            | Gene ID     | Chromosome location           | Strand | CDS Length (bp) | AA <sup>a</sup> | Sp <sup>b</sup> | MP <sup>c</sup> (AA) | ECM <sup>d</sup>                   | MP (MW <sup>e</sup> ) | MP (pI <sup>f</sup> ) |
|-----------------|-------------|-------------------------------|--------|-----------------|-----------------|-----------------|----------------------|------------------------------------|-----------------------|-----------------------|
| GhLtpI8         | GhDt12g0513 | D12:9205678,9205968           | -      | 291             | 96              | 29              | 67                   | C-X7-C-X13-CC8-C-X1C-X23-C-X6-C    | 9025.4                | 8.47                  |
| GhLtpI9         | GhDt02g2439 | scaffold3867D02:92778,93077   | +      | 300             | 99              | 22              | 77                   | C-X7-C-X14-CC8-C-X1C-X23-C-X7-C    | 8809.62               | 10.09                 |
| GhLtpI10        | GhAt12g0504 | A12:12005332,12005622         | -      | 291             | 96              | 29              | 67                   | C-X7-C-X13-CC8-C-X1C-X23-C-X6-C    | 8429.97               | 8.5                   |
| GhLtpI11        | GhDt12g0517 | D12:9305273,9305563           | -      | 291             | 96              | 29              | 67                   | C-X7-C-X13-CC8-C-X1C-X23-C-X6-C    | 9051.44               | 8.48                  |
| GhLtpI12        | GhDt12g2180 | D12:55001266,55001592         | -      | 327             | 108             | 24              | 84                   | C-X7-C-X15-CC13-C-X1C-X25-C-X1-C   | 9111.5                | 8.87                  |
| GhLtpI13        | GhDt10g1961 | D10:54819904,54820308         | +      | 405             | 134             | 26              | 108                  | C-X7-C-X18-CC13-C-X1C-X24-C-X9-C   | 9015.7                | 8.44                  |
| GhLtpI14        | GhAt10g1693 | A10:90127094,90127498         | +      | 405             | 134             | 26              | 108                  | C-X7-C-X18-CC13-C-X1C-X24-C-X9-C   | 8326.64               | 8.18                  |
| GhLtpI15        | GhAt10g1692 | A10:89959928,89959332         | +      | 405             | 134             | 26              | 108                  | C-X7-C-X18-CC13-C-X1C-X24-C-X9-C   | 8254.71               | 7.72                  |
| <b>Type III</b> |             |                               |        |                 |                 |                 |                      |                                    |                       |                       |
| GhLtpI1         | GhDt12g2484 | D12:57779161,57779460         | +      | 300             | 99              | 29              | 70                   | C-X9-C-X16-CC9-C-X1C-X12-C-X6-C    | 9262.14               | 8.9                   |
| GhLtpI2         | GhAt12g2348 | A12:86036418,86036717         | +      | 300             | 99              | 29              | 70                   | C-X9-C-X16-CC9-C-X1C-X12-C-X6-C    | 9154.8                | 9.09                  |
| GhLtpI3         | GhDt09g2486 | scaffold4382D09:53477,53779   | +      | 303             | 100             | 34              | 66                   | C-X9-C-X16-CC9-C-X1C-X12-C-X6-C    | 9166.59               | 8.19                  |
| GhLtpI4         | GhDt11g0091 | D11:859869,860168             | +      | 300             | 99              | 36              | 63                   | C-X9-C-X16-CC9-C-X1C-X12-C-X6-C    | 9199.68               | 8.18                  |
| GhLtpI5         | GhAt11g0087 | A11:836362,836661             | +      | 300             | 99              | 36              | 63                   | C-X9-C-X16-CC9-C-X1C-X12-C-X6-C    | 9150.99               | 9.78                  |
| <b>Type IV</b>  |             |                               |        |                 |                 |                 |                      |                                    |                       |                       |
| GhLtpIV1        | GhDt01g0687 | D01:9691708,9692094           | +      | 387             | 128             | 26              | 102                  | C-X9-C-X15-CC9-C-X1C-X22-C-X1-C    | 9465.22               | 8.89                  |
| GhLtpIV2        | GhAt01g0667 | A01:12059506,12059892         | +      | 387             | 128             | 26              | 102                  | C-X9-C-X15-CC9-C-X1C-X22-C-X1-C    | 9286                  | 5.18                  |
| GhLtpIV3        | GhDt05g3635 | D05:60442682,60443017         | +      | 336             | 111             | 29              | 82                   | C-X9-C-X15-CC9-C-X1C-X22-C-X9-C    | 9483.85               | 8.17                  |
| GhLtpIV4        | GhAt04g0090 | A04:1265778,1266128           | -      | 351             | 116             | 29              | 87                   | C-X9-C-X15-CC9-C-X1C-X22-C-X9-C    | 9297.25               | 10.72                 |
| GhLtpIV5        | GhAt13g0411 | A13:5661242,5661562           | +      | 321             | 106             | 29              | 77                   | C-X9-C-X17-CC9-C-X1C-X24-C-X7-C    | 9271.07               | 8.14                  |
| GhLtpIV6        | GhDt13g0460 | D13:5374248,5374568           | +      | 321             | 106             | 29              | 77                   | C-X9-C-X17-CC9-C-X1C-X24-C-X7-C    | 9279.52               | 5.67                  |
| GhLtpIV7        | GhDt10g1248 | D10:22693879,22694184         | -      | 306             | 101             | 26              | 75                   | C-X9-C-X15-CC9-C-X1C-X24-C-X7-C    | 9547.01               | 5.66                  |
| GhLtpIV8        | GhAt10g1243 | A10:64635505,64635810         | +      | 306             | 101             | 26              | 75                   | C-X9-C-X15-CC9-C-X1C-X24-C-X7-C    | 9431.06               | 5.48                  |
| GhLtpIV9        | GhAt10g1242 | A10:64609157,64609453         | +      | 297             | 98              | 23              | 75                   | C-X9-C-X15-CC9-C-X1C-X24-C-X7-C    | 9385.86               | 8.88                  |
| GhLtpV10        | GhDt07g1618 | D07:31580467,31580796         | +      | 330             | 109             | 23              | 86                   | C-X9-C-X15-CC9-C-X1C-X24-C-X7-C    | 9512.95               | 8.9                   |
| GhLtpV11        | GhAt07g2213 | scaffold1832A07:780824,781120 | -      | 297             | 98              | 23              | 75                   | C-X9-C-X15-CC9-C-X1C-X24-C-X7-C    | 9303.12               | 8.43                  |
| GhLtpV12        | GhAt11g1319 | A11:16995459,16995758         | +      | 300             | 99              | 24              | 75                   | C-X9-C-X15-CC9-C-X1C-X24-C-X7-C    | 9437.92               | 9.06                  |
| GhLtpV13        | GhDt11g1468 | D11:14664570,14664875         | +      | 306             | 101             | 26              | 75                   | C-X9-C-X15-CC9-C-X1C-X24-C-X7-C    | 9558.17               | 8.71                  |
| GhLtpV14        | GhAt13g0584 | A13:13763551,13763940         | -      | 390             | 129             | 23              | 106                  | C-X9-C-X16-CC12-C-X1C-X24-C-X9-C   | 9442.98               | 9.26                  |
| <b>Type V</b>   |             |                               |        |                 |                 |                 |                      |                                    |                       |                       |
| GhLtpV1         | GhAt12g1415 | A12:72762917,72763273         | +      | 357             | 118             | 30              | 88                   | C-X14-C-X14-CC12-C-X1C-X24-C-X10-C | 9831.73               | 7.44                  |
| GhLtpV2         | GhDt12g1635 | D12:46122258,46122614         | +      | 357             | 118             | 30              | 88                   | C-X14-C-X14-CC12-C-X1C-X24-C-X10-C | 10397.2               | 9.5                   |
| GhLtpV3         | GhDt01g1342 | D01:39280406,39280804         | -      | 399             | 132             | 30              | 102                  | C-X14-C-X14-CC12-C-X1C-X24-C-X10-C | 9886.41               | 6.86                  |
| GhLtpV4         | GhAt01g1193 | A01:61929558,61931163         | +      | 366             | 121             | 30              | 91                   | C-X14-C-X14-CC12-C-X1C-X24-C-X10-C | 9559.76               | 5.13                  |
| GhLtpV5         | GhAt10g2033 | A10:98304212,98304625         | -      | 414             | 137             | 28              | 109                  | C-X14-C-X14-CC11-C-X1C-X24-C-X10-C | 9644.15               | 5.15                  |
| GhLtpV6         | GhDt10g2502 | scaffold4400D10:130880,131278 | -      | 399             | 132             | 28              | 104                  | C-X14-C-X14-CC11-C-X1C-X24-C-X10-C | 10389.26              | 8.15                  |
| GhLtpV7         | GhAt10g2049 | A10:98579592,98580011         | +      | 420             | 139             | 28              | 111                  | C-X14-C-X14-CC11-C-X1C-X24-C-X10-C | 9662.65               | 9.73                  |

(Continued)

TABLE 1 | Continued

| Name             | Gene ID         | Chromosome location           | Strand | CDS Length (bp) | AA <sup>a</sup> | Sp <sup>b</sup> | MP <sup>c</sup> (AA) | ECM <sup>d</sup>                   | MP (MW <sup>e</sup> ) | MP (pI <sup>f</sup> ) |
|------------------|-----------------|-------------------------------|--------|-----------------|-----------------|-----------------|----------------------|------------------------------------|-----------------------|-----------------------|
| GhLtpV8          | GhDt10g2481     | scaffold4398D10:123476,123895 | -      | 420             | 139             | 28              | 111                  | C-X14-C-X14-CC11-C-X1C-X24-C-X10-C | 10264.32              | 8.09                  |
| GhLtpV9          | GhAt10g2048     | A10:98558589,98559002         | +      | 414             | 137             | 28              | 109                  | C-X14-C-X14-CC11-C-X1C-X24-C-X10-C | 9659.07               | 8.18                  |
| GhLtpV10         | GhDt10g2327     | D10:61636841,61637248         | -      | 408             | 135             | 28              | 107                  | C-X14-C-X14-CC11-C-X1C-X24-C-X10-C | 9923.94               | 8.09                  |
| GhLtpV11         | GhDt04g0626     | D04:11317955,11318412         | -      | 348             | 115             | 25              | 90                   | C-X14-C-X14-CC11-C-X1C-X24-C-X10-C | 9903.81               | 9.32                  |
| GhLtpV12         | GhAt05g3021     | A05:77294875,77295388         | +      | 348             | 115             | 27              | 88                   | C-X14-C-X14-CC11-C-X1C-X24-C-X10-C | 9600.08               | 8.7                   |
| GhLtpV13         | GhDt11g3313     | D11:65974290,65974640         | -      | 351             | 116             | 28              | 88                   | C-X14-C-X14-CC11-C-X1C-X24-C-X10-C | 10389.26              | 8.15                  |
| GhLtpV14         | GhAt11g2927     | A11:93115488,93115888         | -      | 351             | 116             | 28              | 88                   | C-X14-C-X14-CC11-C-X1C-X24-C-X10-C | 9696.13               | 9.18                  |
| GhLtpV15         | GhDt09g1517     | D09:42674185,42674529         | -      | 345             | 114             | 26              | 88                   | C-X14-C-X14-CC11-C-X1C-X24-C-X10-C | 9918.57               | 5.43                  |
| GhLtpV16         | GhAt09g1506     | A09:68227589,68227933         | -      | 345             | 114             | 26              | 88                   | C-X14-C-X14-CC11-C-X1C-X24-C-X10-C | 9602.51               | 9.47                  |
| <b>Type VI</b>   |                 |                               |        |                 |                 |                 |                      |                                    |                       |                       |
| GhLtpV17         | GhAt12g1935     | A12:82111877,82112218         | +      | 342             | 113             | 23              | 90                   | C-X10-C-X12-CC09-C-X1C-X22-C-X9-C  | 10461.43              | 10.17                 |
| GhLtpV18         | GhDt12g2116     | D12:54193081,54193422         | +      | 342             | 113             | 26              | 87                   | C-X10-C-X12-CC09-C-X1C-X22-C-X9-C  | 10502.07              | 4.8                   |
| GhLtpV19         | GhDt13g1254     | D13:38598772,38600424         | +      | 324             | 107             | 27              | 80                   | C-X10-C-X12-CC09-C-X1C-X22-C-X9-C  | 10533.51              | 8.43                  |
| GhLtpV20         | GhDt07g1207     | D07:18392595,18393016         | -      | 330             | 109             | 21              | 88                   | C-X10-C-X16-CC09-C-X1C-X22-C-X9-C  | 10470.61              | 8.8                   |
| <b>Type VIII</b> |                 |                               |        |                 |                 |                 |                      |                                    |                       |                       |
| GhLtpVIII1       | GhDt08g1864     | D08:56168875,56169490         | +      | 417             | 138             | 23              | 115                  | C-X6-C-X14-CC12-C-X1C-X25-C-X8-C   | 10715.97              | 8.58                  |
| GhLtpVIII2       | Gh_Sca022247g01 | scaffold22247:295,910         | -      | 417             | 138             | 23              | 115                  | C-X6-C-X14-CC12-C-X1C-X25-C-X8-C   | 10576.07              | 5.43                  |
| GhLtpVIII3       | GhAt08g1556     | A08:93518570,93519184         | +      | 417             | 138             | 23              | 115                  | C-X6-C-X14-CC12-C-X1C-X25-C-X8-C   | 10637.58              | 8.81                  |
| GhLtpVIII4       | GhDt03g1537     | D03:44580189,44581423         | -      | 426             | 141             | 25              | 116                  | C-X6-C-X14-CC12-C-X1C-X25-C-X8-C   | 10675.55              | 8.64                  |
| GhLtpVIII5       | GhAt03g1989     | scaffold500A03:40091,41395    | -      | 426             | 141             | 25              | 116                  | C-X6-C-X14-CC12-C-X1C-X25-C-X8-C   | 10631.15              | 5.16                  |
| GhLtpVIII6       | GhDt12g2189     | D12:55096494,55096981         | +      | 360             | 119             | 18              | 101                  | C-X6-C-X14-CC12-C-X1C-X25-C-X8-C   | 10746                 | 8.58                  |
| GhLtpVIII7       | GhAt12g2013     | A12:83061591,83061929         | +      | 339             | 112             | 23              | 89                   | C-X6-C-X14-CC12-C-X1C-X25-C-X8-C   | 10640.2               | 4.28                  |
| GhLtpVIII8       | GhDt03g1533     | D03:44563981,44565739         | -      | 384             | 127             | 25              | 102                  | C-X6-C-X14-CC12-C-X1C-X27-C-X8-C   | 10664.5               | 8.79                  |
| GhLtpVIII9       | GhAt03g1987     | scaffold500A03:25416,26159    | -      | 339             | 112             | 25              | 87                   | C-X6-C-X14-CC12-C-X1C-X25-C-X8-C   | 10583.15              | 6.02                  |
| GhLtpVIII10      | GhDt03g1535     | D03:44570607,44570975         | +      | 369             | 122             | 20              | 102                  | C-X6-C-X14-CC12-C-X1C-X25-C-X8-C   | 10669.13              | 4.07                  |
| GhLtpVIII11      | GhAt03g1988     | scaffold500A03:33691,34059    | +      | 369             | 122             | 20              | 102                  | C-X6-C-X14-CC12-C-X1C-X25-C-X8-C   | 10597.79              | 8.8                   |
| <b>Type IX</b>   |                 |                               |        |                 |                 |                 |                      |                                    |                       |                       |
| GhLtpIX1         | GhDt08g1612     | D08:50811277,50811732         | -      | 354             | 117             | 38              | 79                   | C-X13-C-X15-CC09-C-X1C-X22-C-X6-C  | 10820.71              | 8.64                  |
| GhLtpIX2         | GhAt08g1322     | A08:85793075,85793524         | -      | 450             | 149             | 38              | 111                  | C-X13-C-X15-CC09-C-X1C-X22-C-X6-C  | 10747.88              | 8.59                  |
| GhLtpIX3         | GhAt12g2579     | scaffold3294A12:7344,7679     | +      | 336             | 111             | 28              | 83                   | C-X13-C-X15-CC09-C-X1C-X22-C-X6-C  | 10747.88              | 8.59                  |
| <b>Type XI</b>   |                 |                               |        |                 |                 |                 |                      |                                    |                       |                       |
| GhLtpXI1         | GhAt13g0036     | A13:372098,372436             | +      | 339             | 112             | 26              | 86                   | C-X9-C-X17-CC13-C-X1C-X25-C-X7-C   | 11320.35              | 9.04                  |
| GhLtpXI2         | GhDt13g0051     | D13:431484,431819             | +      | 336             | 111             | 25              | 86                   | C-X9-C-X17-CC13-C-X1C-X25-C-X7-C   | 12087.7               | 4.16                  |
| GhLtpXI3         | GhAt13g0035     | A13:367676,368014             | -      | 339             | 112             | 26              | 86                   | C-X9-C-X17-CC13-C-X1C-X25-C-X8-C   | 11306.2               | 5.58                  |
| GhLtpXI4         | GhAt07g0235     | A07:2836735,2837103           | -      | 369             | 122             | 25              | 97                   | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C   | 10975.1               | 9.13                  |
| GhLtpXI5         | GhDt07g0293     | D07:2996520,2996900           | -      | 381             | 126             | 25              | 101                  | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C   | 11327.48              | 9.1                   |
| GhLtpXI6         | GhDt13g1963     | D13:55015573,55015971         | +      | 399             | 132             | 26              | 106                  | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C   | 12096.75              | 4.52                  |

(Continued)

TABLE 1 | Continued

| Name          | Gene ID         | Chromosome location    | Strand | CDS Length (bp) | AA <sup>a</sup> | SP <sup>b</sup> | MP <sup>c</sup> (AA) | ECM <sup>d</sup>                 | MP (MW <sup>e</sup> ) | MP (pI <sup>f</sup> ) |
|---------------|-----------------|------------------------|--------|-----------------|-----------------|-----------------|----------------------|----------------------------------|-----------------------|-----------------------|
| GhLtpX7       | GhAt13g1604     | A13:74895665,74896063  | +      | 399             | 132             | 26              | 106                  | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C | 11327.48              | 9.1                   |
| GhLtpX8       | GhD12g1005      | D12:35698319,35698696  | -      | 378             | 125             | 22              | 103                  | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C | 12022.63              | 4.52                  |
| GhLtpX9       | GhAt12g0916     | A12:59270460,59270840  | -      | 381             | 126             | 22              | 104                  | C-X9-C-X18-CC13-C-X1C-X25-C-X9-C | 11264.4               | 9.06                  |
| GhLtpX10      | GhD08g1843      | D08:55412918,55413304  | -      | 387             | 128             | 26              | 102                  | C-X9-C-X20-CC13-C-X1C-X24-C-X9-C | 11332.31              | 8.88                  |
| GhLtpX11      | GhA08g1542      | A08:92708059,92708445  | -      | 387             | 128             | 26              | 102                  | C-X9-C-X20-CC13-C-X1C-X24-C-X9-C | 10996.86              | 4.04                  |
| GhLtpX12      | GhAt11g0232     | A11:2146622,2147029    | +      | 408             | 135             | 26              | 109                  | C-X9-C-X17-CC13-C-X1C-X24-C-X9-C | 11140.01              | 4.27                  |
| GhLtpX13      | GhD11g0246      | D11:2037237,2037644    | +      | 408             | 135             | 26              | 109                  | C-X9-C-X17-CC13-C-X1C-X24-C-X9-C | 11422.24              | 4.69                  |
| GhLtpX14      | GhD11g0253      | D11:2098320,2098709    | -      | 390             | 129             | 26              | 103                  | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C | 11651.91              | 9.34                  |
| GhLtpX15      | GhD11g0251      | D11:2080167,2080577    | -      | 411             | 136             | 26              | 110                  | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C | 11599.68              | 8.84                  |
| GhLtpX16      | GhAt11g0236     | A11:2216177,2216587    | -      | 411             | 136             | 26              | 110                  | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C | 11198.43              | 8.8                   |
| GhLtpX17      | GhD11g0254      | D11:2108602,2109012    | -      | 411             | 136             | 26              | 110                  | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C | 11753.95              | 9.16                  |
| GhLtpX18      | GhAt11g0239     | A11:2241886,2242296    | -      | 411             | 136             | 26              | 110                  | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C | 11249.31              | 8.8                   |
| GhLtpX19      | GhD11g0252      | D11:2085276,2085674    | -      | 399             | 132             | 26              | 106                  | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C | 11616.47              | 8.83                  |
| GhLtpX20      | GhAt11g0237     | A11:2221458,2221856    | -      | 399             | 132             | 26              | 106                  | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C | 11240.97              | 5.48                  |
| GhLtpX21      | GhD11g0250      | D11:2074032,2074424    | -      | 393             | 130             | 26              | 104                  | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C | 11598.74              | 9.06                  |
| GhLtpX22      | Gh_Sca005825g01 | scaffold5825:3233,3625 | -      | 393             | 130             | 26              | 104                  | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C | 10820.71              | 8.64                  |
| GhLtpX23      | GhD11g0249      | D11:2069748,2070152    | -      | 405             | 134             | 26              | 108                  | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C | 11483.3               | 8.95                  |
| GhLtpX24      | GhD11g0248      | D11:2047537,2047941    | -      | 405             | 134             | 26              | 108                  | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C | 11458.29              | 10.1                  |
| GhLtpX25      | GhAt11g0234     | A11:2156230,2156634    | -      | 405             | 134             | 26              | 108                  | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C | 11194.26              | 8.64                  |
| GhLtpX26      | GhAt11g0233     | A11:2153158,2153565    | -      | 408             | 135             | 26              | 109                  | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C | 11142.3               | 8.86                  |
| GhLtpX27      | GhD11g0247      | D11:2044676,2045089    | -      | 414             | 137             | 26              | 111                  | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C | 11447.61              | 8.81                  |
| GhLtpX28      | GhD08g1844      | D08:55438196,55438594  | +      | 399             | 132             | 26              | 106                  | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C | 11346.34              | 8.88                  |
| GhLtpX29      | GhA08g1543      | A08:92737721,92738119  | +      | 399             | 132             | 26              | 106                  | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C | 11108.3               | 8.81                  |
| GhLtpX30      | GhD08g1846      | D08:55481342,55481734  | +      | 393             | 130             | 26              | 104                  | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C | 11386.19              | 4.69                  |
| GhLtpX31      | GhD08g1845      | D08:55457004,55457402  | +      | 399             | 132             | 26              | 106                  | C-X9-C-X18-CC13-C-X1C-X24-C-X9-C | 11346.34              | 8.88                  |
| GhLtpX32      | GhAt12g2002     | A12:82919563,82919982  | +      | 420             | 139             | 26              | 113                  | C-X9-C-X19-CC13-C-X1C-X24-C-X9-C | 11269.07              | 10.27                 |
| GhLtpX33      | GhD12g2178      | D12:54989587,54990000  | +      | 414             | 137             | 26              | 111                  | C-X9-C-X19-CC13-C-X1C-X24-C-X9-C | 12076.3               | 8.44                  |
| GhLtpX34      | Gh_Sca071160g01 | scaffold71160:10,423   | -      | 414             | 137             | 26              | 111                  | C-X9-C-X19-CC13-C-X1C-X24-C-X9-C | 10863.37              | 6.31                  |
| <b>nsLTPy</b> |                 |                        |        |                 |                 |                 |                      |                                  |                       |                       |
| nsLTPy1       | GhA09g1626      | A09:69945165,69945455  | +      | 291             | 96              | 25              | 71                   | C-X8-C-X12-CC8-C-X1C-X23-C-X7-C  | 12152.77              | 4.11                  |
| nsLTPy2       | GhA09g1629      | A09:69958407,69958697  | +      | 291             | 96              | 25              | 71                   | C-X8-C-X12-CC8-C-X1C-X23-C-X7-C  | 12262.29              | 8.96                  |
| nsLTPy3       | GhD09g1721      | D09:44973379,44973669  | +      | 291             | 96              | 25              | 71                   | C-X8-C-X12-CC8-C-X1C-X23-C-X7-C  | 12428.51              | 8.96                  |
| nsLTPy4       | GhD09g1723      | D09:44986600,44986890  | +      | 291             | 96              | 25              | 71                   | C-X8-C-X12-CC8-C-X1C-X23-C-X7-C  | 12525.63              | 9.07                  |
| nsLTPy5       | GhD09g1722      | D09:44983127,44983417  | +      | 291             | 96              | 25              | 71                   | C-X8-C-X12-CC8-C-X1C-X23-C-X7-C  | 12492.48              | 9.47                  |
| nsLTPy6       | GhA09g1625      | A09:69919600,69919890  | +      | 291             | 96              | 25              | 71                   | C-X8-C-X12-CC8-C-X1C-X23-C-X7-C  | 12096.75              | 4.52                  |
| nsLTPy7       | GhA09g1628      | A09:69954924,69955217  | +      | 294             | 97              | 25              | 72                   | C-X8-C-X12-CC8-C-X1C-X23-C-X7-C  | 12253.28              | 8.95                  |
| nsLTPy8       | GhA09g1627      | A09:69948720,69949010  | +      | 291             | 96              | 25              | 71                   | C-X8-C-X12-CC8-C-X1C-X23-C-X7-C  | 12178.2               | 8.31                  |

<sup>a</sup>AA, number of amino acids; <sup>b</sup>SP, signal peptide; <sup>c</sup>MP, mature protein; <sup>d</sup>ECM, eight cysteine motif; <sup>e</sup>MW, molecular weight in Dalton; <sup>f</sup>pI, isoelectric point.

members of the same group, except for type I. A more conserved consensus pentapeptide Thr/Ser-X1-X2-Asp-Arg/Lys and a more variable one Pro-Tyr-X-Ile-Ser were found in type I GhLtps as reported previously (Douliez et al., 2000; Li et al., 2014). As small molecules, nsLTPs lack supernumerary sequences at C/N-terminal or contain a short C-terminal tail. However, GhLtpXIs contained a relatively long N-terminal cap.

The molecular weight (MW) and theoretical pI (isoelectric point) of each GhLtp were calculated and summarized in **Table 1**. Low MW is a common characteristic of plant nsLTPs and very few nsLTPs were found with a MW above 11 kDa in rice, rape and *Arabidopsis*. Interestingly, all GhLtpXIs displayed high MW (about 11–13 kDa). The high MWs of all the type XI members were due to the presence of supernumerary amino acid residues located at the N-terminal.

## Phylogenetic and Sequence Analysis of nsLTPs

Type XI nsLTPs are rare in plants. None of them was identified in rice and wheat, and only two and three nsLTPs belong to this group in *Arabidopsis* and *B. rapa*, respectively (Boutrot et al., 2008; Li et al., 2014). On the contrary, type XI contained most members in *G. hirsutum*. To study the evolution of cotton nsLTP genes, this gene family was additionally identified and classified from *G. arboreum*, *G. raimondii*, *Th. cacao* and *V. vinifera* using the same method described above (**Supplemental Table S3**). An unrooted phylogenetic tree was subsequently built with nsLTP proteins from 8 species including *G. hirsutum*, *G. arboreum*, *G. raimondii*, *A. thaliana*, *B. rapa*, *Th. cacao*, *O. sativa*, and *V. vinifera* with neighbor-joining method (**Figure 2**). None of these proteins formed distinct monophyletic clusters. Type I was the largest group in plants and most sequences of this group formed a separated cluster in the tree. Cotton species have evolved a large number of type XI genes though this group is also identified in grape, cacao and rape. Two type I genes (Bra024938 and Tc11g016320) and five cotton type II genes (Ga3164g39880 and GhLtpII12-15) were close to type XI genes, indicating that cotton type XI genes maybe evolved from type I or II genes. Most importantly, only type XI sequences formed a specific cluster in the tree, indicating that these genes shared a common ancestor.

To further study the phylogenetic organization of the GhLtpXIs, a phylogenetic tree was constructed using Maximum-likelihood inference from the alignment of respective 138 and 53 protein sequences of *G. hirsutum* and *Arabidopsis*. The results showed that all the nsLTPs can be divided into four clusters from A-D (**Supplemental Figure S1**). All the type I and III GhLtps belonged to cluster C. Type V, VIII, and IX GhLtps fell into cluster D, and cluster A contained all members of type VI and XI. Phylogenetic analysis had shown that the same type AtLtps constituted monophyletic groups except for the type II (Boutrot et al., 2008; Li et al., 2014). Consistently, GhLtpII12-15 were more distantly related to other type II GhLtps. GhLtpII13, GhLtpII14, and GhLtpII15 were more close to GhLtpXIs, while GhLtpII12 was more related to GhLtpVIs and GhLtpXI1/2/3.


Gene structures of the GhLtps were obtained by comparing the predicted CDS with their corresponding genomic DNA

sequences (**Supplemental Figure S2**). The results showed that only 16 *GhLtps* had introns. Among these *GhLtps*, six *GhLtps* were interrupted by two introns, and the others were interrupted by a single intron. According to the previous studies in some other plants, 35 out of 52 *OsLtps*, 25 out of 51 *AtLtps*, and 17 out of 63 *BrnsLtps* contain introns (Boutrot et al., 2008; Li et al., 2014). These results revealed that the percentage of *GhLtps* lacking introns was much higher among rice, *Arabidopsis*, *B. rapa*, and *G. hirsutum*, and the diverse distribution of intronic regions was quite low.

## Chromosomal Localization and Gene Duplication of GhLtps


To determine the chromosomal distribution of *GhLtps*, the approximate position of each *GhLtp* was marked on the physical map of the 26 *G. hirsutum* chromosomes (**Figure 3**). It was found that the majority of the *GhLtp* genes located at the ends of the chromosomes. Chromosome Dt11 harbored the most *GhLtps* with 13 genes including 9 *GhLtpXIs* and none of the *GhLtps* located on chromosome At06 and Dt06. Since *G. hirsutum* is tetraploid with subgenome At and Dt, comparison was performed between each pair of homologous chromosomes. Ignoring three genes that are unable to locate, the *GhLtps* almost equally positioned on each genome and the number of genes on chromosomes At and its relative homologous chromosome Dt was uniform or close. Additionally, the distribution patterns of *GhLtps* were quite similar within each pair of homologous chromosomes, which would probably result from complex evolutionary process including recombination, DNA exchanges and gene duplications after merge of genome A and D. These results showed that *GhLtps* distributed congruently within subgenome At and Dt.

Gene duplication events including segmental and tandem duplications were thought to be essential for the expansion of gene family in the genome (Maere et al., 2005) and thus gene duplication events of nsLTP family were investigated in *G. hirsutum*. A total of 32 duplication events were found, including 9 segmental duplication pairs and 23 tandem duplication pairs (**Figure 3** and **Supplemental Table S4**). The duplication events were mainly concentrated in the same subfamily except for three pairs of tandem duplication (*GhLtpII2/III3*, *GhLtpI28/III2*, and *GhLtpXI33/III2/VIII6*). It was worthy to note that tandem duplication pairs distributed in the proximate locations of each paralogous blocks and the expansion of type XI group was largely contributed by tandem duplication. We subsequently calculated the non-synonymous to synonymous substitution ratio (Ka/Ks) for each duplicated *GhLtp* gene pairs. Several duplication pairs of *GhLtpXIs* displayed larger Ks values and these genes constituted four gene clusters located in chromosomes 08 and 11 in subgenome At and Dt, implying an early divergence time of these *GhLtpXIs*. Additionally, most Ka/Ks ratios were below 1, except for five duplication pairs (**Supplemental Table S4**), suggesting that *GhLtps* had mainly experienced strong purifying selection pressure with limited functional divergence. These results revealed that *GhLtpXIs*



Type I Type II Type III Type IV Type V Type VI Type VIII Type IX Type X Type XI nsLTPy

**FIGURE 1** | Multiple sequence alignment of GhLtp proteins. The gene ID and names of different types of GhLtps are presented with different colors. The conserved cysteine residues are marked against pink backgrounds. Consensus residues are marked by rectangles.




expanded early on chromosome At11 and Dt11 and the functions of the duplicated *GhLtps* did not diverge much during evolution.

### Transcriptional Analysis of *GhLtps*

In this study, expression of *GhLtps* were analyzed in various organs/tissues (Supplemental Figure S3). It was worthy to point out that all the type nsLTPy genes showed specific expression in stamen, while other group members did not show any expression preference. Thirty four genes showed abundant transcription

profile during fiber development and nearly 30% of them pertained to type XI.

Due to the irreplaceable economical value of cotton fibers, breeders have been making persistent efforts to develop various types of cotton (*Gossypium spp.*) with desirable fiber characteristics, which provides materials for investigation of the regulation of fiber development (Han et al., 2016). To further elucidate the function of *GhLtps* during fiber development, the expression of *GhLtps* in cultivars HY405, CCRI8, and ND601 was analyzed using our RNA-seq data. It was noted




that 110 genes out of 138 *GhLtps* were expressed during fiber development (**Supplemental Figure S4**). The other 28 *GhLtps* with scarcely any transcripts covered each group. *GhLtp11/10/11* and *GhLtpXI32* were highly transcribed during fiber development. And seven *GhLtpXIs* out of 18 *GhLtps* demonstrated high transcripts only in fiber initiation and early elongation stage. Further, the 138 *GhLtps* could be clustered into four groups based on the expression trend during fiber development (**Supplemental Figure S5**). The majority of *GhLtps* were expressed in the fiber initiation stage, and kept a relatively high expression level during the early stage of elongation. It was noticeable that the expression of nearly half of the *GhLtps* decreased gradually, suggesting important roles in cotton fiber initiation and elongation which are essential for lint fiber formation. Additionally, over 60% of *GhLtpXIs* displayed higher expression during fiber initiation and early elongation. It seemed that type XI *GhLtps* were important for fiber initiation and elongation.

Further comparison of the transcription level was made between longer (HY405) and shorter (CCR18 and ND601) fibers. The results between comparison of HY405 vs. CCR18 and HY405 vs. ND601 were consistent (**Figure 4A**). More *GhLtps* were significantly activated in cultivar HY405 with longer fibers, especially at 5, 15, and 25 DPA (**Figure 4A**). Among these genes, *GhLtpIs* and *GhLtpXIs* occupied 54% proportion (**Figure 4B**). The transcripts of *GhLtpI26*, *V14*, *V14*, *XI12*, *XI13*, *XI30*, *XI32*, and *XI33*

dramatically accumulated in long-fibered cultivars when fiber started to elongate (**Figures 4A,C**), suggesting a possible contribution of *GhLtps* (especially *GhLtpXIs*) to fiber length improvement.

After its divergence from an ancestor shared with *Th. cacao* (Carvalho et al., 2011), the cotton lineage evolved into D-genome and A-genome. However, spinnable fiber only evolved in the A-genome and was further elongated after the merger of A and D genome (Paterson et al., 2012). In order to further clarify the function of *GhLtpXIs* in fiber development, the expression of cotton type XI genes was analyzed. Firstly, orthologs of *GhLtpXIs* were identified from D-genome and A-genome according to the sequence similarity, which was further confirmed by the syntenic relationships between diploid and tetraploid cotton species identified previously (**Supplemental Figure S6**) (Zhang et al., 2015). Ten type XI genes in A and D genome lost during evolution and 4 pairs of non-reciprocal DNA exchanges were identified including Gr13g0054/GhAt13g0035, GhAt11g0237/GhDt11g0252, GhAt11g0234/GhDt12g1005, and GhDt12g1005/GhAt12g0916. Then the expression of orthologous gene pairs in ovules was compared at 10 and 20 DPA, respectively, using the downloaded transcriptome data. The results demonstrated that the transcriptional level of most *GhLtpXIs*, discarding 12 *GhLtpXIs* with scarce transcripts, significantly varied from their diploid progenitors (**Figure 4D**), among which the expression of 15 *GhLtpXIs* varied at 10 DPA and 12 varied at 20 DPA. It was notable that the



expression of most *GhLtpXI*s was higher than their diploid progenitors except for *GhLtpXI14-17*. Especially, expression of *GhLtpXI32* and *GhLtpXI33* was extremely higher in tetraploid cotton than their orthologs in diploid cotton. Additionally, transcripts of *GhLtpXI6* and *GhLtpXI12* were dramatically abundant during fiber elongation in tetraploid cotton and

*GhLtpXI27*, *GhLtpXI28*, and *GhLtpXI30* increased sharply at 20 DPA.

The previous studies showed that polar lipids increased and reached the maximum level and were incorporated into the cell wall from 3 to 20 DPA (Wan et al., 2005; Edstam et al., 2013; Kumar et al., 2013). Our results suggested that *GhLtps*, especially

*GhLtpXIs* play important roles during fiber elongation. Those differentially expressed *GhLtps* are likely to delivering lipids to the outer integument of cotton ovules (Edstam et al., 2013) and thus contribute to the variance of fiber length.

## ***GhLtpXIs* Are Involved in Fiber Development**

Based on the analysis of the RNA-seq data, it is possible that the considerably expanded *GhLtpXIs* play important roles in different fiber developmental stages. On account of this, we selected nine genes to verify their expression by qPCR (Figure 5). The expression trend of the selected genes were consistent with RNA-seq data except for *GhLtpXI12* and *GhLtpXI33*, which would be due to that samples at 5 DPA used for RNA-seq and qRT-PCR were different. All of these *GhLtpXIs* showed higher transcription levels in cultivar HY405 that produces longer fibers. The expression profile of each gene varied in different stages of fiber development, suggesting different roles of *GhLtpXIs*. *GhLtpXI27*, *GhLtpXI28*, and *GhLtpXI30* exhibited highest transcripts at 0 DPA and decreased dramatically at 5 DPA, revealing a role in fiber initiation. The expression of *GhLtpXI6/7* decreased gradually during fiber elongation. Noticeably, *GhLtpXI6/7* maintained a high level in HY405 until 10 DPA when its transcription in ND601 has decreased to a relatively low level, and *GhLtpXI14* and *GhLtpXI32* demonstrated a constantly high level during fiber elongation in HY405, which would probably contribute to long fiber quality of the cultivar. *GhLtpXI1*, *GhLtpXI12*, and *GhLtpXI33* showed a transcriptional peak during fiber elongation. The expression trend of *GhLtpXI1* was consistent in both cultivars with a higher expression in HY405. Though the expression of *GhLtpXI12* was comparable in two cultivars, its expression peaked earlier in HY405 at 10 DPA that is essential to fiber elongation. There is also an advanced expression peak of *GhLtpXI33* in HY405 with a significantly abundant transcripts compared with that in ND601. It might be another important effector on fiber length.

It is believed that the regulatory mechanism is shared by fiber and leaf trichome development (Kim and Triplett, 2001; Qin and Zhu, 2011; Lei et al., 2014), and *Arabidopsis* continues to serve as a useful experimental system for dissecting the mechanisms of cotton fiber development (Guan et al., 2014; Shangguan et al., 2016; Ma et al., 2018). Since *GhLtpXIs* considerably expanded in *Gossypium* species, several members with early divergent time were cloned and ectopically expressed in *Arabidopsis* to further verify the function of *GhLtpXIs* in fiber development. Expression analysis of T1 transgenic plants revealed that these cotton genes were successfully expressed in *Arabidopsis* (Figure 6A). The trichomes of the mature rosette leaves were observed under microscope. The results showed that the trichome morphology was not affected by overexpressing of different *GhLtpXIs*, whereas the trichome length of all the transgenic plants was significantly longer than that of the WT plants (Figure 6B), and the improvement of trichome length was positively correlated to the expression of *GhLtpXIs*. These results suggested that *GhLtpXIs* function to promote trichome elongation. Cotton fiber which is derived from the epidermal cells

is a single-celled trichome of seed and thus these *GhLtpXIs* might probably regulate fiber elongation.

## **DISCUSSION**


### **Type XI nsLTPs Expanded Considerably in *Gossypium* Species**

Plant nsLTPs are characterized by the ECM backbone forming a stabilized hydrophobic cavity and could be classified into 11 groups including I, II, III, IV, V, VI, VII, VIII, IX, XI, and nsLTPy according to the number of flanking amino acids within the conserved ECM domain (Kader, 1996; Carvalho and Gomes, 2007; Boutrot et al., 2008; Li et al., 2014). The nsLTP family has been identified in *Arabidopsis*, rice, rape, maize, and sorghum in previous studies (Boutrot et al., 2008; Li et al., 2014; Wei and Zhong, 2014) and in *G. hirsutum*, *G. arboreum*, *G. raimondii*, *Th. Cacao*, and *V. vinifera* in this study (Supplemental Table S3). As an ancient species, *V. vinifera* genome contained 3 type XI genes, and this group is likely to disappear evolutionally because of the lack of type XI genes in rice and *Arabidopsis*. Although several type XI genes were identified in cacao, grape and rape, type I or II consistently possess most members in grape, cacao, rape, rice and *Arabidopsis*. It is interesting that cotton type XI nsLTPs harbor an extra N-terminal cap and are larger in molecular weight, which are different from other nsLTPs. These outcomes reveal that type XI nsLTPs specifically expanded in the *Gossypium* species (Figure 2).

Cotton type XI genes were close to type II genes in the phylogenetic tree and duplication pairs were found between *GhLtpXIs* and *GhLtpIIs* (Figures 2, 3 and Supplemental Table S4). The special protein structure of GhLtpXIs was only similar to GhLtpII13-15 (Figure 1). These findings imply that cotton type XI genes might diverge from type II genes. A large amount of tandem duplication events was found within *GhLtpXIs* (Figure 3), suggesting an essential contribution to the tremendous expansion of type XI genes.

### ***GhLtpXIs* Regulate Fiber Development**

Considered as an ideal model for cell elongation, cotton fiber is the single-celled seed trichome developed from the outer integument of ovule and cotton fiber quality is quantitative traits controlled by multiple genes. Due to their economic importance and biological feature, cotton fiber development has been the subject of much scientific interest. Two decades ago, scientists have cloned nsLTPs from fibers and believed that they should play roles during fiber development (Ma et al., 1995, 1997; Liu et al., 2000; Orford and Timmis, 2000). Later, 12 nsLTPs were found highly expressed during fiber elongation in upland cotton fibers compared with fuzzless mutant ovules (Ji et al., 2003). However, little progress was achieved on how these small proteins affect fiber development. The complement of whole genome sequence of *G. hirsutum* (Li et al., 2015; Zhang et al., 2015) facilitates the study of gene families contributing to fiber development. In the present study, 138, 65, and 70 nsLTPs were strictly identified from *G. hirsutum*, *G. arboreum*, and *G. raimondii*, respectively. RNA-seq data suggested that most *GhLtps* were transcribed during fiber development and some *GhLtpXIs* displayed much abundant




transcripts during fiber initiation and elongation (**Figure 5** and **Supplemental Figure S4**). Significant transcriptional differences of *GhLtps* were found between cultivated upland cotton varieties with longer and shorter fibers. And many *GhLtpXIs* displayed preponderance of expression in longer fibers, which was likely to contribute to the variation of fiber quality (**Figures 4, 5**). The transcription of several *GhLtpXIs* was verified by qPCR with a higher level or advanced peak in long-fibered cultivar (**Figure 5**). Furthermore, significant elongation of *Arabidopsis* leaf trichomes induced by overexpression of *GhLtpXIs* suggested functional roles of *GhLtpXIs* in promoting cell elongation (**Figure 6**).

Since the first genetic map was constructed in cotton, many QTLs for fiber quality traits have been identified (Shen et al., 2005; Wang et al., 2006; Qin et al., 2008; Zhang et al., 2012; Ning et al., 2014; Shao et al., 2014; Shang et al., 2015; Jamshed et al., 2016). After blast with the QTLs for fiber quality traits, *GhLtpI24*, *GhLtpIV6* and a cluster of *GhLtpXIs* located in chromosome Dt11 (*GhLtpXI13/14/15/17/19/21/23/24/27*) fell in QTL qFL15.1, qFS-D13-1, and qFM21.1, respectively (Zhang et al., 2012; Ning et al., 2014; Shao et al., 2014). These findings further proved that *GhLtps* especially *GhLtpXIs* are important regulators of fiber development and thus contribute to fiber quality.

LCFA regulates endogenous ethylene biosynthesis in cotton ovules to promote the extensibility of fibers (Qin

et al., 2007). The basic function of nsLTPs is to transfer lipids. GhLtps were speculated to bind with various lipids to be responsible for the intracellular and intercellular movement of lipids including fatty acids and thus affect ethylene production and fiber elongation. A GPI-anchored lipid transport protein (GhLTPG1) has been identified to regulate cotton fiber elongation through mediating the transport of phosphatidylinositol monophosphates (Ostergaard et al., 1993; Deng et al., 2016), which supports the speculation. As a consequence of the transportation of lipids, the intercellular fatty acid pools will be regulated by GhLtps, which would cause a feedback regulation on reactions enrolling fatty acids, including LCFA biosynthesis and accumulation. In addition to transferring lipids, nsLTPs can also act as lipid sensors and lipid chaperones (Wong et al., 2017). Plant nsLTPs are supposed to bind a lipid molecular competing with elicitor and mediate signaling (Blein et al., 2002; Maldonado et al., 2002). When nsLTPs present part of a lipid (typically the hydrophilic head group) to another protein, they act as lipid chaperones to mediate signaling (Wang et al., 2005). Thus a hypothesis that GhLtps participant in the signaling of phytohormones involved in fiber development and other signaling pathways mediating fiber development could be proved when functional lipids were isolated as signaling molecules from fibers or the outer integument of ovules.



**FIGURE 6 |** *GhLtpXIs* regulated trichome development in *Arabidopsis*. **(A)** Upregulation of *GhLtpXIs* in independent overexpression transgenic plants correlated to the length of trichomes on the surface of mature rosette leaves. Trichome length was measured under microscope and calculated for average of 30~50 trichomes. Asterisks indicate the significant difference in relation to WT (*T*-test, \* $p < 0.05$ , \*\* $p < 0.01$ ). Expression of *GhLtpXIs* was determined by qPCR in leaves of each independent transgenic plants. Transcripts of *GhLtpXIs* were undetectable in WT. Results were normalized against the expression of *TUB2*. The maximum expression of each *GhLtpXI* is set as 100%. Error bars indicate SD. **(B)** Overexpressing of *GhLtpXIs* in transgenic plants promoted trichome length. Trichomes were observed under microscope after decolorization of leaves. The bar represents 100 μm.

## *GhLtpXIs* Might Comprise a Possible “Fiber Clade”

Shortly after the divergence from the same ancestor as *Th. cacao* at least 60 Myr ago (Carvalho et al., 2011), the genus *Gossypium* experienced an abrupt polyploidization with a maternal A-genome propagule resembling *G. herbaceum* and a pollen parent D-genome species resembling *G. raimondii* which diverged ~5–10 Myr ago (Senchina et al., 2003). The nascent AtDt

allopolyploid diverged into at least five species, of which two major cultivated species *G. hirsutum* and *G. barbadense* were domesticated independently to spawn textile industry and became a major oilseed. Although *G. hirsutum* has been well domesticated and bred for many cultivated varieties that vary in fiber quality, the evolution of fiber and regulatory mechanism of fiber development are unclarified. Our results suggested that the expanded type XI genes in *G. hirsutum* genome are involved

in fiber development. Although GhLtpXIs were phylogenetically close to GhLtpIIs, they evolved to be different in protein structure and MWs. Members of this group contain an extra N-terminal cap (Figure 1). Protein sequences of GhLtpXIs were highly conserved within the ECMs and only varied at the N-terminal (Figure 1). Additionally, the divergence time of *GhLtpXIs* was earlier than other *GhLtps*. It is clear that *GhLtpXIs* form a unique group distinctive from other *GhLtps*.

The sequence of a *G. hirsutum* cultivar reveals many non-reciprocal DNA exchanges between subgenomes that may have contributed to phenotypic innovation that spinnable fiber evolved from the merger of A genome and D genome determining a fibered and a fibreless phenotype, respectively (Paterson et al., 2012). Noticeably, non-reciprocal DNA exchanges were found in cotton type XI genes and most transcribed *GhLtpXIs* in ovules displayed significant expression difference during fiber elongation compared with their orthologs in A or D genome, indicating a correlation between cotton type XI genes and fiber evolution. Therefore the cotton XI genes are speculated to comprise a possible “fiber clade” (Paterson et al., 2012) evolving from polyploidy, non-reciprocal DNA exchanges and duplication events, which would be supported by further sequence comparison of nsLTPs in different cotton species and their evolutionary close species and molecular investigation on how these candidates regulate fiber development.

## AUTHOR CONTRIBUTIONS

ZM, CM, and YY designed the experiments. CM and YY conducted the experiments and analyzed the data. ZL, LC, and YZ performed part of the experiments. XL helped in the bioinformatics analyses. LW and GZ helped in growing experimental materials. CM and YY wrote the manuscript. ZM and XW carefully edited the manuscript and analyzed the data. All authors revised the manuscript.

## ACKNOWLEDGMENTS

We thank Xiyin Wang and Jinpeng Wang for their assistance in bioinformatics analysis. Our thanks also go to Hongping Wu for her help in data analysis. This work was

## REFERENCES

- Basra, A. S., and Malik, C. P. (1984). Development of the cotton fiber. *Int. Rev. Cytol.* 89, 65–113.
- Blein, J. P., Coutos-Thévenot, P., Marion, D., and Ponchet, M. (2002). From elicitors to lipid-transfer proteins: a new insight in cell signalling involved in plant defence mechanisms. *Trends in Plant Sci.* 7, 293–296. doi: 10.1016/S1360-1385(02)02284-7
- Boutrot, F., Chantret, N., and Gautier, M. F. (2008). Genome-wide analysis of the rice and *Arabidopsis* non-specific lipid transfer protein (nsLTP) gene families and identification of wheat nsLTP genes by EST data mining. *BMC Genomics* 9:86. doi: 10.1186/1471-2164-9-86
- Carvalho, A. O., and Gomes, V. M. (2007). Role of plant lipid transfer proteins in plant cell physiology—a concise review. *Peptides* 28, 1144–1153. doi: 10.1016/j.peptides.2007.03.004

supported by grants from the National Key Research and Development Program of China (2016YFD0101006), the Science and Technology Support Program of Hebei Province (16226307D), the Top Talent Fund of Hebei Province, the High School Science and Technology Research Program of Hebei Province (ZD2018057) and financial support for research from College of Agronomy of Hebei Agricultural University.

## SUPPLEMENTARY MATERIAL

The Supplementary Material for this article can be found online at: <https://www.frontiersin.org/articles/10.3389/fpls.2018.01285/full#supplementary-material>

**Supplemental Figure S1** | Phylogenetic tree of GhLtps. The amino acids of the mature proteins of cotton and *Arabidopsis* nsLtps were used to build the phylogenetic tree using Maximum likelihood method. The 10 types of nsLTPs and another five AtLtps are showed with different color background. Four clusters are marked against different colors.

**Supplemental Figure S2** | Gene structure of the *GhLtps*. Exons are represented by green boxes and introns are showed with black lines.

**Supplemental Figure S3** | Expression profiles of *GhLtpXIs* in different organs and tissues of *G. hirsutum*. Data shown were  $\log_2$ -transformed FPKM of each gene which was quantified using RNA-seq data downloaded from CottonFGD. Clustering of expression level is showed on the right. The color bar represents the relative expression level.

**Supplemental Figure S4** | Expression of *GhLtps* during fiber development. Data shown were  $\log_2$ -transformed RPKM. Developmental stages of fiber are indicated in days post anthesis (DPA) above. The color bar represents the relative expression level.

**Supplemental Figure S5** | Expression trend analysis of *GhLtps*. Number of genes is indicated below the relevant expression pattern.

**Supplemental Figure S6** | Phylogenetic tree of nsLTPs in cotton species. The full lengths of mature protein sequences were used to construct the phylogenetic tree using a Neighbor-Joining method. The same color was used to present orthologous gene pairs and non-reciprocal DNA exchanges were labeled with different dots.

**Supplemental Table S1** | List of primers used in this study.

**Supplemental Table S2** | Diversity of the eight cysteine motif.

**Supplemental Table S3** | Classification of nsLTP genes in cotton, *Arabidopsis*, rape, rice, cacao and grape.

**Supplemental Table S4** | Ka/Ks analysis for the duplicated gene pairs.

- Carvalho, M. R., Herrera, F. A., Jaramillo, C. A., Wing, S. L., and Callejas, R. (2011). Paleocene malvaceae from northern south America and their biogeographical implications. *Am. J. Bot.* 98, 1337–1355. doi: 10.3732/ajb.10.00539
- Chae, K., Gonong, B. J., Kim, S. C., Kieslich, C. A., Morikis, D., Balasubramanian, S., et al. (2010). A multifaceted study of stigma/style cysteine-rich adhesin (SCA)-like *Arabidopsis* lipid transfer proteins (LTPs) suggests diversified roles for these LTPs in plant growth and reproduction. *J. Exp. Bot.* 61, 4277–4290. doi: 10.1093/jxb/erq228
- Charvolin, D., Douliez, J. P., Marion, D., Cohenaddad, C., and Pebayproula, E. (1999). The crystal structure of a wheat non-specific lipid transfer protein (ns-LTP1) complexed with two molecules of phospholipid at 2.1 Å resolution. *Febs J.* 264, 562–568.
- Chen, C., Chen, G., Hao, X., Cao, B., Chen, Q., Liu, S., et al. (2011). CaMF2, an anther-specific lipid transfer protein (LTP) gene, affects

- pollen development in *Capsicum annuum* L. *Plant Sci.* 181, 439–448. doi: 10.1016/j.plantsci.2011.07.003
- Cheng, H. C., Cheng, P. T., Peng, P., Lyu, P. C., and Sun, Y. J. (2004). Lipid binding in rice non-specific lipid transfer protein-1 complexes from *Oryza sativa*. *Protein Sci.* 13:2304. doi: 10.1110/ps.04799704
- Deng, T., Yao, H. Y., Wang, J., Wang, J., Xue, H. W., and Zuo, K. J. (2016). GhLTPG1, a cotton GPI-anchored lipid transfer protein, regulates the transport of phosphatidylinositol monophosphates and cotton fiber elongation. *Sci. Rep.* 6:26829. doi: 10.1038/srep26829
- Douliez, J. P., Michon, T., Elmorjani, K., and Marion, D. (2000). Structure, biological and technological functions of lipid transfer proteins and indolines, the major lipid binding proteins from cereal kernels. *J. Cer. Sci.* 32, 1–20. doi: 10.1006/jcrs.2000.0315
- Edstam, M. M., Blomqvist, K., Eklof, A., Wennergren, U., and Edqvist, J. (2013). Co-expression patterns indicate that GPI-anchored non-specific lipid transfer proteins are involved in accumulation of cuticular wax, suberin and sporopollenin. *Plant Mol. Biol.* 83, 625–649. doi: 10.1007/s11103-013-0113-5
- Edstam, M. M., and Edqvist, J. (2014). Involvement of GPI-anchored lipid transfer proteins in the development of seed coats and pollen in *Arabidopsis thaliana*. *Physiol. Plant.* 152, 32–42. doi: 10.1111/pp.12156
- Guan, X. Y., Li, Q. J., Shan, C. M., Wang, S., Mao, Y. B., Wang, L. J., et al. (2008). The HD-Zip IV gene *GaHOX1* from cotton is a functional homologue of the *Arabidopsis* GLABRA2. *Physiol. Plant.* 134, 174–182. doi: 10.1111/j.1399-3054.2008.01115.x
- Guan, X. Y., Pang, M. X., Nah, G., Shi, X. L., Ye, W. X., David, M. S. et al. (2014). miR828 and miR858 regulate homoeologous MYB2 gene functions in *Arabidopsis trichome* and cotton fibre development. *Nat. Commun.* 5:3050. doi: 10.1038/ncomms4050
- Han, G. W., Lee, J. Y., Song, H. K., Chang, C., Min, K., Moon, J., et al. (2001). Structural basis of non-specific lipid binding in maize lipid-transfer protein complexes revealed by high-resolution X-ray crystallography. *J. Mol. Biol.* 308, 263–278. doi: 10.1006/jmbi.2001.4559
- Han, H. C., Huang, Y. Q., Wang, J., and Zuo, K. J. (2013). Cloning and expression pattern analysis of *Gossypium hirsutum* lipid transfer protein gene family. *J. Agr. Sci. Tech.* 15, 84–90.
- Han, J., Pan, Y. X., Wang, X. F., Zhang, Y., and Ma, Z. Y. (2016). Antisense expression of *Gossypium barbadense* *UGD6* in *Arabidopsis thaliana* significantly alters cell wall composition. *Sci. China Life Sci.* 59, 213–218. doi: 10.1007/s11427-016-5004-y
- Hsu, C.-Y., Jenkins, J. N., Saha, S., and Ma, D.-P. (2005). Transcriptional regulation of the lipid transfer protein gene *LTP3* in cotton fibers by a novel MYB protein. *Plant Sci.* 168, 167–181. doi: 10.1016/j.plantsci.2004.07.033
- Huang, Y. Q., Liu, X., Tang, K. X., and Zuo, K. J. (2013). Functional analysis of the seed coat-specific gene *GbMYB2* from cotton. *Plant Physiol. Bioch.* 73, 16–22. doi: 10.1016/j.plaphy.2013.08.004
- Jamshed, M., Jia, F., Gong, J. W., Palanga, K. K., Shi, Y. Z., Li, J. W., et al. (2016). Identification of stable quantitative trait loci (QTLs) for fiber quality traits across multiple environments in *Gossypium hirsutum* recombinant inbred line population. *BMC Genomics* 17:197. doi: 10.1186/s12864-016-2560-2
- Ji, S. J., Lu, Y. C., Feng, J. X., Wei, G., Li, J., Shi, Y. H., et al. (2003). Isolation and analyses of genes preferentially expressed during early cotton fiber development by subtractive PCR and cDNA array. *Nucl. Acids Res.* 31, 2534–2543. doi: 10.1093/nar/gkg358
- Joshi, P. C., Wadhvani, A. M., and Johri, B. M. (1967). Morphological and embryological studies of *Gossypium*, L. *Indian J. Agr. Res.* 33, 37–93.
- Kader, J. C. (1996). Lipid-transfer proteins in plants. *Ann. Plant Physiol. Plant Mol. Biol.* 47, 627–654.
- Kim, H. J., and Triplett, B. A. (2001). Cotton fiber growth in planta and *in vitro* models for plant cell elongation and cell wall biogenesis. *Plant Physiol.* 127, 1361–1366. doi: 10.1104/pp.010724
- Kong, X. P., Lv, W., Jiang, S. S., Zhang, D., Cai, G. H., Pan, J. W., et al. (2013). Genome-wide identification and expression analysis of calcium-dependent protein kinase in maize. *BMC Genomics* 14:433. doi: 10.1186/1471-2164-14-433
- Kragelund, B. B., Bech, L. M., and Poulsen, F. M. (1997). Barley lipid-transfer protein complexed with palmitoyl CoA: the structure reveals a hydrophobic binding site that can expand to fit both large and small lipid-like ligands. *Structure* 5, 291–306.
- Kumar, S., Kumar, K., Pandey, P., Rajamani, V., Padmalatha, K. V., Dhandapani, G., et al. (2013). Glycoproteome of elongating cotton fiber cells. *Mol. Cell. Pro.* 12, 3677–3689. doi: 10.1074/mcp.M113.030726
- Lee, S. B., Go, Y. S., Bae, H. J., Park, J. H., Cho, S. H., Cho, H. J., et al. (2009). Disruption of glycosylphosphatidylinositol-anchored lipid transfer protein gene altered cuticular lipid composition, increased plastoglobules, and enhanced susceptibility to infection by the fungal pathogen *alternaria brassicicola*. *Plant Physiol.* 150, 42–54. doi: 10.1104/pp.109.137745
- Lei, L., Chen, L., Shi, X. F., Li, Y. X., Wang, J. Y., Chen, D. S., et al. (2014). A nodule-specific lipid transfer protein asE246 participates in transport of plant-synthesized lipids to symbiosome membrane and is essential for nodule organogenesis in chinese milk vetch. *Plant Physiol.* 164, 1045–1058. doi: 10.1104/pp.113.232637
- Li, F. G., Fan, G. Y., Lu, C. R., Xiao, G. H., Zou, C. S., Kohel, R. J., et al. (2015). Genome sequence of cultivated Upland cotton (*Gossypium hirsutum* TM-1) provides insights into genome evolution. *Nat. Biotech.* 33, 524–530. doi: 10.1038/nbt.3208
- Li, J., Gao, G. Z., Xu, K., Chen, B. Y., Yan, G. X., Li, F., et al. (2014). Genome-wide survey and expression analysis of the putative non-specific lipid transfer proteins in *Brassica rapa* L. *PLoS ONE* 9:e84556. doi: 10.1371/journal.pone.0084556
- Liu, B. L., Zhu, Y. C., and Zhang, T. T. (2015). The R3-MYB gene *GhCPC* negatively regulates cotton fiber elongation. *PLoS ONE* 10:e0116272. doi: 10.1145/2818302
- Liu, H. C., Creech, R. G., Jenkins, J. N., and Ma, D. P. (2000). Cloning and promoter analysis of the cotton lipid transfer protein gene *Ltp3*. *Bioch. Bioph. Acta* 1487, 106–111. doi: 10.1016/S1388-1981(00)00072-X
- Liu, W., Li, W., He, Q., Daud, M. K., Chen, J., and Zhu, S. J. (2014). Genome-wide survey and expression analysis of calcium-dependent protein kinase in *Gossypium raimondii*. *PLoS ONE* 9:e98189. doi: 10.1371/journal.pone.0098189
- Ma, D. P., Liu, H. C., Tan, H. P., Creech, R. G., Jenkins, J. N., and Chang, Y. F. (1997). Cloning and characterization of a cotton lipid transfer protein gene specifically expressed in fiber cells. *Bioch. Bioph. Acta* 1344, 111–114. doi: 10.1016/S0005-2760(96)00166-X
- Ma, D. P., Tan, H., Si, Y., Creech, R. G., and Jenkins, J. N. (1995). Differential expression of a lipid transfer protein gene in cotton fiber. *Bioch. Bioph. Acta* 1257, 81–84.
- Ma, Z. Y., He, S. P., Wang, X. F., Sun, J. L., Zhang, Y., Zhang, G. Y., et al. (2018). Resequencing a core collection of upland cotton identifies genomic variation and loci influencing fiber quality and yield. *Nat. Genet.* 50, 803–813. doi: 10.1038/s41588-018-0119-7
- Machado, A., Wu, Y. R., Yang, Y. M., Llewellyn, D. J., and Dennis, E. S. (2009). The MYB transcription factor GhMYB25 regulates early fibre and trichome development. *Plant J.* 59, 52–62. doi: 10.1111/j.1365-313X.2009.03847.x
- Maere, S., De Bodt, S., Raes, J., Casneuf, T., Montagu, M. V., and Kuiper, M. (2005). Modeling gene and genome duplications in eukaryotes. *Proc. Nat. Acad. Sci. U.S.A.* 102, 5454–5459. doi: 10.1073/pnas.0501102102
- Maldonado, A. M., Doerner, P., Dixon, R. A., Lamb, C. J., and Cameron, R. K. (2002). A putative lipid transfer protein involved in systemic resistance signalling in *Arabidopsis*. *Nature* 419, 399–403. doi: 10.1038/nature00962
- Molina, A., Segura, A., and Garcia-Olmedo, F. (1993). Lipid transfer proteins (nsLTPs) from barley and maize leaves are potent inhibitors of bacterial and fungal plant pathogens. *Febs Letters* 316, 119–122.
- Ning, Z. Y., Chen, H., Mei, H. X., and Zhang, T. Z. (2014). Molecular tagging of QTLs for fiber quality and yield in the upland cotton cultivar Acala-Prema. *Euphytica* 195, 143–156. doi: 10.1007/s10681-013-0990-3
- Orford, S. J., and Timmis, J. N. (2000). Expression of a lipid transfer protein gene family during cotton fibre development. *Bioch. Bioph. Acta* 1483, 275–284.
- Ostergaard, J., Vergnolle, C., Schoentgen, F., and Kader, J. C. (1993). Acyl-binding/lipid-transfer proteins from rape seedlings, a novel category of proteins interacting with lipids. *Bioch. Bioph. Acta* 1170, 109–117.
- Paterson, A. H., Wendel, J. F., Gundlach, H., Guo, H., Jenkins, J., Jin, D. C., et al. (2012). Repeated polyploidization of *Gossypium* genomes and the evolution of spinnable cotton fibres. *Nature* 492, 423–427. doi: 10.1038/nature11798
- Pu, L., Li, Q., Fan, X. P., Yang, W. C., and Xue, Y. B. (2008). The R2R3 MYB transcription factor GhMYB109 is required for cotton fiber development. *Genetics* 180, 811–820. doi: 10.1534/genetics.108.093070

- Pye, J., Yu, H. S., and Kolattukudy, P. E. (1994). Identification of a lipid transfer protein as the major protein in the surface wax of broccoli (*Brassica oleracea*) leaves. *Arch. Biol. Biol.* 311, 460–468.
- Qin, H. D., Guo, W. Z., Zhang, Y. M., and Zhang, T. Z. (2008). QTL mapping of yield and fiber traits based on a four-way cross population in *Gossypium hirsutum* L. *Theor. Appl. Genet.* 117:883. doi: 10.1007/s00122-008-0828-x
- Qin, Y. M., Hu, C. Y., Pang, Y., Kastaniotis, A. J., Hiltunen, J. K., and Zhu, Y. X. (2007). Saturated very-long-chain fatty acids promote cotton fiber and Arabidopsis cell elongation by activating ethylene biosynthesis. *Plant Cell* 19, 3692–3704. doi: 10.1105/tpc.107.054437
- Qin, Y. M., and Zhu, Y. X. (2011). How cotton fibers elongate: a tale of linear cell-growth mode. *Curr. Opin. Plant Biol.* 14, 106–111. doi: 10.1016/j.pbi.2010.09.010
- Sarowar, S. J., Kim, Y. J., Kim, K. D., Hwang, B. K., Ok, S. H., and Shin, J. S. (2009). Overexpression of lipid transfer protein (LTP) genes enhances resistance to plant pathogens and LTP functions in long-distance systemic signaling in tobacco. *Plant Cell Rep.* 28, 419–427. doi: 10.1007/s00299-008-0653-3
- Schweiger, W., Steiner, B., Ametz, C., Siegwart, G., Wiesenberger, G., Berthiller, F., et al. (2013). Transcriptomic characterization of two major Fusarium resistance quantitative trait loci (QTLs), Fhb1 and Qfhs.ifa-5A, identifies novel candidate genes. *Mol. Plant Pathol.* 14, 772–785. doi: 10.1111/mpp.12048
- Senchina, D. S., Alvarez, I., Cronn, R. C., Liu, B., Rong, J. K., Noves, R. D., et al. (2003). Rate variation among nuclear genes and the age of polyploidy in *Gossypium*. *Mol. Biol. Evol.* 20, 633–643. doi: 10.1093/molbev/msg065
- Shang, L. G., Liang, Q. Z., Wang, Y. M., Wang, X. C., Wang, K. B., Abduweli, A., et al. (2015). Identification of stable QTLs controlling fiber traits properties in multi-environment using recombinant inbred lines in Upland cotton (*Gossypium hirsutum* L.). *Euphytica* 205, 877–888. doi: 10.1007/s10681-015-1434-z
- Shangguan, X. X., Yang, C. Q., Zhang, X. F., and Wang, L. J. (2016). Functional characterization of a basic helix-loop-helix (bHLH) transcription factor GhDEL65 from cotton (*Gossypium hirsutum*). *Physiol. Plant.* 158, 200–212. doi: 10.1111/ppl.12450
- Shao, Q. S., Zhang, F. J., Tang, S. Y., Liu, Y., Fang, X. M., Liu, D. X., et al. (2014). Identifying QTL for fiber quality traits with three upland cotton (*Gossypium hirsutum* L.) populations. *Euphytica* 198, 43–58. doi: 10.1007/s10681-014-1082-8
- Shen, X. L., Guo, W. Z., Zhu, X. F., Yuan, Y. L., Yu, J. Z., Kohel, R. J., et al. (2005). Molecular mapping of QTLs for fiber qualities in three diverse lines in Upland cotton using SSR markers. *Mol. Breed.* 15, 169–181. doi: 10.1007/s11032-004-4731-0
- Shin, H. S., and Bleecker, A. B. (2003). Expansion of the receptor-like kinase/pelle gene family and receptor-like proteins in *Arabidopsis*. *Plant Physiol.* 132, 530–543. doi: 10.1104/pp.103.021964
- Sodano, P., Caille, A., Sy, D., De, P. G., Marion, D., and Ptak, M. (1997). 1H NMR and fluorescence studies of the complexation of DMPG by wheat non-specific lipid transfer protein. Global fold of the complex. *Febs Lett.* 416, 130–134.
- Stewart, J. M. D. (1975). Fiber initiation on the cotton ovule (*Gossypium Hirsutum*). *Am. J. Bot.* 62, 723–730.
- Walford, S. A., Wu, Y. R., Llewellyn, D. J., and Dennis, E. S. (2011). GhMYB25-like: a key factor in early cotton fiber development. *Plant J.* 65, 785–797. doi: 10.1111/j.1365-313X.2010.04464.x
- Wan, S. W., Welti, R., Moreau, R. A., and Chapman, K. D. (2005). Identification and quantification of glycerolipids in cotton fibers: reconciliation with metabolic pathway predictions from DNA databases. *Lipids* 40, 773–785. doi: 10.1007/s11745-005-1439-4
- Wang, B. H., Guo, W. Z., Zhu, X. F., Wu, Y. T., Huang, N. T., and Zhang, T. (2006). QTL mapping of fiber quality in an elite hybrid derived-RIL population of upland cotton. *Euphytica* 152, 367–378. doi: 10.1007/s10681-006-9224-2
- Wang, G., Zhao, G. H., Jia, Y. H., and Du, X. M. (2013). Identification and characterization of cotton genes involved in fuzz-fiber development. *J. Integr. Plant Biol.* 55, 619–630. doi: 10.1111/jipb.12072
- Wang, P. Y., Weng, J., and Anderson, R. G. (2005). OSBP is a cholesterol-regulated scaffolding protein in control of ERK 1/2 activation. *Science* 307, 1472–1476. doi: 10.1126/science.1107710
- Wang, Y. P., Wang, X. Y., Tang, H. B., Tan, X., Ficklin, S. P., Feltus, F. A., et al. (2011). Modes of gene duplication contribute differently to genetic novelty and redundancy, but show parallels across divergent angiosperms. *PLoS ONE* 6:e28150. doi: 10.1371/journal.pone.0028150
- Wei, H. L., Li, W., Sun, X. W., Zhu, S. J., and Zhu, J. (2013). Systematic analysis and comparison of nucleotide-binding site disease resistance genes in a diploid cotton *Gossypium raimondii*. *PLoS ONE* 8:e68435. doi: 10.1371/journal.pone.0068435
- Wei, K., and Zhong, X. (2014). Non-specific lipid transfer proteins in maize. *BMC Plant Biol.* 14:281. doi: 10.1186/s12870-014-0281-8
- Wong, L. H., Čopič, A. K., and Levine, T. P. (2017). Advances on the transfer of lipids by lipid transfer proteins. *Trends Biochem. Sci.* 42, 516–530. doi: 10.1016/j.tibs.2017.05.001
- Yu, H., Ito, T., Wellmer, F., and Meyerowitz, E. M. (2004). Repression of AGAMOUS-LIKE 24 is a crucial step in promoting flower development. *Nat. Genet.* 36, 157–161. doi: 10.1038/ng1286
- Zhang, D. S., Liang, W. Q., Yin, C. S., Zong, J., Gu, F. W., and Zhang, D. B. (2010). OsC6, encoding a lipid transfer protein, is required for postmeiotic anther development in rice. *Plant Physiol.* 154, 149–162. doi: 10.1104/pp.110.158865
- Zhang, K., Zhang, J., Ma, J., Tang, S. Y., Liu, D. J., Teng, Z. H., et al. (2012). Genetic mapping and quantitative trait locus analysis of fiber quality traits using a three-parent composite population in upland cotton (*Gossypium hirsutum* L.). *Mol. Breed.* 29, 335–348. doi: 10.1007/s11032-011-9549-y
- Zhang, T. Z., Hu, Y., Jiang, W. K., Guan, X. Y., Chen, J. D., Zhang, J. Z., et al. (2015). Sequencing of allotetraploid cotton (*Gossypium hirsutum* L. acc. TM-1) provides a resource for fiber improvement. *Nat. Biotech.* 33, 531–537. doi: 10.1038/nbt.3207
- Zhang, Z. Y., Chao, M. N., Wang, S. F., Bu, J. J., Tang, J. X., Li, F., et al. (2016). Proteome quantification of cotton xylem sap suggests the mechanisms of potassium-deficiency-induced changes in plant resistance to environmental stresses. *Sci. Rep.* 6:21060. doi: 10.1038/Srep21060

**Conflict of Interest Statement:** The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Copyright © 2018 Meng, Yan, Liu, Chen, Zhang, Li, Wu, Zhang, Wang and Ma. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.