Supplementary Table 1: SWI/SNF subunits mutated in cancer. Data obtained from the TCGA through cBioportal showing the frequency of mutations in SWI/SNF subunits across different cancer types. The asterisk (*) denotes mutation data when the majority of mutations are amplifications, otherwise the majority of alterations are missense mutations or deletions. The TCGA data set contains 10,967 samples. Only the top four cancer types are shown.

Complex	Subunit type	Subunit (Gene name)	Cancer type
cBAF, PBAF, ncBAF	Catalytic	BRG1 (SMARCA4)	Endometrial Carcer (14.33%) Melanoma (10.36%) Ovarian epithelial tumor (9.76%)* Esophagogastric cancer (8.52%)
cBAF, PBAF, ncBAF	Catalytic	BRM (SMARCA2)	Endometrial cancer (11.09%) Bladder carcer (9.49%) Esophagogastric cancer (9.32%) Melanoma (8.78%)
cBAF, PBAF	Core	BAF47 (SMARCB1)	Endometrial cancer (4.27%) Bladder cancer (3.65%) Esophagogastric cancer (3.38%) Colorectal cancer (2.36%)
cBAF, PBAF, ncBAF	Core	BAF155 (SMARCC1)	Endometrial cancer (7%) Mature B-cell neoplasms (6.25%)* Melanoma (6.08%) Bladder cancer (3.65%)
cBAF, PBAF	Core	BAF170 (SMARCC2)	Endometrial cancer (9.9%) Melanoma (7.66%) Bladder cancer (6.08%) Esophagogastric cancer (5.14%)
cBAF, PBAF	Core	BAF57 (SMARCE1)	Esophagogastric cancer (9.32%)* Adrenocortical carcinoma (4.4%) Endometrial cancer (4.27%) Breast cancer (4.24%)*
cBAF, PBAF, ncBAF	Core	BAF60A (SMARCD1)	Adrenocortical carcinoma (4.4%)* Mature B-cell neoplasms (4.17%)* Endometrial cancer (4.1%) Melanoma (2.93%)
cBAF, PBAF, ncBAF	Core	BAF60B (SMARCD2)	Breast cancer (6.64%)* Pleural mesothelioma (5.75%)* Endometrial cancer (4.78%) Esophagogastric cancer (3.54%)
cBAF, PBAF, ncBAF	Core	BAF60C (SMARCD3)	Ovarian epithelial tumor (8.22%)* Endometrial cancer (4.78%) Adrenocortical carcinoma (4.4%) Melanoma (4.05%)
cBAF, PBAF, ncBAF	Accessory	B actin (ACTB)	Mature B-cell neoplasms (8.33%) Bladder cancer (8.03%) Adrenocortical carcinoma (5.49%)* Esophagogastric cancer (5.31%)*

cBAF,	Accessory	BAF53A	Ovarian epithelial tumor (19.52%)*
PBAF,	ACCESSOLY	(ACTL6A)	Non-small cell lung cancer (19.28%)*
ncBAF,		(ACTLOA)	Head and neck cancer (15.87%)*
IICDAI			Cervical cancer (15.49%)*
cBAF,	Accessory	BAF53B	Esophagogastric cancer (6.75%)*
PBAF,	Accessory	(ACTL6B)	Melanoma (5.63%)
ncBAF,		(ACTLOD)	Head and neck cancer (4.97%)*
HUDAF			Endometrial cancer (4.78%)
cBAF,	Accessory	SS18	Pancreatic cancer (5.98%)*
ncBAF	A0003301 y	0010	Sarcoma (5.1%)*
IICDAI			Ovarian epithelial tumor (4.45%)*
			Endometrial cancer (4.27%)
cBAF,	Accessory	CREST	Colorectal cancer (8.08%)*
ncBAF	, (occoor)	(SS18L1)	Ovarian epithelial tumor (6.68%)*
/		(Sarcomas (5.49%)*
			Endometrial cancer (5.12%)*
cBAF,	Accessory	BCL7A	Mature B-cell neoplasms (8.33%)
PBAF,	, , , , , , , , , , , , , , , , , , , ,		Endometrial cancer (2.39%)
ncBAF			Sarcoma (2.35%)*
cBAF,	Accessory	BCL7B	Non-seminomatous germ cell tumor (3.49%)*
PBAF,			Adrenocortical carcinoma (3.3%)*
ncBAF			Ovarian epithelial tumor (2.57%)*
			Esophagogastric cancer (2.25%)*
cBAF,	Accessory	BCL7C	Endometrial cancer (5.12%)*
PBAF,			Breast cancer (4.24%)*
ncBAF			Melanoma (2.7%)
			Esophagogastric cancer (2.25%)
cBAF	Accessory	BAF250A	Endometrial cancers (40.78%)
		(ARID1A)	Bladder cancer (27.25%)
			Esophagogastric cancer (21.7%)
			Cholangiocarcinomas (13.89%)
cBAF	Accessory	BAF250B	Endometrial cancer (9.39%)
		(ARID1B)	Melanoma (9.01%)
			Cholangiocarcinomas (8.33%)
	-	D 4 D 4 D 4	Bladder cancer (7.79%)
cBAF	Accessory	BAF45B	Ovarian epithelial tumor (8.05%)*
		(DPF1)	Endometrial cancer (5.97%)*
			Pancreatic cancer (5.43%)*
			Bladder cancer (5.11%)*
cBAF	Accessory	BAF45C	Endometrial cancer (3.24%)
		(DPF3)	Melanoma (2.93%)
			Esophagogastric cancer (2.89%)
0D ^ F	A		Cholangiocarcinomas (2.78%)
cBAF	Accessory	BAF45D	Endometrial cancer (4.95%)
		(DPF2)	Head and neck cancer (4.78%)*
			Melanoma (4.73%)
	Accessor	BAE200	Bladder cancer (4.62%)*
PBAF	Accessory	BAF200	Melanoma (17.57%)
		(ARID2)	Endometrial cancer (11.6%)
			Bladder cancer (9%)

			Esophagogastric cancer (7.56%)
PBAF	Accessory	BAF180	Renal clear cell carcinoma (30.92%)
		(PBRM1)	Cholangiocarcinomas (19.44%)
			Endometrial Carcer (10.92%)
			Melanoma (7.88%)
PBAF	Accessory	BRD7	Endometrial Carcer (5.63%)
			Melanoma (4.95%)
			Bladder cancer (3.65%)
			Hepatobiliary cancer (2.96%)
PBAF	Accessory	BAF45A	Ocular melanoma (7.5%)
		(PHF10)	Cholangiocarcinomas (5.56%)
			Endometrial cancer (4.78%)
			Hepatobiliary cancer (3.49%)
ncBAF	Accessory	BRD9	Non-Small Cell lung cancer (13.87%)*
			Adrenocortical carcinomas (13.19%)*
			Bladder cancer (10.71%)*
			Ovarian epithelial tumor (9.25%)*
ncBAF	Accessory	GLTSCR1	Mature B cell neoplasms (6.25%)
		(BICRA)	Endometrial cancer (5.63%)
			Cholangiocarcinomas (2.78%)
			Colorectal cancer (2.69%)
ncBAF	Accessory	GLTSCR1L	Esophagogastric cancer (8.84%)*
		(BICRAL)	Melanoma (7.66%)
			Mature B-cell neoplasm (6.25%)*
			Endometrial cancer (5.63%)