




B	Study	Total	Correlation	COR	95%-CI	Weight (fixed)	Weight (random)
	Tubic	46		0.04	[-0.25; 0.33]	42.5%	42.5%
	Tubic	62	<del>-  </del>	0.00	[-0.25; 0.25]	57.5%	57.5%
	Fixed effect model	108		0.02	[-0.17; 0.21]	100.0%	
	Random effects model Heterogeneity: $I^2 = 0\%$ , $\tau^2$		85	0.02	[-0.17; 0.21]		100.0%
		=	-0.8 -0.4 0 0.2 0.4				
		Cor	relation ucOC and HbA1c in H	S			

С	Study	Total	Correlation	COR	95%-CI	Weight (fixed)	Weight (random)
	Tubic	46	<del>      =  </del>	0.16	[-0.12; 0.44]	15.4%	15.4%
	Tubic	62	<del>-   i   -   -   -   -   -   -   -   -   </del>	0.09	[-0.16; 0.34]	20.2%	20.2%
	Giudici	198		0.04	[-0.10; 0.18]	64.4%	64.4%
	Fixed effect model	306	$\Leftrightarrow$	0.07	[-0.04; 0.18]	100.0%	
	Random effects model Heterogeneity: $I^2 = 0\%$ , $\tau^2 = 0\%$	= 0, p = 0.75		0.07	[-0.04; 0.18]		100.0%
		−1 −0.8 Correlatior	-0.4 0 0.2 0.4 n ucOC and insulin in H	S			







G	Study	Total	Correlation	COR	95%-CI	Weight (fixed)	Weight (random)
	Tubic	46		-0.05	[-0.34; 0.24]	42.6%	42.6%
	Tubic	62	<del>-    </del>	-0.02	[-0.27; 0.23]	57.4%	57.4%
	Fixed effect model	108		-0.03	[-0.22; 0.16]	100.0%	
	Random effects model	_		-0.03	[-0.22; 0.16]		100.0%
	Heterogeneity: $I^2 = 0\%$ , $\tau^2$	=0, p =	0.88				
		-1	1 -0.8 -0.4 0 0.2 0.4				
		C	Correlation ucOC and BMI in HS	1			

H	Study	Total	Correlation	COR	95%-CI	Weight (fixed)	Weight (random)
	Tubic Tubic	46 62			[ 0.00; 0.54] [-0.06; 0.42]		44.6% 55.4%
	Fixed effect model Random effects model Heterogeneity: $I^2 = 0\%$ , $\tau^2$	= 0, <i>p</i> = 0	0.63	<b>0.22</b>   	[ 0.04; 0.40] [ 0.04; 0.40]	100.0%	 100.0%

Study	Total	Correlation	COR	95%-CI	Weight (fixed)	Weight (random)
Tubic	46	1 =	0.18	[-0.10; 0.46]	15.6%	15.6%
Tubic	62	<del></del>	0.07	[-0.18; 0.32]	20.0%	20.0%
Giudici	198	_	0.05	[-0.09; 0.19]	64.3%	64.3%
Fixed effect model	306		0.07	[ 0.04, 0.10]	100.00/	
				[-0.04; 0.18]		100.09/
Random effects model Heterogeneity: $I^2 = 0\%$ , $\tau^2$			0.07	[-0.04; 0.18]		100.0%
	−0.4 Correlat	0 0.2 0.4 0.6 0.8 1 ion ucOC and Height in H	S			

J	Study	Total	Correlation	COR	95%-CI	Weight (fixed)	Weight (random)	
	Tubic	46	<del>- ;</del>	0.32	[ 0.06; 0.58]	46.8%	46.8%	
	Tubic	62 -	<del>                                     </del>	0.14	[-0.11; 0.39]	53.2%	53.2%	
	Fixed effect model	108			[ 0.04; 0.40]			
	Random effects model Heterogeneity: $I^2 = 0\%$ , $\tau^2$			0.22	[ 0.04; 0.40]		100.0%	
		-0.4	0 0.2 0.4 0.6 0.8 1					
		Correlation	ucOC and Weight in H	S				

K)
_

Study	Total	Correlation	COR	95%-CI	Weight (fixed)	Weight (random)
Tubic Tubic	46 62	++		[ 0.14; 0.64] [-0.19; 0.31]		50.1% 49.9%
Fixed effect model Random effects model Heterogeneity: $I^2 = 70\%$ , $\tau$	$p^2 = 0.0383, p = 0.0383$	07   1   1   1   1   1   1   1   1   1	<b>── 0.23</b>	[ 0.05; 0.40] [-0.10; 0.55]	100.0%	 100.0%