

Supplementary Material B. Pest Management Areas (PMAs) descriptive

1 SUPPLEMENTARY FIGURES




Figure SB1: Individual and overall distribution of the commercial citrus area (km²) and number of cells in PMAs_{OR1,acp} (A,B) and PMAs_{OR2,acp} (C,D) in "El Camp de Túria" county. Box-and-whisker plots for A–D: central line represents the median value; box limits represents the first (Q₁) and third (Q₃) quantiles; upper whisker represents $min(max(x), Q_3 + 1.5IQR)$; lower whisker represents $max(min(x), Q_1 - 1.5IQR)$; $IQR = Q_3 - Q_1$; outliers are represented by dots.




Figure SB2: Individual and overall distribution of the commercial citrus area (km²) and number of cells in $PMAs_{OR_{1,acp}}$ (A,B) and $PMAs_{OR_{2,acp}}$ (C,D) in "La Ribera Alta" county. Box-and-whisker plots for A–D: central line represents the median value; box limits represents the first (Q_1) and third (Q_3) quantiles; upper whisker represents $min(max(x), Q_3 + 1.5IQR)$; lower whisker represents $max(min(x), Q_1 - 1.5IQR)$; $IQR = Q_3 - Q_1$; outliers are represented by dots.




Figure SB3: Individual and overall distribution of the commercial citrus area (km²) and number of cells in PMAs_{OR1,afcp} (A,B) and PMAs_{OR2,afcp} (C,D) in "El Camp de Túria" county. Box-and-whisker plots for A–D: central line represents the median value; box limits represents the first (Q_1) and third (Q_3) quantiles; upper whisker represents $min(max(x), Q_3 + 1.5IQR)$; lower whisker represents $max(min(x), Q_1 - 1.5IQR)$; $IQR = Q_3 - Q_1$; outliers are represented by dots.




Figure SB4: Individual and overall distribution of the commercial citrus area (km²) and number of cells in $PMAs_{OR_{1,afcp}}$ (A,B) and $PMAs_{OR_{2,afcp}}$ (C,D) in "La Ribera Alta" county. Box-and-whisker plots for A–D: central line represents the median value; box limits represents the first (Q_1) and third (Q_3) quantiles; upper whisker represents $min(max(x), Q_3 + 1.5IQR)$; lower whisker represents $max(min(x), Q_1 - 1.5IQR)$; $IQR = Q_3 - Q_1$; outliers are represented by dots.

ACKNOWLEDGMENTS

We thank César Monzó (IVIA), Aranzazu Moreno and Alberto Fereres (IAS-CSIC), Amílcar Duarte, Tomás Magalhães and Rita Poeria (Univ. Algarve), Jacinto Benhadi (Inst. P. Bragança), Silvio Lopes (Fundecitrus) and Alessandra Gentile (Univ. Catania) for their time, their knowledge and for a great deal of helpful, well-documented information about *D. citri* and *T. erytreae*. We would also like to thank all of them for their useful comments about the possible climatic requirements of the vectors in our study area.