


## *Supplementary Material*

### *Supplementary Figures*



**Figure S1. Possible polyphyletic origin of MICA 3'UTRs.** The 3'UTR of *MICA* alleles analyzed in this study bifurcate in two lineages, LI and LII. This phylogenetic tree was constructed using *MICA* allele sequences reported in the IPD-IMGT/HLA Database. The phylogenetic tree is based on the similarity of the sequences aligned in the Clustal Omega EMBL-EBI Webserver. For instance, *MICA* alleles with UTR1 (including UTR1a, UTR1b and UTR1c) belong to LII lineage, whereas alleles with UTR2, UTR4 and UTR7 belong to LI lineage.

## Supplementary Material

***Supplementary Tables***

Table S1. Binding energy of miRNAs of interest with target in MICA 3'UTR.

Hsa-miR	Nucleotide position		UTR1 a	UTR1 b	UTR1 c	UTR2 a	UTR2 b	UTR2 c	UTR4	UTR7
	Start	End	*008	*004	*010	*002	*007	*015	*001	*011
				*009	*019			*017	*012	
				*049	*027				*018	
<b>1184</b>	1003	1019	-13.99	—	—	—	—	—	—	—
<b>711</b>	1115	1132	-18.14	—	—	—	—	-16.43	—	—
<b>335-5p</b>	1121	1127	-9.32	—	—	—	—	NC	—	—
<b>1207-5p</b>	1213	1239	-12.78	-13.1	-13.1	--	--	--	-12.55	-13.92
<b>20b-5p</b>	1186	1193	--	--	--	-11.88	-11.88	-11.88	--	--
	1189	1212	--	--	--	-11.99	-11.99	-11.99	-12.2	-11.92
<b>93</b>	1197	1212	-9.02	--	--	--	--	--	--	--
	1189	1212	--	--	--	-10.83	-10.83	-10.83	-11.04	-10.46
<b>106a-5p</b>	1197	1212	-9.31	-9.29	-9.29	--	--	--	--	--
	1188	1212	-10.8	-10.63	-10.63	--	--	--	--	--
<b>17-5p</b>	1197	1212	-10.7	-10.53	-10.53	--	--	--	--	--

	1188	1212	--	--	--	-9.22	-9.22	-9.22	-9.4	-8.83
<b>20a-5p</b>	1197	1212	-10.62	-10.45	-10.45	--	--	--	--	--
	1189	1212	--	--	--	-8.69	-8.69	-8.69	-8.9	-8.62
<b>520d-3p</b>	1237	1266	-10.25	-10.61	-10.61	-8.93	-7.93	NC	-10.26	-9.97
<b>106b</b>	1197	1212	-9.49	-9.31	-9.31	NC	NC	NC	NC	NC
<b>7156-3p</b>	1283	1289	NC	NC	-8.63	-8.88	-8.88	-8.88	-8.7	-8.76

Energy is expressed as kJ mol-1. NC: Does not meet criteria.

Tabla S2: Thermodynamic parameters of RNA folding of the MICA 3'UTR types according to UNAFold and RNAfold analysis

MICA 3'UTR type	ΔG RNA fold (Kcal/mol) by UNAFold	ΔG RNA fold (Kcal/mol) by RNAfold
UTR1a	-111.40	-114.66
UTR1b	-47.80	-52.17
UTR1c	-47.80	-52.17
UTR2a	-52.20	-56.84
UTR2b	-52.20	-56.84
UTR2c	-96.30	-98.81
UTR4	-48.60	-53.06

## Supplementary Material

UTR7	-48.10	-52.53
------	--------	--------