

#	Study Title	Study Status	Conditions	Interventions	Sponsor	Collaborators	Study Type
1.	Efficacy and Safety of E-cigarettes for Smoking Cessation in Middle-aged Heavy Smokers	Completed	Smoking Cessation Electronic Cigarette	DRUG: Nicotine DRUG: Varenicline Tartrate BEHAVIORAL: Motivational Interview	University of Oulu	Lapland Central Hospital Rovaniemi Finland	Interventional
2.	Enhanced E-cigarette Coaching Intervention for Dual Users of Cigarettes and E-cigarettes	Completed	Smoking Cessation	BEHAVIORAL: Enhanced E-cigarette Coaching BEHAVIORAL: Quitline treatment as usual	Consumer Wellness Solutions	University of Oklahoma SRI International H. Lee Moffitt Cancer Center and Research Institute	Interventional
3.	A Structured Protocol to Evaluate Efficacy and Safety of a Popular Electronic Nicotine Delivery Device (E-Cigarette) Efficacy and Safety of a Popular Electronic Nicotine Delivery Device (E-Cigarette)	Completed	Healthy Smokers Smoking Cessation		Universita degli Studi di Catania	Lega Italiana Anti Fumo Arbi Group Srl	Observational
4.	Implementation and Dissemination of an Evidence-Based Tobacco Product Use Prevention Videogame	Completed	Smoking Cessation Smoking	DEVICE: smokeSCREEN web-based game	Yale University		Interventional

	Intervention With Adolescents						
5.	The ESTxENDS Trial- Electronic Nicotine Delivery Systems as an Aid for Smoking Cessation- extension of Follow-up	Completed	Smoking Cessation	OTHER: ENDS (vaporizer/e-cig) and smoking cessation counseling OTHER: Smoking cessation counseling	University of Bern	University of Lausanne University of Geneva, Switzerland University of Zurich State Hospital, St. Gallen Swiss National Science Foundation Krebsforsch ung Schweiz, Bern, Switzerland Federal Office of Public Health, Switzerland	Interventional
6.	Nicotine Pharmacokinetics From Research Electronic Nicotine Delivery System S- TA-U001 in Smokers and E- Cigarette Users	Completed	Cigarette Smoking	DRUG: Research ENDS S-TA-U001 DRUG: Nicorette Inhalator	NJOY, Inc.	LA Clinical Trials National Institute on Drug Abuse (NIDA)	Interventional
7.	Early Smoking Reduction or Cessation by Means of no Nicotine Electronic Cigarette Added to Standard Counselling.	Completed	Cancer Myocardial Infarction	DEVICE: No nicotine electronic cigarette OTHER: Standard counseling	European Institute of Oncology		Interventional

8.	Does Abstinence From E-cigarettes Produce Withdrawal Symptoms?	Completed	Substance Withdrawal Syndrome	BEHAVIORAL: Abstinence from e-cigarettes	University of Vermont	National Cancer Institute (NCI)	Interventional
9.	Evaluating the Efficacy of E-Cigarette Use for Smoking Cessation (E3) Trial	Completed	Smoking Cessation	OTHER: Nicotine E-Cigarette OTHER: Non-Nicotine E-Cigarette BEHAVIORAL: Counseling	McGill University	Sir Mortimer B. Davis - Jewish General Hospital	Interventional
10.	Quit IT: Preliminary Testing of a Web-based, 3D Coping Skills Game to Increase Quitting Self-Efficacy for Maintaining Smoking Abstinence Following Hospitalization	Completed	Tobacco Use Cessation	OTHER: web-based video game (Quit IT) BEHAVIORAL: Questionnaires OTHER: Salvia sample	Memorial Sloan Kettering Cancer Center	New York University Muzzy Lane Software	Interventional
11.	ESTxENDS Trial-Substudy on Oxidative Stress Induced by Electronic Nicotine Delivery Systems (ENDS) Measured in Urine	Completed	Smoking Cessation Oxidative Stress	OTHER: ENDS (vaporizer/e-cig) and smoking cessation counseling OTHER: smoking cessation counseling	University of Bern	University of Lausanne University of Geneva, Switzerland University of Zurich State Hospital, St. Gallen Swiss National Science Foundation Krebsforschung Schweiz, Bern, Switzerland Federal	Interventional

						Office of Public Health, Switzerland	
12.	Clinical Learning Study for a Mobile Smoking Cessation Program	Completed	Smoking Cessation Smoking Behaviors Smoking Reduction Smoking, Cigarette Smoking Nicotine Dependence	DEVICE: Clickotine [™]	Click Therapeutics, Inc.		Observational
13.	Promoting Smoking Cessation in the Community Via QTW 2014	Completed	Smoking Cessation Intervention	BEHAVIORAL: Quit immediately (QI) / cut down to quit (CDTQ)	The University of Hong Kong	Hong Kong Council on Smoking and Health	Interventional
14.	Efficacy and Safety of an Electronic Nicotine Delivery Device (E-Cigarette) Without Nicotine Cartridges	Completed	Healthy Smokers Smoking Cessation		Universita degli Studi di Catania	Lega Italiana Anti Fumo Arbi Group Srl	Observational
15.	The END Perioperative Smoking Pilot Study	Completed	Smoking Nicotine Addiction Surgery	BEHAVIORAL: ENDD (NJOY) DRUG: NRT (NicoDerm CQ) BEHAVIORAL: telephone counseling BEHAVIORAL: brief advice BEHAVIORAL: brochure	University of California, San Francisco		Interventional
16.	Smoking Cessation and Reduction With an Electronic Nicotine Delivery Device (ENDD)	Completed	Nicotine Dependence Smoking Cessation	DEVICE: E-Cigarette 7.2 mg nicotine	Universita degli Studi di Catania	Lega Italiana Anti Fumo Arbi Group Srl	Interventional
17.	A Comparison of the Effectiveness of	Completed	Smoking	BEHAVIORAL: quit immediately	The University of Hong Kong		Interventional

	Two Approaches in Achieving Smoking Abstinence			(QI) BEHAVIORAL: cut down to quit (CDTQ)			
18.	Zonisamide/Bupropion Effects on Switching to Electronic Cigarettes	Completed	Smoking Cessation	DRUG: Zonisamide DRUG: Bupropion OTHER: Halo G6 e-cigarette	Rose Research Center, LLC	Foundation for a Smoke Free World INC	Interventional
19.	The ESTxENDS Trial-Substudy on the Effects of Using Electronic Nicotine Delivery Systems (ENDS/Vaporizer/E-cig) on Respiratory Symptoms	Completed	Smoking Cessation Respiratory Disease	OTHER: ENDS (vaporizer/e-cig) and smoking cessation counseling OTHER: Smoking cessation counseling	University of Bern	University of Lausanne University of Geneva, Switzerland University of Zurich State Hospital, St. Gallen Swiss National Science Foundation Krebsforschung Schweiz, Bern, Switzerland Federal Office of Public Health, Switzerland	Interventional
20.	Efficacy and Safety of an Electronic Nicotine Delivery Device (E-Cigarette)	Completed	Healthy Smokers Smoking Cessation		Universita degli Studi di Catania	Lega Italiana Anti Fumo Arbi Group Srl	Observational
21.	The Use of Nicotine Patches Together With E-cigarettes (With and Without Nicotine) for Smoking Cessation	Completed	Smoking Cessation	DRUG: Nicotine patch DEVICE: e-cigarette DRUG: Nicotine BEHAVIORAL: Behavioural support	University of Auckland, New Zealand	Health New Zealand Ltd, Christchurch, New Zealand Auckland District Health Board	Interventional
22.	The ESTxENDS Trial-Electronic Nicotine	Completed	Smoking Cessation	OTHER: ENDS (vaporizer/e-cig) and	University of Bern	University of Lausanne University	Interventional

	Delivery Systems (ENDS/Vaporizer/E-cigarette) as an Aid for Smoking Cessation.			smoking cessation counseling OTHER: Smoking cessation counseling		of Geneva, Switzerland University of Zurich State Hospital, St. Gallen Swiss National Science Foundation	
23.	Feasibility of a Decision Aid for E-Cigarettes in Primary Care	Completed	Smoking, Cigarette Smoking Cessation	BEHAVIORAL: Smoking Cessation iPad Decision Aid Tool	University of Florida		Interventional
24.	E-Visit for COPD and Smoking Cessation	Completed	Pulmonary Disease, Chronic Obstructive Cigarette Smoking Telemedicine	BEHAVIORAL: smoking cessation, early COPD detection, electronic visit OTHER: Treatment As Usual	Medical University of South Carolina		Interventional
25.	ESTxENDS Trial-Substudy on Oxidative Stress Induced by Electronic Nicotine Delivery Systems (ENDS) Measured in EBC	Completed	Smoking Cessation Oxidative Stress	OTHER: ENDS (vaporizer/e-cig) and smoking cessation counseling OTHER: Smoking cessation counseling	University of Bern	University of Lausanne University of Geneva, Switzerland Swiss National Science Foundation	Interventional
26.	Randomized Clinical Trial to Reduce Harm From Tobacco	Completed	Smoking Cessation	BEHAVIORAL: E-cigarette free access BEHAVIORAL: E-cigarette/NRT/Zyban/Chantix Choice BEHAVIORAL: Outcome Incentive arm BEHAVIORAL: Loss framing incentive	University of Pennsylvania	Vitality Institute	Interventional

				arm BEHAVIORAL: Control			
27.	Comparing Nicotine Delivery, Subjective Effects, and Sensory Experiences of Tobacco Users Using Oral Nicotine Products and Electronic Cigarettes [ZYN Study]	Completed	Tobacco Use Tobacco Smoking Cigarette Smoking Smokeless Tobacco Cessation	OTHER: Electronic Cigarette OTHER: Oral Nicotine Pouch	Roswell Park Cancer Institute		Interventional
28.	Preliminary Evaluation of Alternative Approaches to Combustible Cigarette Cessation (Exchange Project Sub-Study)	Completed	Smoking Cessation	BEHAVIORAL: E-cigarette BEHAVIORAL: Financial incentives + E-cigarette	University of Oklahoma		Interventional
29.	The ESTxENDS Trial-Substudy on the Effects of Using Electronic Nicotine Delivery Systems (ENDS) on Sleep Quality.	Completed	Smoking Cessation Sleep	OTHER: ENDS (vaporizer/e-cig) and smoking cessation counseling OTHER: Smoking cessation counseling	University of Bern	University of Lausanne University of Geneva, Switzerland University of Zurich State Hospital, St. Gallen Swiss National Science Foundation Krebsforschung Schweiz, Bern, Switzerland Federal	Interventional

						Office of Public Health, Switzerland	
30.	Smoking Cessation E-Visit	Completed	Smoking	BEHAVIORAL: Smoking cessation e- visit BEHAVIORAL: Treatment As Usual	Medical University of South Carolina		Interventional
31.	E-cigarettes and Cardiovascular Function	Completed	Smoking Cessation Cardiovascular Diseases Microcirculation Ma crocirculation	OTHER: Electronic Cigarette and behavioural change support. OTHER: Nicotine-Free Electronic Cigarette and behavioural change support. OTHER: Nicotine Replacement Therapy and behavioural change support.	Sheffield Hallam University	King's College London Heart Research U.K. Help2Change	Interventional
32.	Deliver an Evidence-based Smoking Cessation Intervention for Smokers Attending A&E Departments in Hong Kong	Completed	Smoking Smoking Cessation Evidence-Based Nursing Emergency Service, Hospital	BEHAVIORAL: an evidence-based smoking cessation intervention comprising brief advice plus active referrals	The University of Hong Kong	Chinese University of Hong Kong	Interventional
33.	The ESTxENDS Trial- Substudy on the Metabolic Effects of Using Electronic Nicotine Delivery Systems (ENDS/Vaporizer/E- cig)	Completed	Smoking Cessation Cardiovascular Diseases	OTHER: ENDS (vaporizer/e-cig) and smoking cessation counseling OTHER: Smoking cessation counseling	University of Bern	University of Lausanne University of Geneva, Switzerland University of Zurich State Hospital, St. Gallen Swiss National Science	Interventional

						Foundation Krebsforsch ung Schweiz, Bern, Switzerland Federal Office of Public Health, Switzerland	
34.	UK-Czech E- cigarette Study	Completed	Smoking Cessation	OTHER: Standard care plus electronic cigarettes BEHAVIORAL : Standard care	Queen Mary University of London		Interventional
35.	Smoking Cessation in Women With Gynecological Conditions	Completed	Cervical Dysplasia	OTHER: Nicotine Replacement Therapy DEVICE: Electronic Cigarettes	University of Oklahoma		Interventional
36.	Toxins and Delivery in e-Cigarette Users	Completed	Smoking Cessation	OTHER: e-Cigarette	Queen Mary University of London		Observational
37.	ESTxENDS Trial: MN Substudy - Micronuclei in Buccal Epithelium, a Surrogate Measure of Future Cancer Risk, Induced by Electronic Nicotine Delivery Systems (ENDS/Vaporizer/E- cig)	Completed	Smoking Cessation Micronuclei	OTHER: ENDS (vaporizer/e-cig) and smoking cessation counseling OTHER: Smoking cessation counseling	University of Bern	University of Lausanne University of Geneva, Switzerland University of Zurich State Hospital, St. Gallen Swiss National Science Foundation Krebsforsch ung Schweiz, Bern, Switzerland Federal Office of Public Health, Switzerland	Interventional
38.	Smoking Cessation Self-Help for Dual Users of Tobacco Cigarettes and E- Cigarettes	Completed	Smoking Cessation	BEHAVIORAL: GENERIC BEHAVIORAL: eTARGET	H. Lee Moffitt Cancer Center and Research Institute	National Institute on Drug Abuse (NIDA) National Institutes of Health (NIH)	Interventional

39.	The MATCH (Medication Aids for Tobacco Cessation and Health) Study	Completed	Tobacco Use Disorder Nicotine Dependence	DRUG: Bupropion DRUG: Varenicline BEHAVIORAL: Weekly Motivational Emails	Centre for Addiction and Mental Health	Global Research Awards for Nicotine Dependence (GRAND)	Interventional
40.	Combination of E-cigarettes and Varenicline for Tobacco Harm Reduction	Completed	Smoking Cessation Harm Reduction	DRUG: Varenicline OTHER: e-cigarette	Rose Research Center, LLC	Foundation for a Smoke Free World INC	Interventional
41.	The ESTxENDS Trial-Substudy on Effects of Using Electronic Nicotine Delivery Systems (ENDS) on Olfactory Function	Completed	Smoking Cessation Olfactory Disorder	OTHER: ENDS (vaporizer/e-cig) and smoking cessation counseling OTHER: Smoking cessation counseling	University of Bern	University of Lausanne University of Geneva, Switzerland University of Zurich State Hospital, St. Gallen Swiss National Science Foundation Krebsforschung Schweiz, Bern, Switzerland Federal Office of Public Health, Switzerland	Interventional
42.	The ESTxENDS Trial-Substudy on the Effect on Toxins From Using Electronic Nicotine Delivery Systems (ENDS/Vaporizer/E-cig)	Completed	Smoking Cessation Toxicity	OTHER: ENDS (Vaporizer/e-cig) and smoking cessation counseling OTHER: Smoking cessation counseling	University of Bern	University of Lausanne University of Geneva, Switzerland University of Zurich State Hospital, St. Gallen Swiss National Science Foundation Krebsforschung Schweiz, Bern,	Interventional

						Switzerland Federal Office of Public Health, Switzerland	
43.	The ESTxENDS Trial: Pulmonary Function Substudy	Completed	Smoking Cessation Pulmonary Disease	OTHER: ENDS (vaporizer/e-cig) and smoking cessation counseling OTHER: Smoking cessation counseling	University of Bern	Swiss National Science Foundation Bernese Lung League Clinical Trial Unit Grant of the Inselspital Bern	Interventional
44.	The ESTxENDS Trial-Substudy on the Effects of Using Electronic Nicotine Delivery Systems (ENDS) on Depression	Completed	Smoking Cessation Depression	OTHER: ENDS (vaporizer/e-cig) and smoking cessation counseling OTHER: Smoking cessation counseling	University of Bern	University of Lausanne University of Geneva, Switzerland University of Zurich State Hospital, St. Gallen Swiss National Science Foundation Krebsforschung Schweiz, Bern, Switzerland Federal Office of Public Health, Switzerland	Interventional