AMSTAR 2: a critical appraisal tool for systematic reviews that include randomised or non-randomised studies of healthcare interventions, or both

1.	Did the research questions and	inclusion criteria for the review include the	he comp	ponents of PICO?
For Yes X X X Z	Population Intervention Comparator group Outcome Did the report of the review conestablished prior to the conduction	Optional (recommended) Timeframe for follow-up ntain an explicit statement that the review tof the review and did the report justify a		
The aut	tial Yes: hors state that they had a written l or guide that included ALL the ng: review question(s) a search strategy inclusion/exclusion criteria a risk of bias assessment	For Yes: As for partial yes, plus the protocol should be registered and should also have specified: a meta-analysis/synthesis plan, if appropriate, and a plan for investigating causes of heterogeneity substitution for any deviations from the protocol	X	Yes Partial Yes No
 3. Did the review authors explain their selection of the study designs for incl For Yes, the review should satisfy ONE of the following: Explanation for including only RCTs OR Explanation for including only NRSI 			lusion i	n the review? Yes No
4.		omprehensive literature search strategy?		
For Par	searched at least 2 databases (relevant to research question) provided key word and/or search strategy justified publication restrictions (e.g. language)	For Yes, should also have (all the following): Searched the reference lists / bibliographies of included studies Searched trial/study registries included/consulted content experts in the field Where relevant, searched for grey literature conducted search within 24 months of completion of the review	X	Yes Partial Yes No
For Yes	and achieved consensus on which OR two reviewers selected a sam	ntly agreed on selection of eligible studies	x	Yes No

AMSTAR 2: a critical appraisal tool for systematic reviews that include randomised or non-randomised studies of healthcare interventions, or both

6. Did the review authors perform	n data extraction in duplicate?		
included studies ☐ OR two reviewers extracted data	consensus on which data to extract from a from a sample of eligible studies and st 80 percent), with the remainder		Yes No
7. Did the review authors provide	e a list of excluded studies and justify the ex	clusion	ns?
For Partial Yes:	For Yes, must also have:		
 provided a list of all potentially relevant studies that were read in full-text form but excluded from the review 	Justified the exclusion from the review of each potentially relevant study	□ X	Yes Partial Yes No
8. Did the review authors describ	e the included studies in adequate detail?		
For Partial Yes (ALL the following): described populations	For Yes, should also have ALL the following: **Modescribed population in detail** **Advantage of the distance of the described population in the described interpretation in the described population in the described populatin	×	Yes Domini Vac
described interventions described comparators described outcomes described research designs	 described intervention in detail (including doses where relevant) described comparator in detail 		Partial Yes No
	(including doses where relevant) described study's setting timeframe for follow-up atisfactory technique for assessing the risk of	of bias	(RoB) in
individual studies that were in			
RCTs For Partial Yes, must have assessed RoB from	For Yes, must also have assessed RoB from:		
□ unconcealed allocation, and	\square allocation sequence that was		Yes
\Box lack of blinding of patients and	not truly random, and		Partial Yes
assessors when assessing outcomes (unnecessary for objective outcomes such as all-	 selection of the reported result from among multiple measurements or analyses of a 		No Includes only NRSI
cause mortality)	specified outcome		
NRSI For Partial Yes, must have assessed RoB:	For Yes, must also have assessed RoB: methods used to ascertain	П	Yes
☐ from confounding, <i>and</i>	exposures and outcomes, and		Partial Yes
from selection bias	selection of the reported result	×	No
	from among multiple measurements or analyses of a specified outcome		Includes only RCTs
10. Did the review authors report	on the sources of funding for the studies inc	luded	in the review?
	rces of funding for individual studies included g that the reviewers looked for this information y authors also qualifies		□ Yes 🕱 No

AMSTAR 2: a critical appraisal tool for systematic reviews that include randomised or non-randomised studies of healthcare interventions, or both

11. If meta-analysis was performed did the review authors use appropriate combination of results?	e metho	ds for statistical
RCTs		
For Yes:		
☐ The authors justified combining the data in a meta-analysis		Yes
☐ AND they used an appropriate weighted technique to combine		No
study results and adjusted for heterogeneity if present.	×	No meta-analysis
☐ AND investigated the causes of any heterogeneity		conducted
For NRSI		
For Yes:	П	Yes
☐ The authors justified combining the data in a meta-analysis	П	No
☐ AND they used an appropriate weighted technique to combine study results, adjusting for heterogeneity if present		No meta-analysis
AND they statistically combined effect estimates from NRSI that were adjusted for confounding, rather than combining raw data, or justified combining raw data when adjusted effect estimates were not available		conducted
 AND they reported separate summary estimates for RCTs and NRSI separately when both were included in the review 		
12. If meta-analysis was performed, did the review authors assess the potential individual studies on the results of the meta-analysis or other evidence states.		
For Yes:		
□ included only low risk of bias RCTs		Yes
□ OR, if the pooled estimate was based on RCTs and/or NRSI at variable		110
RoB, the authors performed analyses to investigate possible impact of RoB on summary estimates of effect.	X	No meta-analysis conducted
13. Did the review authors account for RoB in individual studies when into results of the review?	erpretii	ng/ discussing the
For Yes:		
■ included only low risk of bias RCTs	×	Yes
OR, if RCTs with moderate or high RoB, or NRSI were included the review provided a discussion of the likely impact of RoB on the results		No
14. Did the review authors provide a satisfactory explanation for, and disc heterogeneity observed in the results of the review?	ussion	of, any
For Yes:		
▼ There was no significant heterogeneity in the results		
OR if heterogeneity was present the authors performed an investigation of	×	Yes
sources of any heterogeneity in the results and discussed the impact of this on the results of the review		No
15. If they performed quantitative synthesis did the review authors carry of investigation of publication bias (small study bias) and discuss its likely the review?		
For Yes:		
 performed graphical or statistical tests for publication bias and discussed 		Yes
the likelihood and magnitude of impact of publication bias		110
	X	No meta-analysis conducted

AMSTAR 2: a critical appraisal tool for systematic reviews that include randomised or non-randomised studies of healthcare interventions, or both

16. Did the review authors report any potential sources of conflict of interest, including any funding they received for conducting the review?				
For Yes	3:			
X	The authors reported no competing interests OR	×	Yes	
	The authors described their funding sources and how they managed		No	
	potential conflicts of interest			

To cite this tool: Shea BJ, Reeves BC, Wells G, Thuku M, Hamel C, Moran J, Moher D, Tugwell P, Welch V, Kristjansson E, Henry DA. AMSTAR 2: a critical appraisal tool for systematic reviews that include randomised or non-randomised studies of healthcare interventions, or both. BMJ. 2017 Sep 21;358:j4008.