




Batch 2 : Tryptophan on Crohn's disease of colon




Batch 4 : Leucine on Crohn's disease of colon





Batch 9 : 3-hydroxybutyrate (BHBA) on Crohn's disease of colon



rs12091176


rs526744


rs12426131


rs7790791


All

MR effect size for
'Arabinose' on 'Crohn's disease of colon'












Batch 15 : Linoleate (18:2n6) on Crohn's disease of colon







Batch 21 : Isoleucine on Crohn's disease of colon





Batch 22 : Threonine on Crohn's disease of colon








Batch 32 : Myristate (14:0) on Crohn's disease of colon














Batch 41 : Guanosine on Crohn's disease of colon







Batch 45 : Arginine on Crohn's disease of colon





Batch 46 : Ascorbate (Vitamin C) on Crohn's disease of colon








Batch 51 : Cortisol on Crohn's disease of colon


















Batch 65 : Undecanoate (11:0) on Crohn's disease of colon













Batch 70 : Mannitol on Crohn's disease of colon







Batch 73 : Carnitine on Crohn's disease of colon













Batch 81 : Glycerophosphorylcholine (GPC) on Crohn's disease of colon











Batch 85 : 2-hydroxystearate on Crohn's disease of colon














Batch 93 : Taurochenodeoxycholate on Crohn's disease of colon







Batch 99 : 1,5-anhydroglucitol (1,5-AG) on Crohn's disease of colon

rs9756306

rs7570971

rs3800993

All

-4

-2

0


2


4

6


MR effect size for


'1,5-anhydroglucitol (1,5-AG)' on 'Crohn's disease of colon'








Batch 103 : 1-palmitoylglycerol (1-monopalmitin) on Crohn's disease of colon








































Batch 148 : Caproate (6:0) on Crohn's disease of colon







































Batch 185 : Eicosenoate (20:1n9 or 11) on Crohn's disease of colon



rs7775554

rs6804368

rs8002180


All


-1


0


1

MR effect size for
'X-12244--N-acetylcarnosine' on 'Crohn's disease of colon'









rs2062541

rs8396

rs7552404

All


-1

0


1


2


MR effect size for
'Decanoylcarnitine' on 'Crohn's disease of colon'





Batch 197 : 1-palmitoylglycerophosphocholine on Crohn's disease of colon















Batch 206 : Linolenate [alpha or gamma; (18:3n3 or 6)] on Crohn's disease of colon











MR effect size for
'1-linoleoylglycerophosphocholine' on 'Crohn's disease of colon'





rs6907935

rs4861137

rs1456197

rs4680092

All


-4


-2


0


2


MR effect size for
'Isovalerate' on 'Crohn's disease of colon'





























rs1893285

rs2874702

rs1192458

rs7021014


All


0.0


0.5

1.0


MR effect size for
'X-14450--phenylalanylleucine' on 'Crohn's disease of colon'











Batch 258 : 7- α -hydroxy-3-oxo-4-cholestenoate (7-Hoca) on Crohn's disease of colon












































rs2456584

rs661454

rs4663119

All

-2.5

0.0


2.5


5.0

7.5


MR effect size for


'Fructose' on 'Crohn's disease of ileocolon'







Batch 290 : Linoleate (18:2n6) on Crohn's disease of ileocolon







Batch 296 : Isoleucine on Crohn's disease of ileocolon











Batch 307 : Myristate (14:0) on Crohn's disease of ileocolon

















































Batch 338 : 3-methoxytyrosine on Crohn's disease of ileocolon































Batch 356 : Glycerophosphorylcholine (GPC) on Crohn's disease of ileocolon





























rs9756306

rs7570971

rs3800993

All

0.0


0.5


1.0


1.5


2.0


MR effect size for
'1,5-anhydroglucitol (1,5-AG)' on 'Crohn's disease of ileocolon'
















Batch 391 : Hydoxycholates on Crohn's disease of ileocolon









































































rs8002180


rs7775554


rs6804368

All









rs7552404

rs2062541

rs8396

All


0.0

0.5


1.0


MR effect size for


'Decanoylcarnitine' on 'Crohn's disease of ileocolon'




MR effect size for
'1-palmitoylglycerophosphocholine' on 'Crohn's disease of ileocolon'









rs2242415

rs1348656

rs1034879

All


-1

0

1

MR effect size for

'Linolenate [alpha or gamma; (18:3n3 or 6)]' on 'Crohn's disease of ileocolon'



rs1165209


rs1466245


rs13538


All


MR effect size for


'X-12510--2-aminooctanoic acid' on 'Crohn's disease of ileocolon'












rs6907935


rs1456197


rs4861137


rs4680092


All












































































Batch 550 : 15-methylpalmitate (isobar with 2-methylpalmitate) on Crohn's disease of ileocolon














rs661454

rs4663119

rs2456584

All

-1


0


1

2


3


MR effect size for
'Fructose' on 'Crohn's disease of small intestine'








Batch 565 : Linoleate (18:2n6) on Crohn's disease of small intestine




























Batch 590 : Glycerate on Crohn's disease of small intestine





































































Batch 631 : Glycerophosphorylcholine (GPC) on Crohn's disease of small intestine











Batch 635 : 2-hydroxystearate on Crohn's disease of small intestine















Batch 643 : Taurochenodeoxycholate on Crohn's disease of small intestine













Batch 650 : 2-hydroxybutyrate (AHB) on Crohn's disease of small intestine





Batch 653 : 1-palmitoylglycerol (1-monopalmitin) on Crohn's disease of small intestine














































































Batch 735 : Eicosenoate (20:1n9 or 11) on Crohn's disease of small intestine



rs8002180

rs7775554

rs6804368

All

0.0

0.5


1.0


1.5


2.0


MR effect size for


'X-12244--N-acetylcarnosine' on 'Crohn's disease of small intestine'















Batch 747 : 1-palmitoylglycerophosphocholine on Crohn's disease of small intestine











Batch 750 : 1-stearoylglycerophosphocholine on Crohn's disease of small intestine


















Batch 767 : Gamma-glutamylisoleucine* on Crohn's disease of small intestine



rs6907935

rs4680092

rs4861137

rs1456197

All


-4


-2

0


2


MR effect size for
'Isovalerate' on 'Crohn's disease of small intestine'








Batch 772 : 7-methylguanine on Crohn's disease of small intestine






































































Batch 825 : 15-methylpalmitate (isobar with 2-methylpalmitate) on Crohn's disease of small intestine





































































































































Batch 910 : 2-hydroxystearate on Arthropathy in Crohn disease




















rs9756306

rs7570971

rs3800993

All


-5


0


5


10


MR effect size for
'1,5-anhydroglucitol (1,5-AG)' on 'Arthropathy in Crohn disease'














































Batch 973 : Caproate (6:0) on Arthropathy in Crohn disease





















































rs2062541

rs7552404

rs8396

All

-4


-2


0


2


MR effect size for


'Decanoylcarnitine' on 'Arthropathy in Crohn disease'











rs1034879

rs1348656

rs2242415

All


-12

-8

-4

0

MR effect size for
'Linolenate [alpha or gamma; (18:3n3 or 6)]' on 'Arthropathy in Crohn disease'



rs1165209

rs13538

rs1466245

All

-1


0


1


2


MR effect size for

'X-12510--2-aminooctanoic acid' on 'Arthropathy in Crohn disease'









rs4253311

rs5030062

rs2731672

All


-2


-1

0

1

MR effect size for
'Bradykinin, des-arg(9)' on 'Arthropathy in Crohn disease'





rs6907935

rs4680092

rs1456197

rs4861137


All


-10


-5


0


MR effect size for
'Isovalerate' on 'Arthropathy in Crohn disease'














































Batch 1083 : 7- α -hydroxy-3-oxo-4-cholestenoate (7-Hoca) on Arthropathy in Crohn disease

























































































































































































































































rs748196


rs174535


rs3738544


All





MR effect size for
'1-arachidonoylglycerophosphocholine*' on 'Ulcerative colitis with PSC'





















rs6804368


rs7775554


rs8002180


All


MR effect size for
'X-12244--N-acetylcarnosine' on 'Ulcerative colitis with PSC'



























rs1034879


rs2242415


rs1348656


All


MR effect size for
'Linolenate [alpha or gamma; (18:3n3 or 6)]' on 'Ulcerative colitis with PSC'












rs2731672


rs5030062


rs4253311


All





MR effect size for
'Bradykinin, des-arg(9)' on 'Ulcerative colitis with PSC'



































rs1893285

rs1192458

rs7021014

rs2874702

All

-1

0


MR effect size for


'X-14450--phenylalanylleucine' on 'Ulcerative colitis with PSC'


1


2


3
























































rs2686796

rs131794

rs532545


All


-5


0


5


MR effect size for
'Uridine' on 'Left-sided ulcerative colitis'





















































rs956966

rs875740

rs1512342

All


-1


0


1


MR effect size for


'Gamma-glutamyltyrosine' on 'Left-sided ulcerative colitis'





































Batch 1456 : Glycerophosphorylcholine (GPC) on Left-sided ulcerative colitis














































MR effect size for
'Hyodeoxycholate' on 'Left-sided ulcerative colitis'

























Batch 1523 : Caproate (6:0) on Left-sided ulcerative colitis






































rs7775554

rs8002180

rs6804368

All

-2

-1


0


1


2


MR effect size for


'X-12244--N-acetylcarnosine' on 'Left-sided ulcerative colitis'




























Batch 1581 : Linolenate [alpha or gamma; (18:3n3 or 6)] on Left-sided ulcerative colitis














rs4861137


rs4680092


rs1456197


rs6907935


All


MR effect size for
'Isovalerate' on 'Left-sided ulcerative colitis'





























































Batch 1640 : Cyclo(leu-pro) on Left-sided ulcerative colitis





























rs2456584

rs661454


rs4663119


All


0


5


MR effect size for
'Fructose' on 'Arthropathy in ulcerative colitis'

























































Batch 1706 : Serotonin (5HT) on Arthropathy in ulcerative colitis



rs956966

rs875740


rs1512342


All


0


10


MR effect size for
'Gamma-glutamyltyrosine' on 'Arthropathy in ulcerative colitis'




































































rs7570971

rs9756306

rs3800993

All


-5


0


5


10


MR effect size for
'1,5-anhydroglucitol (1,5-AG)' on 'Arthropathy in ulcerative colitis'



















































Batch 1798 : Caproate (6:0) on Arthropathy in ulcerative colitis














Batch 1814 : X-11593--O-methylascorbate* on Arthropathy in ulcerative colitis





























rs6804368

rs7775554

rs8002180

All


-8


-4


0


MR effect size for


'X-12244--N-acetylcarnosine' on 'Arthropathy in ulcerative colitis'













































































rs1893285


rs7021014


rs1192458


rs2874702

All


MR effect size for
'X-14450--phenylalanylleucine' on 'Arthropathy in ulcerative colitis'










Batch 1908 : 7- α -hydroxy-3-oxo-4-cholestenolate (7-Hoca) on Arthropathy in ulcerative colitis











Batch 1912 : X-14977--vanillin on Arthropathy in ulcerative colitis





















Batch 1925 : 15-methylpalmitate (isobar with 2-methylpalmitate) on Arthropathy in ulcerative colitis





Batch 1927 : Tryptophan on Ulcerative pancolitis












rs2456584


rs661454


rs4663119


All





MR effect size for
'Fructose' on 'Ulcerative pancolitis'




































































































































































































Batch 2089 : X-11593--O-methylascorbate* on Ulcerative pancolitis







































































rs5030062

rs4253311

rs2731672

All

-1.0


-0.5


0.0

0.5

1.0

MR effect size for
'Bradykinin, des-arg(9)' on 'Ulcerative pancolitis'





rs4680092

rs4861137

rs6907935

rs1456197

All

-4


-3


-2


-1


0


MR effect size for
'Isovalerate' on 'Ulcerative pancolitis'
























































































































































































































































































Batch 2348 : Caproate (6:0) on Ulcerative proctitis























































rs7552404


rs2062541


rs8396


All















rs1034879


rs1348656


rs2242415


All



MR effect size for
'Linolenate [alpha or gamma; (18:3n3 or 6)]' on 'Ulcerative proctitis'







rs2731672

rs5030062


rs4253311


All

-0.25

0.00

0.25

MR effect size for
'Bradykinin, des-arg(9)' on 'Ulcerative proctitis'




rs4680092


rs6907935


rs4861137


rs1456197


All
































rs2874702

rs1893285

rs1192458

rs7021014

All


-1


0


1


2


MR effect size for
'X-14450--phenylalanylleucine' on 'Ulcerative proctitis'
































rs2672893


rs6089828


rs749902


rs4656083


All


MR effect size for
'Phenylalanylphenylalanine' on 'Ulcerative proctitis'

















rs661454

rs2456584

rs4663119

All

0


1


2


3


4


MR effect size for
'Fructose' on 'Ulcerative rectosigmoiditis'

































































rs6126354

rs10404980


rs1466522


rs4641759


All


0.0

2.5


MR effect size for
'Phosphate' on 'Ulcerative rectosigmoiditis'











MR effect size for
'Taurodeoxycholate' on 'Ulcerative rectosigmoiditis'




































































































Batch 2623 : Caproate (6:0) on Ulcerative rectosigmoiditis






































rs7775554

rs8002180

rs6804368

All

MR effect size for
'X-12244--N-acetylcarnosine' on 'Ulcerative rectosigmoiditis'

