



**Supplementary Figure 1.** Overview of cognitive and behavioral domains and instruments administered





**Supplementary Figure 1.**

*Abbreviations:* WAIS-IV-NL: Wechsler Adult Intelligence Scale-IV-NL; FSIQ: full scale intelligence quotient; VBI: verbal comprehension index; PRI: perceptual reasoning index; WGI: working memory index; PSI: processing speed index; D2: D2 Test of Attention; TMT: Trail Making Test; Stroop: Stroop Color and Word Test trials 1,2, and 3; Rey-CFT: Rey-Osterrieth Complex Figure Test; BADS: Behavioural Assessment of the Dysexecutive Syndrome; Rey-ALVT: Rey Auditory Verbal Learning Test; IR: Immediate Recall; DR: Delayed Recall; LLT: Location Learning Test; ERT: Emotion Recognition Task; ToM-test-R: Theory-of-Mind test Revised. TAS-20: Toronto Alexithymia Scale-20; FEEL-E: Fragebogen zur Erhebung der Emotionsregulation bei Erwachsenen (Questionnaire for the survey of emotion regulation in adults); CISS: Coping Inventory for Stressful Situations; BRIEF-A: Behaviour Rating Inventory of Executive Function- Adult Version; DEX: Dysexecutive Questionnaire; SCL-90: Symptom Checklist-90-R; BDI-II: Beck Depression Inventory-II; MMPI 2-RF: Minnesota Multiphasic Personality Inventory-2 Restructured Form; ABCL: Adult Behaviour Checklist; FSS: Fatigue Severity Scale; CIS-20-R: Checklist Individual Strength-20-Revised.

**Supplementary Table 1. Overview of neuropsychological instruments, abbreviations, and references**

Neuropsychological instrument	Abbreviation	Reference
Amsterdamse Korte Termijn Geheugen Test ( <i>Dutch short-term memory test</i> )	AKTG	Schmand, B., De Sterke, S., & Lindeboom, J. (1998). <i>AKTG : Amsterdamse korte termijn geheugen test</i> . Lisse: Swets Test Publishers. Cut-off point: ≤84
Test of Memory Malingering	TOMM	Tombaugh, T. N. (1996). <i>Test of Memory Malingering (TOMM)</i> . New York: MHS. Tombaugh, T. N. (2013). <i>Test of memory malingering TOMM; user's manual</i> . New York: MHS. Cut-off points: trial 1 < 18; trial 2 < 45
Visual Association Test – Extended	VAT-E	Meyer, S. R. A., & De Jonghe, J. F. M. (2019). <i>Visuele associatietest – Extended</i> : Handleiding. Amsterdam: Hogrefe Uitgevers BV. Meyer, S. R. A., De Jonghe, J. F. M., Schmand, B., & Ponds, R. W. H. M. (2017). The Visual Association Test – Extended: A cross-sectional study of the performance validity measures. <i>The Clinical Neuropsychologist</i> , 31(4), 798-813. <a href="https://doi.org/10.1080/13854046.2017.1280181">https://doi.org/10.1080/13854046.2017.1280181</a> Cut-off points: ≤ 21 immediate recognition; ≤ 20 delayed recognition; ≤ 21 consistency; ≥ 7 free recall combined with ≤ 9 multiple choice
Wechsler Adult Intelligence Scale IV-NL	WAIS-IV-NL	Wechsler, D. (2012). <i>Wechsler Adult Intelligence Scale – Fourth Edition, Nederlandstalige Bewerking (WAIS-IV-NL): Technische handleiding (WAIS-IV Dutch version: Technical manual)</i> . Amsterdam: Pearson.
Rey Auditory Verbal Learning Test ( <i>Dutch translation: 15-Woorden Test</i> )	AVLT	Rey, A. (1964). <i>Rey auditory verbal learning test (RAVLT)</i> . L'Examen clinique en psychologie [ <i>Clinical tests in psychology</i> ]. Paris: Presses Universitaires de France (PUF). Bouma, A., Mulder, J., Lindeboom, J. & Schmand, B. (2012). <i>Handboek Neuropsychologische Diagnostiek (tweede herziene druk) [Handbook neuropsychological assessment]</i> . Amsterdam: Pearson.
Rey-Osterrieth Complex Figure Test	Rey CFT	Lezak, M. D., Howieson, D. B., Bigler, E. D., & Tranel, D. (2012). <i>Neuropsychological Assessment (5<sup>th</sup> ed)</i> . New York: Oxford University Press. Bouma, A., Mulder, J., Lindeboom, J., & Schmand, B. (2012). <i>Handboek Neuropsychologische Diagnostiek (tweede herziene druk)</i> . Amsterdam: Pearson Assessment and Information B.V.
Location Learning Test	LLT	Kessels, R. P. C., Bucks, R. S., Willison, J. R., & Byrne, L. M. T. (2012). <i>Location Learning Test Herziene Uitgave – Handleiding [LLT Manual]</i> . Amsterdam: Hogrefe.
Verbal Fluency	Fluency	Luteijn, F., & Barelds, D. P. F. (2004). <i>Groninger Intelligentie Test 2 Handleiding</i> . Amsterdam: Harcourt Assessment B.V. Schmand, B., Houx, P., & De Koning, I. (2012). <i>Normen voor Psychologische Tests voor gebruik in de Klinische Neuropsychologie</i> . Sectie Neuropsychologie, Nederlands Instituut voor Psychologen (NIP).
Behavioural Assessment of the Dysexecutive Syndrome	BADS	Wilson, B. A., Alderman, N., Burgess, P. W., Emslie, H., & Evans, J. J. (1996). <i>BADS: Behavioural Assessment of the Dysexecutive Syndrome</i> . London: Pearson. Krabbenbom, L., & Kalff, A. C. (1997). <i>BADS-NL. Handleiding [BADS-NL Manual]</i> . Lisse: Swets & Zeitlinger.

Behavior Rating Inventory of Executive Function, Adult	BRIEF-A	Gioia, G., Isquith, P. K., Guy, S. C., & Kenworthy, L. (2004). <i>Behavior Rating Inventory of Executive Function (BRIEF): Professional manual</i> . Lutz, FL: Psychological Assessment Resources. [Dutch translation: Scholte, E., & Noens, I. (2011). <i>Vragenlijst over executieve functies bij volwassenen (BRIEF-A). Handleiding</i> ]. Amsterdam: Hogrefe.
Dysexecutive Questionnaire	DEX	Krabbendam, L., & Kalf, A. C. (1997). BADS Behavioural Assessment of the Dysexecutive Syndrome Handleiding. Lisse: Swets & Zeitlinger.
d2 Test of Attention	d2	Brickenkamp, R., & Oosterveld, P. (2014). <i>d2 Aandachts- en concentratietest. Handleiding [Test of Attention. Manual]</i> . Amsterdam: Hogrefe.
Stroop Color and Word Test	Stroop	Bouma, A., Mulder, J., Lindeboom, J., & Schmand, B. (2012). <i>Handboek Neuropsychologische Diagnostiek (tweede herziene druk)</i> . Amsterdam: Pearson Assessment and Information B.V. Schmand, B., Houx, P., & De Koning, I. (2012). <i>Normen voor Psychologische Tests voor gebruik in de Klinische Neuropsychologie</i> . Sectie Neuropsychologie, Nederlands Instituut voor Psychologen (NIP).
Trail Making Test	TMT	Lezak, M. D., Howieson, D. B., Bigler, E. D., & Tranel, D. (2012). <i>Neuropsychological Assessment (5<sup>th</sup> ed.)</i> . New York: Oxford University Press. Schmand, B., Houx, P., & De Koning, I. (2012). <i>Normen voor Psychologische Tests voor gebruik in de Klinische Neuropsychologie</i> . Sectie Neuropsychologie, Nederlands Instituut voor Psychologen (NIP).
Emotion Recognition Task	ERT	Kessels, R. P. C., Montagne, B., Hendriks, A. W., Perrett, D. I., & De Haan, E. H. F. (2014). Assessment of perception of morphed facial expressions using the Emotion Recognition Task (ERT): Normative data from healthy participants aged 8-75. <i>Journal of Neuropsychology</i> , 8(1), 75-93. <a href="https://doi.org/10.1111/jnp.12009">https://doi.org/10.1111/jnp.12009</a>
Theory-of-Mind test Revised	ToM-test-R	Steerneman, P., & Meesters, C. (2009). <i>ToM test-R: Handleiding</i> . Antwerpen/Apeldoorn: Garant.
Toronto Alexithymia Scale-20	TAS-20	Kooiman, C. G., Spinhoven, P., & Trijsburg, R. W. (2002). The assessment of alexithymia: A critical review of the literature and a psychometric study of the Toronto Alexithymia Scale-20. <i>Journal of Psychosomatic Research</i> , 53(6), 1083-1090. <a href="https://doi.org/10.1016/S0022-3999(02)00348-3">https://doi.org/10.1016/S0022-3999(02)00348-3</a>
Coping Inventory for Stressful Situations	CISS	Endler, N. S., & Parker, J. D. A. (1999). <i>Coping Inventory for Stressful Situations (CISS)</i> : Manual. MHS: Toronto. [Dutch translation: De Ridder, D. T. D., & Van Heck, G. L. (2004). <i>CISS-NL. Handleiding</i> ]. Amsterdam: Pearson.
Questionnaire for the survey of emotion regulation in adults	FEEL-E	Grob, A., & Horowitz, D. (2014). <i>FEEL-E. Fragebogen zur Erhebung der Emotionsregulation bei Erwachsenen</i> . Bern: Verlag Hans Huber. [Dutch translation: Punt, D. J. (2014). <i>Vragenlijst over emotieregulatie bij volwassenen. FEEL-E.</i> ] Amsterdam: Hogrefe.
Adult Behavior Checklist	ABCL	Achenbach, T. M. & Rescorla, L. A. (2003). <i>Manual for the ASEBA Adult Forms &amp; Profiles</i> . Burlington, VT: University of Vermont, Research Center for Children, Youth, & Families.
Checklist Individual Strength-20-Revised	CIS-20-R	Vercoulen, J. H. M. M., Alberts, M., & Bleijenberg, G. (1999). Kort instrumenteel: de Checklist Individual Strength (CIS). <i>Gedragstherapie</i> , 32(2), 131-136. Vercoulen, J. H. M. M., Swanink, C. M. A., Fennis, J. F. M., Galama, J. M. D., van der Meer, J. W. M., & Bleijenberg, G. (1994). Dimensional assessment of chronic fatigue syndrome. <i>Journal of Psychosomatic Research</i> , 38(5), 383-392. <a href="https://doi.org/10.1016/0022-3999(94)90099-X">https://doi.org/10.1016/0022-3999(94)90099-X</a>
Fatigue Severity Scale	FSS	Krupp, L. B., LaRocca, N. G., Muir-Nash, J., & Steinberg A. D. (1989). The Fatigue Severity Scale: application to patients with multiple sclerosis and systemic lupus erythematosus. <i>Archives of Neurology</i> ,

		<p>46(10), 1121-1123.</p> <p>Dutch translation: Rietberg, M. B., van Wegen, E. E. H., &amp; Kwakkel, G. (2010). Measuring fatigue in patients with multiple sclerosis: reproducibility, responsiveness and concurrent validity of three Dutch self-report questionnaires. <i>Disability and rehabilitation</i>, 32(22), 1870-1876.</p> <p><a href="https://doi.org/10.3109/09638281003734458">https://doi.org/10.3109/09638281003734458</a></p> <p>Retrieved from: <a href="https://meetinstrumentenzorg.nl/instrumenten/fatigue-severity-scale/">https://meetinstrumentenzorg.nl/instrumenten/fatigue-severity-scale/</a> [2022, November 14].</p>
Minnesota Multiphasic Personality Inventory-2 Restructured Form	MMPI-2-RF	<p>Ben-Porath, Y. S., &amp; Tellegen, A. (2008). <i>MMPI-2-RF manual for administration, scoring, and interpretation</i>. Minneapolis, MN: University of Minnesota Press.</p> <p>Van Der Heijden, P., Derkx, J., Egger, J., Rossi, G., Laheij, M., &amp; Bögels, T. (2013). <i>MMPI-2-RF. Minnesota Multiphasic Personality Inventory-2 Restructured Form. Handleiding voor Afname, scoring en interpretatie [Manual for administration, scoring and interpretation: Dutch-Flemish translation]</i>. Nijmegen: PEN Tests Publisher.</p>
Beck Depression Inventory-II	BDI-II-NL	<p>Beck, A. T., Steer, R. A., &amp; Brown, G. K. (1996). <i>Manual for the Beck depression inventory-II</i>. San Antonio, TX: Psychological Corporation.</p> <p>Van Der Does, A. J. W. (2002). <i>BDI-II Dutch translation. Handleiding [BDI-II-NL Manual]</i>. The Netherlands, Pearson.</p> <p>Roelofs, J., van Breukelen, G., de Graaf, L. E., Beck, A. T., Arntz, A., &amp; Huibers, M. J. H. (2013). Norms for the Beck Depression Inventory (BDI-II) in a large Dutch community sample. <i>Journal of Psychopathology and Behavioral Assessment</i>, 35(1), 93–98. <a href="https://doi.org/10.1007/s10862-012-9309-2">https://doi.org/10.1007/s10862-012-9309-2</a></p>
Symptom Checklist-90 Revised	SCL-90-R	<p>Arrindell, W. A., &amp; Ettema, J. H. M. (1986; 2003). <i>Handleiding bij een multidimensionele psychopathologie-indicator [SCL-90-R. Manual of a multi-dimensional psychopathology indicator]</i>. Amsterdam: Pearson.</p>