

lavaan 0.6-12 ended normally after 169 iterations

Estimator	DWLS
Optimization method	NLMINB
Number of model parameters	94
Number of observations	1272

Model Test User Model:

	Standard	Robust
Test Statistic	1122.754	1200.019
Degrees of freedom	133	133
P-value (Chi-square)	0.000	0.000
Scaling correction factor		0.976
Shift parameter		49.263
simple second-order correction		

Parameter Estimates:

Standard errors	Robust.sem
Information	Expected
Information saturated (h1) model	Unstructured

Latent Variables:

	Estimate	Std.Err	z-value	P(> z)	Std.lv	Std.all
loss =~						
s_iat_sex1_iss	0.096	0.131	0.738	0.461	0.691	0.691
s_iat_sex2_iss	0.113	0.154	0.738	0.461	0.811	0.811
s_iat_sex3_iss	0.100	0.135	0.737	0.461	0.714	0.714
s_iat_sex6_iss	0.104	0.141	0.738	0.461	0.743	0.743
s_iat_sex8_iss	0.112	0.152	0.737	0.461	0.804	0.804

s_iat_sex9_iss	0.106	0.143	0.738	0.461	0.756	0.756
----------------	-------	-------	-------	-------	-------	-------

control =~

s_iat_sex4_cra	0.205	0.041	4.947	0.000	0.583	0.583
s_iat_sex5_cra	0.235	0.048	4.927	0.000	0.667	0.667
s_iat_sex7_cra	0.260	0.053	4.876	0.000	0.740	0.740
s_iat_sex10_cr	0.249	0.050	5.000	0.000	0.709	0.709
s_iat_sex11_cr	0.269	0.054	4.978	0.000	0.766	0.766
s_iat_sex12_cr	0.276	0.056	4.939	0.000	0.785	0.785

objectification =~

obj_1	0.618	0.021	30.001	0.000	0.678	0.678
obj_2	0.690	0.017	41.713	0.000	0.757	0.757
obj_3	0.697	0.016	42.580	0.000	0.764	0.764
obj_4	0.750	0.016	47.992	0.000	0.823	0.823
obj_5	0.763	0.015	49.417	0.000	0.836	0.836

gAddiction =~

loss	7.091	9.798	0.724	0.469	0.990	0.990
control	2.663	0.610	4.368	0.000	0.936	0.936

Regressions:

	Estimate	Std.Err	z-value	P(> z)	Std.lv	Std.all
objectification ~						
gAddiction	0.450	0.037	12.090	0.000	0.411	0.411
freq	0.000		0.000	0.000		
freq ~						
gAddiction	0.000		0.000	0.000		

Intercepts:

	Estimate	Std.Err	z-value	P(> z)	Std.lv	Std.all
.s_iat_sex1_iss	0.000		0.000	0.000		
.s_iat_sex2_iss	0.000		0.000	0.000		
.s_iat_sex3_iss	0.000		0.000	0.000		

.s_iat_sex6_iss	0.000	0.000	0.000
.s_iat_sex8_iss	0.000	0.000	0.000
.s_iat_sex9_iss	0.000	0.000	0.000
.s_iat_sex4_cra	0.000	0.000	0.000
.s_iat_sex5_cra	0.000	0.000	0.000
.s_iat_sex7_cra	0.000	0.000	0.000
.s_iat_sex10_cr	0.000	0.000	0.000
.s_iat_sex11_cr	0.000	0.000	0.000
.s_iat_sex12_cr	0.000	0.000	0.000
.obj_1	0.000	0.000	0.000
.obj_2	0.000	0.000	0.000
.obj_3	0.000	0.000	0.000
.obj_4	0.000	0.000	0.000
.obj_5	0.000	0.000	0.000
.freq	0.000	0.000	0.000
.loss	0.000	0.000	0.000
.control	0.000	0.000	0.000
.objectificatin	0.000	0.000	0.000
gAddiction	0.000	0.000	0.000

Thresholds:

	Estimate	Std.Err	z-value	P(> z)	Std.lv	Std.all
s_t_sx1_iss t1	-1.106	0.044	-25.017	0.000	-1.106	-1.106
s_t_sx1_iss t2	-0.288	0.036	-8.061	0.000	-0.288	-0.288
s_t_sx1_iss t3	0.581	0.037	15.533	0.000	0.581	0.581
s_t_sx1_iss t4	1.723	0.063	27.551	0.000	1.723	1.723
s_t_sx2_iss t1	0.150	0.035	4.259	0.000	0.150	0.150
s_t_sx2_iss t2	0.900	0.041	22.037	0.000	0.900	0.900
s_t_sx2_iss t3	1.619	0.058	27.785	0.000	1.619	1.619
s_t_sx2_iss t4	2.239	0.096	23.302	0.000	2.239	2.239
s_t_sx3_iss t1	0.426	0.036	11.733	0.000	0.426	0.426

s_t_sx3_iss t2	1.154	0.045	25.568	0.000	1.154	1.154
s_t_sx3_iss t3	1.860	0.069	26.880	0.000	1.860	1.860
s_t_sx3_iss t4	2.495	0.125	19.950	0.000	2.495	2.495
s_t_sx6_iss t1	-0.206	0.035	-5.826	0.000	-0.206	-0.206
s_t_sx6_iss t2	0.569	0.037	15.259	0.000	0.569	0.569
s_t_sx6_iss t3	1.343	0.049	27.137	0.000	1.343	1.343
s_t_sx6_iss t4	2.045	0.080	25.408	0.000	2.045	2.045
s_t_sx8_iss t1	-0.249	0.036	-7.000	0.000	-0.249	-0.249
s_t_sx8_iss t2	0.390	0.036	10.790	0.000	0.390	0.390
s_t_sx8_iss t3	1.067	0.043	24.530	0.000	1.067	1.067
s_t_sx8_iss t4	1.894	0.071	26.653	0.000	1.894	1.894
s_t_sx9_iss t1	0.329	0.036	9.176	0.000	0.329	0.329
s_t_sx9_iss t2	0.980	0.042	23.316	0.000	0.980	0.980
s_t_sx9_iss t3	1.673	0.060	27.694	0.000	1.673	1.673
s_t_sx9_iss t4	2.495	0.125	19.950	0.000	2.495	2.495
s_it_sx4_cr t1	0.142	0.035	4.035	0.000	0.142	0.142
s_it_sx4_cr t2	0.725	0.039	18.717	0.000	0.725	0.725
s_it_sx4_cr t3	1.287	0.048	26.767	0.000	1.287	1.287
s_it_sx4_cr t4	1.817	0.067	27.131	0.000	1.817	1.817
s_it_sx5_cr t1	0.745	0.039	19.142	0.000	0.745	0.745
s_it_sx5_cr t2	1.368	0.050	27.274	0.000	1.368	1.368
s_it_sx5_cr t3	1.787	0.066	27.285	0.000	1.787	1.787
s_it_sx5_cr t4	2.290	0.101	22.675	0.000	2.290	2.290
s_it_sx7_cr t1	-0.168	0.035	-4.763	0.000	-0.168	-0.168
s_it_sx7_cr t2	0.756	0.039	19.353	0.000	0.756	0.756
s_it_sx7_cr t3	1.550	0.056	27.801	0.000	1.550	1.550
s_it_sx7_cr t4	2.495	0.125	19.950	0.000	2.495	2.495
s_t_sx10_cr t1	0.350	0.036	9.733	0.000	0.350	0.350
s_t_sx10_cr t2	0.886	0.041	21.785	0.000	0.886	0.886
s_t_sx10_cr t3	1.243	0.047	26.422	0.000	1.243	1.243
s_t_sx10_cr t4	1.741	0.063	27.487	0.000	1.741	1.741

s_t_sx11_cr t1	0.231	0.035	6.497	0.000	0.231	0.231
s_t_sx11_cr t2	0.889	0.041	21.836	0.000	0.889	0.889
s_t_sx11_cr t3	1.665	0.060	27.712	0.000	1.665	1.665
s_t_sx11_cr t4	2.151	0.088	24.312	0.000	2.151	2.151
s_t_sx12_cr t1	0.697	0.038	18.130	0.000	0.697	0.697
s_t_sx12_cr t2	1.333	0.049	27.079	0.000	1.333	1.333
s_t_sx12_cr t3	1.894	0.071	26.653	0.000	1.894	1.894
s_t_sx12_cr t4	2.453	0.120	20.529	0.000	2.453	2.453
obj_1 t1	-2.318	0.104	-22.320	0.000	-2.318	-2.318
obj_1 t2	-1.459	0.053	-27.642	0.000	-1.459	-1.459
obj_1 t3	-0.611	0.038	-16.241	0.000	-0.611	-0.611
obj_1 t4	0.560	0.037	15.040	0.000	0.560	0.560
obj_2 t1	-1.029	0.043	-24.025	0.000	-1.029	-1.029
obj_2 t2	-0.231	0.035	-6.497	0.000	-0.231	-0.231
obj_2 t3	0.633	0.038	16.729	0.000	0.633	0.633
obj_2 t4	1.476	0.053	27.688	0.000	1.476	1.476
obj_3 t1	-1.723	0.063	-27.551	0.000	-1.723	-1.723
obj_3 t2	-0.782	0.039	-19.879	0.000	-0.782	-0.782
obj_3 t3	0.154	0.035	4.371	0.000	0.154	0.154
obj_3 t4	1.178	0.046	25.812	0.000	1.178	1.178
obj_4 t1	-1.070	0.044	-24.575	0.000	-1.070	-1.070
obj_4 t2	-0.119	0.035	-3.363	0.001	-0.119	-0.119
obj_4 t3	0.807	0.040	20.349	0.000	0.807	0.807
obj_4 t4	1.706	0.062	27.606	0.000	1.706	1.706
obj_5 t1	-1.046	0.043	-24.256	0.000	-1.046	-1.046
obj_5 t2	-0.290	0.036	-8.117	0.000	-0.290	-0.290
obj_5 t3	0.533	0.037	14.383	0.000	0.533	0.533
obj_5 t4	1.291	0.048	26.800	0.000	1.291	1.291
freq t1	-2.453	0.120	-20.529	0.000	-2.453	-2.453
freq t2	-1.860	0.069	-26.880	0.000	-1.860	-1.860
freq t3	-1.570	0.056	-27.808	0.000	-1.570	-1.570

freq t4	-1.158	0.045	-25.610	0.000	-1.158	-1.158
freq t5	-0.650	0.038	-17.108	0.000	-0.650	-0.650
freq t6	0.479	0.037	13.061	0.000	0.479	0.479

Variances:

	Estimate	Std.Err	z-value	P(> z)	Std.lv	Std.all
.s_iat_sex1_iss	0.523				0.523	0.523
.s_iat_sex2_iss	0.342				0.342	0.342
.s_iat_sex3_iss	0.490				0.490	0.490
.s_iat_sex6_iss	0.448				0.448	0.448
.s_iat_sex8_iss	0.354				0.354	0.354
.s_iat_sex9_iss	0.428				0.428	0.428
.s_iat_sex4_cra	0.660				0.660	0.660
.s_iat_sex5_cra	0.555				0.555	0.555
.s_iat_sex7_cra	0.452				0.452	0.452
.s_iat_sex10_cr	0.498				0.498	0.498
.s_iat_sex11_cr	0.413				0.413	0.413
.s_iat_sex12_cr	0.383				0.383	0.383
.obj_1	0.541				0.541	0.541
.obj_2	0.427				0.427	0.427
.obj_3	0.416				0.416	0.416
.obj_4	0.322				0.322	0.322
.obj_5	0.300				0.300	0.300
.freq	1.000				1.000	1.000
.loss	1.000			0.020	0.020	
.control	1.000			0.124	0.124	
.objectificatin	1.000			0.831	0.831	
gAddiction	1.000			1.000	1.000	

Scales y*:

	Estimate	Std.Err	z-value	P(> z)	Std.lv	Std.all
--	----------	---------	---------	---------	--------	---------

s_iat_sex1_iss	1.000	1.000	1.000
s_iat_sex2_iss	1.000	1.000	1.000
s_iat_sex3_iss	1.000	1.000	1.000
s_iat_sex6_iss	1.000	1.000	1.000
s_iat_sex8_iss	1.000	1.000	1.000
s_iat_sex9_iss	1.000	1.000	1.000
s_iat_sex4_cra	1.000	1.000	1.000
s_iat_sex5_cra	1.000	1.000	1.000
s_iat_sex7_cra	1.000	1.000	1.000
s_iat_sex10_cr	1.000	1.000	1.000
s_iat_sex11_cr	1.000	1.000	1.000
s_iat_sex12_cr	1.000	1.000	1.000
obj_1	1.000	1.000	1.000
obj_2	1.000	1.000	1.000
obj_3	1.000	1.000	1.000
obj_4	1.000	1.000	1.000
obj_5	1.000	1.000	1.000
freq	1.000	1.000	1.000