

Assessing species bias in amphibian research on endocrine disruptors: Beyond *Xenopus laevis*

Martyna Frątczak^{1*}, Mikołaj Kaczmarek¹, Katarzyna Szkudelska², Piotr Tryjanowski¹

¹Department of Zoology, Poznan University of Life Sciences, Wojska Polskiego 71C, 60-625 Poznan, Poland

²Department of Animal Physiology, Biochemistry and Biostructure, Poznan University of Life Sciences, Wolynska Street 35, 60-637 Poznan, Poland

*Tel.: + 0618487649, E-mail: martynafrt@gmail.com

References cited only in *Supplementary Materials*

1. Abdalla, F.C., Martins, L.P.A., Silva-Zacarin, E.C.M., Rizzi, G.M., Costa, M.J., Salla, R.F., Kalinin, A.L., Monteiro, D.A., 2011. The impact of cadmium chloride on the gonadal morphology of the North American bullfrog tadpoles, *Lithobates catesbeianus* (Shaw, 1802). *Fresenius Environ. Bull.* 22, 1962–1966. <https://doi.org/10.1088/1755-1315/16/1/012036>
2. Bai, Y., Li, X.Y., Liu, Z.J., Zhang, Y.H., 2017. Effects of octylphenol on the expression of StAR, CYP17 and CYP19 in testis of *Rana chensinensis*. *Environ. Toxicol. Pharmacol.* 51, 9–15. <https://doi.org/10.1016/j.etap.2017.02.016>
3. Barbeau, T.R., Guillette, L.J., 2007. Altered Ovarian Steroids in *Xenopus laevis* Exposed to Environmentally Relevant Concentrations of Nitrate. *J. Herpetol.* 41, 590–596. <https://doi.org/10.1670/06-278.1>
4. Behrends, T., Urbatzka, R., Krackow, S., Elepfandt, A., Kloas, W., 2010. Mate calling behavior of male South African clawed frogs (*Xenopus laevis*) is suppressed by the antiandrogenic endocrine disrupting compound flutamide. *Gen. Comp. Endocrinol.* 168, 269–274. <https://doi.org/10.1016/j.ygcen.2010.01.017>
5. Belden, J., McMurtry, S., Smith, L., Reilly, P., 2010. Acute toxicity of fungicide formulations to amphibians at environmentally relevant concentrations. *Environ. Toxicol. Chem.* 29, 2477–2480. <https://doi.org/10.1002/ETC.297>
6. Bernabò, I., Gallo, L., Sperone, E., Tripepi, S., Brunelli, E., 2011. Survival, development, and gonadal differentiation in *Rana dalmatina* chronically exposed to chlorpyrifos. *J. Exp. Zool. Part Ecol. Genet. Physiol.* 315, 314–327. <https://doi.org/10.1002/jez.678>
7. Bernabò, I., Guardia, A., Macirella, R., Sesti, S., Tripepi, S., Brunelli, E., 2020. Tissues injury and pathological changes in *Hyla intermedia* juveniles after chronic larval exposure to tebuconazole. *Ecotoxicol. Environ. Saf.* 205, 111367. <https://doi.org/10.1016/j.ecoenv.2020.111367>
8. Bernabò, I., Guardia, A., Macirella, R., Tripepi, S., Brunelli, E., 2017. Chronic exposures to fungicide pyrimethanil: multi-organ effects on Italian tree frog (*Hyla intermedia*). *Sci. Rep.* 7, 1–16. <https://doi.org/10.1038/s41598-017-07367-6>
9. Bissegger, S., & Langlois, V. S. 2016. Androgens modulate gene expression and specific DNA methylation pattern of steroid 5 α -reductases in the frog *Silurana tropicalis*. *Gen. Comp. Endocrinol.* 234, 123–132.
10. Bissegger, S., Castro, M.A.P., Yargeau, V., Langlois, V.S., 2018. Phthalates modulate steroid 5-reductase transcripts in the Western clawed frog embryo. *Comp. Biochem. Physiol. Part C Toxicol. Pharmacol.* 213, 39–46. <https://doi.org/10.1016/j.cbpc.2018.07.005>
11. Bissegger, S., Martyniuk, C. J., & Langlois, V. S. 2014. Transcriptomic profiling in *Silurana tropicalis* testes exposed to finasteride. *Gen. Comp. Endocrinol.* 203, 137–145.
12. Brande-Lavridsen, N., Christensen-Dalsgaard, J., Korsgaard, B., 2008. Effects of prochloraz and ethinylestradiol on sexual development in *Rana temporaria*. *J. Exp. Zool. Part Ecol. Genet. Physiol.* 309A, 389–398. <https://doi.org/10.1002/JEZ.462>

13. Cai, M., Li, Y.Y., Zhu, M., Li, J.B., Qin, Z.F., 2020. Evaluation of the effects of low concentrations of bisphenol AF on gonadal development using the *Xenopus laevis* model: A finding of testicular differentiation inhibition coupled with feminization. *Environ. Pollut.* 260, 113980. <https://doi.org/10.1016/j.envpol.2020.113980>
14. Campbell, D.E.K., Montgomerie, R.D., Langlois, V.S., 2018. Lifecycle exposure to perchlorate differentially alters morphology, biochemistry, and transcription as well as sperm motility in *Silurana tropicalis* frogs. *Environ. Pollut.* 237, 196–204. <https://doi.org/10.1016/j.envpol.2018.02.038>
15. Campolo, M., Spanò, F., Iannaccone, M., 2015. Harmful Effects on African Clawed Frog (*Xenopus laevis*) Reproduction as Expression of High Water Phosphates Levels. *J. Agric. Sci. Technol. A* 5, 632–638. <https://doi.org/10.17265/2161-6256/2015.07.009>
16. Cao, S., Xu, W., Lou, Q.Q., Zhang, Y.F., Zhao, Y.X., Wei, W.J., Qin, Z.F., 2014. Environmental (anti-)androgenic chemicals affect germinal vesicle breakdown (GVBD) of *Xenopus laevis* oocytes in vitro. *Toxicol. In Vitro* 28, 426–431. <https://doi.org/10.1016/j.tiv.2013.12.003>
17. Carocci, A., Catalano, A., Lauria, G., Sinicropi, M. S., & Genchi, G. 2016. Lead toxicity, antioxidant defense and environment. *Reviews of Environmental Contamination and Toxicology*, 238, 45–67.
18. Carr, J.A., Gentles, A., Smith, E.E., Goleman, W.L., Urquidi, L.J., Thuett, K., Kendall, R.J., Giesy, J.P., Gross, T.S., Solomon, K.R., Kraak, G.V.D., 2003. Response of larval *Xenopus laevis* to atrazine: assessment of growth, metamorphosis, and gonadal and laryngeal morphology. *Environ. Toxicol. Chem. Int. J.* 22, 396–405. <https://doi.org/10.1002/etc.5620220222>
19. Cevasco, A., Urbatzka, R., Bottero, S., Massari, A., Pedemonte, F., Kloas, W., Mandich, A., 2008. Endocrine disrupting chemicals (EDC) with (anti)estrogenic and (anti)androgenic modes of action affecting reproductive biology of *Xenopus laevis*: II. Effects on gonad histomorphology. *Comp. Biochem. Physiol. - C Toxicol. Pharmacol.* 147, 241–251. <https://doi.org/10.1016/j.cbpc.2007.10.001>
20. Chang, L.-T., Yu, N.-W., Hsu, C.-Y. & Liu, H.-W. 1996. Gonadal transformation in male *Rana catesbeianae* tadpoles intraperitoneally implanted with estradiol capsules. *Gen. Comp. Endocrinol.* 102(3), 299–306.
21. Chardard, D., Dournon, C., 1999. Sex reversal by aromatase inhibitor treatment in the newt *Pleurodeles waltl*. *J. Exp. Zool.* 283, 43–50. [https://doi.org/10.1002/\(sici\)1097-010x\(19990101\)283:1<43::aid-jez6>3.0.co;2-g](https://doi.org/10.1002/(sici)1097-010x(19990101)283:1<43::aid-jez6>3.0.co;2-g).
22. Chardard, D., Kuntz, S., Chesnel, A., Flament, S., 2003. Effects of androgens on sex differentiation of the Urodele *Pleurodeles waltl*. *J. Exp. Zool. A Comp. Exp. Biol.* 296, 46–55. <https://doi.org/10.1002/JEZ.A.10240>
23. Chen, J., Meng, T., Li, Y., Gao, K., Qin, Z., 2018. Effects of triclosan on gonadal differentiation and development in the frog *Pelophylax nigromaculatus*. *J. Environ. Sci.* 64, 157–165. <https://doi.org/10.1016/j.jes.2017.05.040>
24. Chen, T.H., Gross, J.A., Karasov, W.H., 2009. Chronic exposure to pentavalent arsenic of larval leopard frogs (*Rana pipiens*): Bioaccumulation and reduced swimming performance. *Ecotoxicology* 18, 587–593. <https://doi.org/10.1007/s10646-009-0316-3>
25. Chieffi, G., Iela, L. & Rastogi, R. K. 1974. Effect of cyproterone, cyproterone acetate and ICI 46,474 on gonadal sex differentiation in *Pelophylax kl. esculentus*. *Gen. Comp. Endocrinol.* 22(4), 532–535.
26. Choi, M.J., Kim, S.C., Kim, A.N., Kwon, H.B., Ahn, R.S., 2007. Effect of endocrine disruptors on the oocyte maturation and ovulation in amphibians, *Rana dybowskii*. *Integr. Biosci.* 11, 1–8. <https://doi.org/10.1080/17386357.2007.9647309>
27. Clark, E.J., Norris, D.O., Jones, R.E., 1998. Interactions of gonadal steroids and pesticides (DDT, DDE) on gonaduct growth in larval tiger salamanders, *Ambystoma tigrinum*. *Gen. Comp. Endocrinol.* 109, 94–105. <https://doi.org/10.1006/GCEN.1997.7013>
28. Coady, K.K., Murphy, M.B., Villeneuve, D.L., Hecker, M., Jones, P.D., Carr, J.A., Solomon, K.R., Smith, E.E., Kraak, G.V.D., Kendall, R.J., Giesy, J.P., 2005. Effects of atrazine on metamorphosis, growth, laryngeal and gonadal development, aromatase activity, and sex steroid concentrations

- in *Xenopus laevis*. *Ecotoxicol. Environ. Saf.* 62, 160–173.
<https://doi.org/10.1016/J.ECOENV.2004.10.010>
29. Coady, K.K., Murphy, M.B., Villeneuve, D.L., Hecker, M., Jones, P.D., Carr, J.A., Solomon, K.R., Smith, E.E., Kraale, G.V.D., Kendall, R.J., Giesy, J.P., 2004. Effects of Atrazine on Metamorphosis, Growth, and Gonadal Development in the Green Frog (*Rana clamitans*). *J. Toxicol. Environ. Health* 67, 941–957. <https://doi.org/10.1080/15287390490443722>
 30. Cong, L., Qin, Z.F., Jing, X.N., Yang, L., Zhou, J.M., Xu, X.B., 2006. *Xenopus laevis* is a potential alternative model animal species to study reproductive toxicity of phytoestrogens. *Aquat. Toxicol.* 77, 250–256. <https://doi.org/10.1016/j.aquatox.2005.12.014>
 31. Croteau, M.C., Davidson, M., Duarte-Guterman, P., Wade, M., Popescu, J.T., Wiens, S., Lean, D.R.S., Trudeau, V.L., 2009. Assessment of thyroid system disruption in *Rana pipiens* tadpoles chronically exposed to UVB radiation and 4-tert-octylphenol. *Aquat. Toxicol.* 95, 81–92. <https://doi.org/10.1016/J.AQUATOX.2009.05.013>
 32. Du Preez, L.H., Kunene, N., Everson, G.J., Carr, J.A., Giesy, J.P., Gross, T.S., Hosmer, A.J., Kendall, R.J., Smith, E.E., Solomon, K.R., Kraak, G.J.V.D., 2008. Reproduction, larval growth, and reproductive development in African clawed frogs (*Xenopus laevis*) exposed to atrazine. *Chemosphere* 71, 546–552. <https://doi.org/10.1016/j.chemosphere.2007.09.051>
 33. Duan, R.Y., Huang, M.Y., 2016. The influence of low-dose cadmium on the laryngeal microstructure and ultrastructure of *Pelophylax nigromaculata*. *Environ. Sci. Pollut. Res.* 23, 17322–17331. <https://doi.org/10.1007/S11356-016-6942-4>
 34. Duarte-Guterman, P., Langlois, V. S., Hodgkinson, K., Pauli, B. D., Cooke, G. M., Wade, M. G., & Trudeau, V. L. 2010. The aromatase inhibitor fadrozole and the 5-reductase inhibitor finasteride affect gonadal differentiation and gene expression in the frog *Silurana tropicalis*. *Sexual Development*, 3(6), 333–341.
 35. Efosa, N.J., Kleiner, W., Kloas, W., Hoffmann, F., 2017. Diclofenac can exhibit estrogenic modes of action in male *Xenopus laevis*, and affects the hypothalamus-pituitary-gonad axis and mating vocalizations. *Chemosphere* 173, 69–77. <https://doi.org/10.1016/j.chemosphere.2017.01.030>
 36. Feng, M., Chen, P., Wei, X., Zhang, Y., Zhang, W., Qi, Y., 2011. Effect of 4-nonylphenol on the sperm dynamic parameters, morphology and fertilization rate of *Bufo raddei*. *Afr. J. Biotechnol.* 10, 2698–2707. <https://doi.org/10.5897/AJB10.1974>
 37. Flament, S., Kuntz, S., Chesnel, A., Grillier-Vuissoz, I., Tankozic, C., Penrad-Mobayed, M., Auque, G., Shirali, P., Schroeder, H., & Chardard, D. 2003. Effect of cadmium on gonadogenesis and metamorphosis in *Pleurodeles waltl* (urodele amphibian). *Aquat. Toxicol.* 64(2), 143–153. [https://doi.org/10.1016/S0166-445X\(03\)00042-0](https://doi.org/10.1016/S0166-445X(03)00042-0)
 38. Fliedner, A., Remde, A., Niemann, R., Schäfers, C., Stein, B., 1997. Effects of the organotin pesticide azocyclotin in aquatic microcosms. *Chemosphere* 35, 209–222. [https://doi.org/10.1016/S0045-6535\(97\)00151-3](https://doi.org/10.1016/S0045-6535(97)00151-3)
 39. Fort, D.J., Fort, T.D., Mathis, M.B., Ball, R.W., 2016. Boric Acid Is Reproductively Toxic to Adult *Xenopus laevis*, but Not Endocrine Active. *Toxicol. Sci. Off. J. Soc. Toxicol.* 154, 16–26. <https://doi.org/10.1093/toxsci/kfw138>
 40. Fort, D.J., Mathis, M., Fort, C., Fort, T.D., Guiney, P.D., Weeks, J.A., 2019. Polybrominated Diphenylether (DE-71) Exposure Skews Phenotypic Sex Ratio, and Alters Steroid Hormone Levels and Steroidogenic Enzyme Activities in Juvenile *Silurana tropicalis*. *Toxicol. Sci.* 172, 63–74. <https://doi.org/10.1093/toxsci/kfz181>
 41. Fort, D.J., Mathis, M.B., Pawlowski, S., Wolf, J.C., Peter, R., Champ, S., 2017. Effect of triclosan on anuran development and growth in a larval amphibian growth and development assay. *J. Appl. Toxicol.* 37, 1182–1194. <https://doi.org/10.1002/jat.3474>
 42. Fort, D.J., Thomas, J.H., Rogers, R.L., Noll, A., Spaulding, C.D., Guiney, P.D., Weeks, J.A., 2004. Evaluation of the developmental and reproductive toxicity of methoxychlor using an anuran (*Xenopus tropicalis*) chronic exposure model. *Toxicol. Sci.* 81, 443–453. <https://doi.org/10.1093/toxsci/kfh230>

43. Gadel-Rab, A.G., Mahmoud, F.A.-R., Said, R.E.S., Saber, S.A.-L., Salkh, B.A.-A.E., Said, A.S., 2018. Hermaphroditism induction of Sub-Lethal Dose of Atrazine and Atrazine-Nitrate on the Egyptian Toad, *Sclerophrys regularis*. *Int. J. Ecotoxicol. Ecobiol.* 3, 63–72. <https://doi.org/10.11648/j.ijee.20180303.11>
44. Gao, Y., Yang, Chenhao, Gao, H., Wang, L., Yang, Changming, Ji, H., Dong, W., 2019. Molecular characterisation of oestrogen receptor ER α and the effects of bisphenol A on its expression during sexual development in the Chinese giant salamander (*Andrias davidianus*). *Reprod. Fertil. Dev.* 31, 261–271. <https://doi.org/10.1071/RD18107>
45. Ghodageri, M.G., Katti, P., 2013. In vitro induction/inhibition of germinal vesicle breakdown (GVBD) in frog (*Euphyctis cyanophlyctis*) oocytes by endocrine active compounds. *Drug Chem. Toxicol.* 36, 217–223. <https://doi.org/10.3109/01480545.2012.710623>
46. Ghosh PK, Ghosh AK, Biswas NM. 1987. Effect of cadmium on 17 beta-hydroxysteroid dehydrogenase in toad testis. *Andrologia* 19(2):143-7.
47. Giesy, J.P., Dobson, S., Solomon, K.R., 2000. Ecotoxicological risk assessment for Roundup® herbicide. *Rev. Environ. Contam. Toxicol.* 167, 35–120. https://doi.org/10.1007/978-1-4612-1156-3_2
48. Goleman, W.L., Carr, J.A., 2006. Contribution of ammonium ions to the lethality and antimetamorphic effects of ammonium perchlorate. *Environ. Toxicol. Chem.* 25, 1060–1067. <https://doi.org/10.1897/04-511r.1>
49. Goleman, W.L., Carr, J.A., Anderson, T.A., 2002. Environmentally relevant concentrations of ammonium perchlorate inhibit thyroid function and alter sex ratios in developing *Xenopus laevis*. *Environ. Toxicol. Chem.* 21, 590–597. <https://doi.org/10.1002/ETC.5620210318>
50. Greenberg, B., 1942. Some effects of testosterone on the sexual pigmentation and other sex characters of the cricket frog (*Acris gryllus*). *J. Exp. Zool.* 91, 435–451. <https://doi.org/10.1002/JEZ.1400910308>
51. Gunderson, M. P., Veldhoen, N., Skirrow, R. C., Macnab, M. K., Ding, W., van Aggelen, G., & Helbing, C. C. 2011. Effect of low dose exposure to the herbicide atrazine and its metabolite on cytochrome P450 aromatase and steroidogenic factor-1 mRNA levels in the brain of premetamorphic bullfrog tadpoles (*Rana catesbeiana*). *Aquat. Toxicol.* 102(1-2), 31-38.
52. Gye, M.C., Kim, D.H., 2005. Bisphenol A induces hepatic vitellogenin mRNA in male *Bombina orientalis*. *Bull. Environ. Contam. Toxicol.* 75, 1–6. <https://doi.org/10.1007/s00128-005-0710-3>
53. Gyllenhammar, I., Eriksson, H., Söderqvist, A., Lindberg, R.H., Fick, J., Berg, C., 2009a. Clotrimazole exposure modulates aromatase activity in gonads and brain during gonadal differentiation in *Xenopus tropicalis* frogs. *Aquat. Toxicol.* 91, 102–109. <https://doi.org/10.1016/J.AQUATOX.2008.10.005>
54. Gyllenhammar, I., Holm, L., Eklund, R., Berg, C., 2009b. Reproductive toxicity in *Xenopus tropicalis* after developmental exposure to environmental concentrations of ethynylestradiol. *Aquat. Toxicol.* 91, 171–178. <https://doi.org/10.1016/J.AQUATOX.2008.06.019>
55. Haider, S. G. 1980. Histophysiological effects of an antiandrogen (cyproterone acetate) on the testis of the frog *Rana temporaria*. *Cells Tissues Organs* 106(3), 387-391.
56. Harvey, L.A., Propper, C.R., 1997. Effects of androgens on male sexual behavior and secondary sex characters in the explosively breeding spadefoot toad, *Scaphiopus couchii*. *Horm. Behav.* 31, 89–96. <https://doi.org/10.1006/HBEH.1997.1354>
57. Haselman, J.T., Kosian, P.A., Korte, J.J., Olmstead, A.W., Degitz, S.J., 2018. Effects of multiple life stage exposure to the fungicide prochloraz in *Xenopus laevis*: Manifestations of antiandrogenic and other modes of toxicity. *Aquat. Toxicol.* 199, 240–251. <https://doi.org/10.1016/j.aquatox.2018.03.013>
58. Haselman, J.T., Kosian, P.A., Korte, J.J., Olmstead, A.W., Iguchi, T., Johnson, R.D., Degitz, S.J., 2016a. Development of the Larval Amphibian Growth and Development Assay: effects of chronic 4-tert-octylphenol or 17 β -trenbolone exposure in *Xenopus laevis* from embryo to juvenile. *J. Appl. Toxicol.* 36, 1639–1650. <https://doi.org/10.1002/jat.3330>

59. Haselman, J.T., Sakurai, M., Watanabe, N., Goto, Y., Onishi, Y., Ito, Y., Onoda, Y., Kosian, P.A., Korte, J.J., Johnson, R.D., Iguchi, T., Degitz, S.J., 2016b. Development of the Larval Amphibian Growth and Development Assay: Effects of benzophenone-2 exposure in *Xenopus laevis* from embryo to juvenile. *J. Appl. Toxicol.* 36, 1651–1661. <https://doi.org/10.1002/jat.3336>
60. Hayes, T., Haston, K., Tsui, M., Hoang, A., Haeffele, C., Vonk, A., 2003. Atrazine-induced hermaphroditism at 0.1 ppb in American leopard frogs (*Rana pipiens*): Laboratory and field evidence. *Environ. Health Perspect.* 111, 568–575. <https://doi.org/10.1289/ehp.5932>
61. Hayes, T.B., Case, P., Chui, S., Chung, D., Haeffele, C., Haston, K., Lee, M., Mai, V.P., Marjuoa, Y., Parker, J., Tsui, M., 2006a. Pesticide mixtures, endocrine disruption, and amphibian declines: Are we underestimating the impact? *Environ. Health Perspect.* 114, 40–50. <https://doi.org/10.1289/ehp.8051>
62. Hayes, T.B., Collins, A., Lee, M., Mendoza, M., Noriega, N., Stuart, A.A., Vonk, A., 2002. Hermaphroditic, demasculinized frogs after exposure to the herbicide atrazine at low ecologically relevant doses. *Proc. Natl. Acad. Sci.* 99, 5476–5480. <https://doi.org/10.1073/PNAS.082121499>
63. Hayes, T.B., Khoury, V., Narayan, A., Nazir, M., Park, A., Brown, T., Adame, L., Chan, E., Buchholz, D., Stueve, T., Gallipeau, S., 2010. Atrazine induces complete feminization and chemical castration in male African clawed frogs (*Xenopus laevis*). *Proc. Natl. Acad. Sci.* 107, 4612–4617. <https://doi.org/10.1073/PNAS.0909519107>
64. Hayes, T.B., Menendez, K.P., 1999. The effect of sex steroids on primary and secondary sex differentiation in the sexually dichromatic reedfrog (*Hyperolius argus*: Hyperolidae) from the Arabuko Sokoke Forest of Kenya. *Gen. Comp. Endocrinol.* 115, 188–199. <https://doi.org/10.1006/GCEN.1999.7321>
65. Hayes, T.B., Stuart, A.A., Mendoza, M., Collins, A., Noriega, N., Vonk, A., Johnston, G., Liu, R., Kpodzo, D., 2006b. Characterization of atrazine-induced gonadal malformations in African clawed frogs (*Xenopus laevis*) and comparisons with effects of an androgen antagonist (cyproterone acetate) and exogenous estrogen (17 β -estradiol): Support for the demasculinization/feminization hypothesis. *Environ. Health Perspect.* 114, 134–141. <https://doi.org/10.1289/EHP.8067>
66. Hecker, M., Kim, W.J., Park, J.W., Murphy, M.B., Villeneuve, D., Coady, K.K., Jones, P.D., Solomon, K.R., Kraak, G.V.D., Carr, J.A., Smith, E.E., Preez, L.D., Kendall, R.J., Giesy, J.P., 2005. Plasma concentrations of estradiol and testosterone, gonadal aromatase activity and ultrastructure of the testis in *Xenopus laevis* exposed to estradiol or atrazine. *Aquat. Toxicol.* 72, 383–396. <https://doi.org/10.1016/J.AQUATOX.2005.01.008>
67. Heimeier, R.A., Das, B., Buchholz, D.R., Shi, Y.B., 2009. The xenoestrogen bisphenol A inhibits postembryonic vertebrate development by antagonizing gene regulation by thyroid hormone. *Endocrinology* 150, 2964–2973. <https://doi.org/10.1210/en.2008-1503>
68. Heimeier, R.A., Shi, Y.B., 2010. Amphibian metamorphosis as a model for studying endocrine disruption on vertebrate development: Effect of bisphenol A on thyroid hormone action. *Gen. Comp. Endocrinol.* 168, 181–189. <https://doi.org/10.1016/j.ygcen.2010.02.016>
69. Herbener, G.H., Feldhoff, R.C., Fonda, M.L., 1983. A correlated morphometric and biochemical study of estrogen-induced vitellogenesis in male *Rana pipiens*. *J. Ultrastructure Res.* 83, 28–42. [https://doi.org/10.1016/S0022-5320\(83\)90062-X](https://doi.org/10.1016/S0022-5320(83)90062-X)
70. Hermelink, B., Urbatzka, R., Wiegand, C., Pflugmacher, S., Lutz, I., Kloas, W., 2010. Aqueous leaf extracts display endocrine activities in vitro and disrupt sexual differentiation of male *Xenopus laevis* tadpoles in vivo. *Gen. Comp. Endocrinol.* 168, 245–255. <https://doi.org/10.1016/j.ygcen.2010.03.005>
71. Hirakawa, I., Miyagawa, S., Mitsui, N., Miyahara, M., Onishi, Y., Kagami, Y., Kusano, T., Takeuchi, T., Ohta, Y., Iguchi, T., 2013. Developmental disorders and altered gene expression in the tropical clawed frog (*Silurana tropicalis*) exposed to 17 α -ethinylestradiol. *J. Appl. Toxicol.* 33, 1001–1010. <https://doi.org/10.1002/JAT.2836>
72. Hoffmann, F., Kloas, W., 2010. An environmentally relevant endocrine-disrupting antiandrogen, vinclozolin, affects calling behavior of male *Xenopus laevis*. *Horm. Behav.* 58, 653–659. <https://doi.org/10.1016/j.yhbeh.2010.06.008>

73. Hoffmann, F., Kloas, W., 2012a. Estrogens can disrupt amphibian mating behavior. PLoS ONE 7, e32097. <https://doi.org/10.1371/JOURNAL.PONE.0032097>
74. Hoffmann, F., Kloas, W., 2012b. The synthetic progestogen, Levonorgestrel, but not natural progesterone, affects male mate calling behavior of *Xenopus laevis*. Gen. Comp. Endocrinol. 176, 385–390. <https://doi.org/10.1016/J.YGCEN.2012.02.009>
75. Hoffmann, F., Kloas, W., 2012c. Effects of environmentally relevant concentrations of the xeno-androgen, methylidihydrotestosterone, on male and female mating behavior in *Xenopus laevis*. Chemosphere 87, 1246–1253. <https://doi.org/10.1016/J.CHEMOSPHERE.2012.01.030>
76. Hoffmann, F., Kloas, W., 2012d. The antiestrogens tamoxifen and fulvestrant abolish estrogenic impacts of 17 α -ethinylestradiol on male calling behavior of *Xenopus laevis*. PloS One 7, e44715. <https://doi.org/10.1371/JOURNAL.PONE.0044715>
77. Hoffmann, F., Kloas, W., 2016. p,p'-Dichlordiphenyldichloroethylene (p,p'-DDE) can elicit antiandrogenic and estrogenic modes of action in the amphibian *Xenopus laevis*. Physiol. Behav. 167, 172–178. <https://doi.org/10.1016/j.physbeh.2016.09.012>
78. Hogan, N.S., Duarte, P., Wade, M.G., Lean, D.R.S., Trudeau, V.L., 2008. Estrogenic exposure affects metamorphosis and alters sex ratios in the northern leopard frog (*Rana pipiens*): Identifying critically vulnerable periods of development. Gen. Comp. Endocrinol. 156, 515–523. <https://doi.org/10.1016/j.ygcen.2008.03.011>
79. Hoskins, T.D., Boone, M.D., 2018. Atrazine feminizes sex ratio in Blanchard's cricket frogs (*Acris blanchardi*) at concentrations as low as 0.1 Mg/L. Environ. Toxicol. Chem. 37, 427–435. <https://doi.org/10.1002/etc.3962>
80. Hoskins, T.D., Dellapina, M., Boone, M.D., 2017. Short-term atrazine exposure at breeding has no impact on Blanchard's cricket frog (*Acris blanchardi*) reproductive success. Environ. Toxicol. Chem. 36, 3284–3288. <https://doi.org/10.1002/etc.3900>
81. Hoskins, T.D., Dellapina, M., Papoulias, D.M., Boone, M.D., 2019. Effects of larval atrazine exposure in mesocosms on Blanchard's cricket frogs (*Acris blanchardi*) reared through overwintering and to reproductive age. Chemosphere 220, 845–857. <https://doi.org/10.1016/j.chemosphere.2018.12.112>
82. Howe, C.M., Berrill, M., Pauli, B.D., Helbing, C.C., Werry, K., Veldhoen, N., 2004. Toxicity of glyphosate-based pesticides to four North American frog species. Environ. Toxicol. Chem. 23, 1928–1938. <https://doi.org/10.1897/03-71>
83. Hsu, C. Y., Chang, L. T., Yu, N. W., Ku, H. H., & Lu, M. H. 1988. In vitro inhibition of estradiol secretion of tadpole ovaries by cyanoketone. Gen. Comp. Endocrinol. 69(1), 41-45.
84. Hsu, C. Y., Yu, N. W., Ku, H. H., Chang, L. T., & Liu, H. W. 1991. Estradiol secretion by tadpole ovaries masculinized by implanted capsules of cyanoketone. Development, Growth & Differentiation, 33(3), 201-208.
85. Hu, F., Smith, E.E., Carr, J.A., 2008. Effects of larval exposure to estradiol on spermatogenesis and in vitro gonadal steroid secretion in African clawed frogs, *Xenopus laevis*. Gen. Comp. Endocrinol. 155, 190–200. <https://doi.org/10.1016/J.YGCEN.2007.04.015>
86. Huang, M.Y., Duan, R.Y., Ji, X., 2015. The influence of long-term cadmium exposure on phonotaxis in male *Pelophylax nigromaculata*. Chemosphere 119, 763–768. <https://doi.org/10.1016/J.CHEMOSPHERE.2014.08.014>
87. Huang, M.-Y., Kong, X.-Q., Duanj, R.-Y., Bao, H., Zhou, Y., Ding, Y.-Y., 2015. Chronic Effects of Cadmium on Gonad Differentiation of the Spot Frog (*Pelophylax nigromaculata*) Larvae. Nat. Environ. Pollut. Technol. 14, 361–366.
88. Huang, Y.-W., Matthews, J.B., Fertuck, K.C., Zacharewski, T.R., 2005. Use of *Xenopus laevis* as a model for investigating in vitro and in vivo endocrine disruption in amphibians. Environ. Toxicol. Chem. 24, 2002–2009. <https://doi.org/10.1897/04-378r1.1>
89. Iglesias-Carrasco, M., Head, M.L., Jennions, M.D., Martín, J., Cabido, C., 2017. Leaf extracts from an exotic tree affect responses to chemical cues in the palmate newt, *Lissotriton helveticus*. Anim. Behav. 127, 243–251. <https://doi.org/10.1016/j.anbehav.2017.03.025>

90. Iwamuro, S., Sakakibara, M., Terao, M., Ozawa, A., Kurobe, C., Shigeura, T., Kato, M., Kikuyama, S., 2003. Teratogenic and anti-metamorphic effects of bisphenol A on embryonic and larval *Xenopus laevis*. *Gen. Comp. Endocrinol.* 133, 189–198. [https://doi.org/10.1016/S0016-6480\(03\)00188-6](https://doi.org/10.1016/S0016-6480(03)00188-6)
91. Iwasawa, H., Kobayashi, M., 1974. Effects of testosterone and estradiol on the development of sexual characters in young *Rana nigromaculata*. *Biol. Reprod.* 11, 398–405. <https://doi.org/10.1095/BIOLREPROD11.4.398>
92. Jeganathan, P., Rajakaruna, R.S., 2021. Testicular oocyte development and other toxic effects in the common hourglass tree frog exposed to three commercial insecticide formulations. *Ceylon J. Sci.* 50, 249–259. <https://doi.org/10.4038/cjs.v50i3.7906>
93. Jia, X., Cai, C., Wang, J., Gao, N., Zhang, H., 2014. Endocrine-disrupting effects and reproductive toxicity of low dose MCLR on male frogs (*Rana nigromaculata*) in vivo. *Aquat. Toxicol.* 155, 24–31. <https://doi.org/10.1016/j.aquatox.2014.06.002>
94. Jia, X., Liu, Z., Lu, X., Tang, J., Wu, Y., Du, Q., He, J., Zhang, X., Jiang, J., Liu, W., Zheng, Y., Ding, Y., Zhu, W., Zhang, H., 2018. Effects of MCLR exposure on sex hormone synthesis and reproduction-related genes expression of testis in male *Rana nigromaculata*. *Environ. Pollut.* 236, 12–20. <https://doi.org/10.1016/J.ENVPOL.2018.01.057>
95. Jofré, M.B., Karasov, W.H., 2008. Effect of mono-ortho and di-ortho substituted polychlorinated biphenyl (PCB) congeners on leopard frog survival and sexual development. *Chemosphere* 70, 1609–1619. <https://doi.org/10.1016/J.CHEMOSPHERE.2007.08.002>
96. Jooste, A.M., Preez, L.H.D., Carr, J.A., Giesy, J.P., Gross, T.S., Kendall, R.J., Smith, E.E., Kraak, G.L.V.D., Solomon, K.R., 2005. Gonadal development of larval male *Xenopus laevis* exposed to atrazine in outdoor microcosms. *Environ. Sci. Technol.* 39, 5255–5261. <https://doi.org/10.1021/es048134q>
97. Jørgensen, C. B. 1974. Effect of exogenous estradiol-17 β on vitellogenic oocyte growth in ovaries of the toad *Bufo bufo bufo*(L.) during the postspawning period. *Gen. Comp. Endocrinol.* 23(2), 164–169.
98. Kang, H.S., Noh, J.S., Gye, M.C., 2006. Effect of nonylphenol on the expression of hepatic vitellogenin mRNA in male *Bombina orientalis* (Boulenger). *Bull. Environ. Contam. Toxicol.* 77, 15–20. <https://doi.org/10.1007/S00128-006-1026-7>
99. Kim, A.N., Ahn, R.S., Kwon, H.B., 2010. Effects of azoles on the in vitro follicular steroidogenesis in amphibians. *Integr. Biosci.* 10, 203–209. <https://doi.org/10.1080/17386357.2006.9647303>
100. Klann, A., Levy, G., Lutz, I., Müller, C., Kloas, W., Hildebrandt, J.P., 2005. Estrogen-like effects of ultraviolet screen 3-(4-methylbenzylidene)-camphor (Eusolex 6300) on cell proliferation and gene induction in mammalian and amphibian cells. *Environ. Res.* 97, 274–281. <https://doi.org/10.1016/j.envres.2004.07.004>
101. Kloas, W., Lutz, I., Einspanier, R., 1999. Amphibians as a model to study endocrine disruptors: II. Estrogenic activity of environmental chemicals in vitro and in vivo. *Sci. Total Environ.* 225, 59–68. [https://doi.org/10.1016/S0048-9697\(99\)80017-5](https://doi.org/10.1016/S0048-9697(99)80017-5)
102. Kloas, W., Lutz, I., Urbatzka, R., Springer, T., Krueger, H., Wolf, J., Holden, L., Hosmer, A., 2009. Does atrazine affect larval development and sexual differentiation of south african clawed frogs? *Ann. N. Y. Acad. Sci.* 1163, 437–440. <https://doi.org/10.1111/j.1749-6632.2009.04456.x>
103. Knechtges, P. L., Sprando, R. L., Porter, K. L., Brennan, L. M., Miller, M. F., Kumsher, D. M., ... & Clegg, E. D. 2007. A novel amphibian tier 2 testing protocol: A 30-week exposure of *Xenopus tropicalis* to the antiandrogen flutamide. *Environmental Toxicology and Chemistry: An International Journal* 26(3), 555–564.
104. Kunz, P.Y., Galicia, H.F., Fent, K., 2004. Assessment of hormonal activity of UV filters in tadpoles of frog *Xenopus laevis* at environmental concentrations. *Mar. Environ. Res.* 58, 431–435. <https://doi.org/10.1016/J.MARENVRES.2004.03.027>
105. Kvarnryd, M., Grabic, R., Brandt, I., Berg, C., 2011. Early life progestin exposure causes arrested oocyte development, oviductal agenesis and sterility in adult *Xenopus tropicalis* frogs. *Aquat. Toxicol.* 103, 18–24. <https://doi.org/10.1016/J.AQUATOX.2011.02.003>

106. Lambert, M.R., 2015. Clover root exudate produces male-biased sex ratios and accelerates male metamorphic timing in wood frogs. *R. Soc. Open Sci.* 2, 150433. <https://doi.org/10.1098/RSOS.150433>
107. Lambert, M.R., Stoler, A.B., Smylie, M.S., Relyea, R.A., Skelly, D.K., 2017. Interactive effects of road salt and leaf litter on wood frog sex ratios and sexual size dimorphism. *Can. J. Fish. Aquat. Sci.* 74, 141–146. <https://doi.org/10.1139/CJFAS-2016-0324>
108. Lanctôt, C., Navarro-Martín, L., Robertson, C., Park, B., Jackman, P., Pauli, B.D., Trudeau, V.L., 2014. Effects of glyphosate-based herbicides on survival, development, growth and sex ratios of wood frog (*Lithobates sylvaticus*) tadpoles. II: Agriculturally relevant exposures to Roundup WeatherMax® and Vision® under laboratory conditions. *Aquat. Toxicol.* 154, 291–303. <https://doi.org/10.1016/J.AQUATOX.2014.05.025>
109. Langlois, V. S., Duarte-Guterman, P., Ing, S., Pauli, B. D., Cooke, G. M., & Trudeau, V. L. 2010b. Fadrozole and finasteride exposures modulate sex steroid-and thyroid hormone-related gene expression in *Silurana (Xenopus) tropicalis* early larval development. *Gen. Comp. Endocrinol.* 166(2), 417–427.
110. Langlois, V.S., Carew, A.C., Pauli, B.D., Wade, M.G., Cooke, G.M., Trudeau, V.L., 2010. Low levels of the herbicide atrazine alter sex ratios and reduce metamorphic success in *Rana pipiens* tadpoles raised in outdoor mesocosms. *Environ. Health Perspect.* 118, 552–557. <https://doi.org/10.1289/EHP.0901418>
111. Lee, K. W., Chang, Z., Oh, B. S., Lu, M., & Park, J. S. 2010. Estrogenic response in male bullfrog (*Rana catesbeiana*) hepatocytes after single or combined exposure to cadmium (Cd) and 17beta-estradiol (E2). *Bulletin of Environmental Contamination and Toxicology*, 85, 452–456.
112. Lee, K., Yang, W., Rhee, J.-S., Hwang, D.-S., Park, C.J., Gye, M.C., Lee, J.-S., Shin, I., 2010. Effects of endocrine disruptors on *Bombina orientalis* P450 aromatase activity. *Zoolog. Sci.* 27, 338–343. <https://doi.org/10.2108/zsj.27.338>
113. Lee, S.K., Veeramachaneni, D.N.R., 2005. Subchronic exposure to low concentrations of di-n-butyl phthalate disrupts spermatogenesis in *Xenopus laevis* frogs. *Toxicol. Sci.* 84, 394–407. <https://doi.org/10.1093/toxsci/kfi087>
114. Lefcort, H., Meguire, R.A., Wilson, L.H., Ettinger, W.F., 1998. Heavy metals alter the survival, growth, metamorphosis, and antipredatory behavior of Columbia spotted frog (*Rana luteiventris*) tadpoles. *Arch. Environ. Contam. Toxicol.* 35, 447–456. <https://doi.org/10.1007/S002449900401>
115. Leggett, S., Borrelli, J., Jones, D.K., Relyea, R., 2021. The Combined Effects of Road Salt and Biotic Stressors on Amphibian Sex Ratios. *Environ. Toxicol. Chem.* 40, 231–235. <https://doi.org/10.1002/ETC.4913>
116. Leiva-Presa, À., & Jenssen, B. M. 2006. Effects of p,p'-DDE on retinoid homeostasis and sex hormones of adult male european common frogs (*Rana temporaria*). *Journal of Toxicology and Environmental Health, Part A*, 69(22), 2051–2062.
117. Levy, G., Lutz, I., Krüger, A., Kloas, W., 2004. Bisphenol A induces feminization in *Xenopus laevis* tadpoles. *Environ. Res.* 94, 102–111. [https://doi.org/10.1016/S0013-9351\(03\)00086-0](https://doi.org/10.1016/S0013-9351(03)00086-0)
118. Li, H.M., Li, Y.Y., Zhang, Y.C., Li, J.B., Xu, H.M., Xiong, Y.M., Qin, Z.F., 2022. Bisphenol B disrupts testis differentiation partly via the estrogen receptor-mediated pathway and subsequently causes testicular dysgenesis in *Xenopus laevis*. *Ecotoxicol. Environ. Saf.* 236, 113453. <https://doi.org/10.1016/J.ECOENV.2022.113453>
119. Li, H.M., Zhang, Y.C., Li, Y.Y., Zhu, Q.Q., Li, J., Xu, H.M., Xiong, Y.M., Qin, Z.F., 2023. Low concentrations of benzophenone-type UV-filters impair testis development in the amphibian *Xenopus laevis*. *Aquat. Toxicol.* 254, 106371. <https://doi.org/10.1016/J.AQUATOX.2022.106371>
120. Li, J.B., Li, Y.Y., Shen, Y.P., Zhu, M., Li, X.H., Qin, Z.F., 2020. 2,2',4,4'-tetrabromodiphenyl ether (BDE-47) disrupts gonadal development of the Africa clawed frog (*Xenopus laevis*). *Aquat. Toxicol.* 221, 105441. <https://doi.org/10.1016/J.AQUATOX.2020.105441>
121. Li, S., Li, M., Gui, W., Wang, Q., Zhu, G., 2017. Disrupting effects of azocyclotin to the hypothalamo-pituitary-gonadal axis and reproduction of *Xenopus laevis*. *Aquat. Toxicol.* 185, 121–128. <https://doi.org/10.1016/J.AQUATOX.2017.02.010>

122. Li, X., Liu, J., Zhang, Y., 2016. Octylphenol induced gene expression in testes of Frog, *Rana chensinensis*. *Ecotoxicol. Environ. Saf.* 128, 75–82.
<https://doi.org/10.1016/J.ECOENV.2016.02.013>
123. Li, X., Shen, Y., Lang, B., Zhao, J., Wang, H., Zhang, Y., 2021. Influence of octylphenol on gene expression of gonadotropins and their receptors, testicular structure and mating behavior of male *Rana chensinensis*. *Environ. Toxicol. Pharmacol.* 87, 103694.
<https://doi.org/10.1016/J.ETAP.2021.103694>
124. Li, Y., Burns, K.A., Arao, Y., Luh, C.J., Korach, K.S., 2012. Differential estrogenic actions of endocrine-disrupting chemicals bisphenol A, bisphenol AF, and zearalenone through estrogen receptor α and β in vitro. *Environ. Health Perspect.* 120, 1029–1035.
<https://doi.org/10.1289/EHP.1104689>
125. Li, Y.-Y., Chen, J., Qin, Z.F., 2016. Determining the optimal developmental stages of *Xenopus laevis* for initiating exposures to chemicals for sensitively detecting their feminizing effects on gonadal differentiation. *Aquat. Toxicol.* 179, 134–142.
<https://doi.org/10.1016/J.AQUATOX.2016.09.002>
126. Li, Y.-Y., Meng, T., Gao, K., Qin, Z.-F., 2018. Gonadal differentiation and its sensitivity to androgens during development of *Pelophylax nigromaculatus*. *Aquat. Toxicol. Amst. Neth.* 202, 188–195. <https://doi.org/10.1016/j.aquatox.2018.07.016>
127. Li, Y.-Y., Xu, W., Chen, X.-R., Lou, Q.-Q., Wei, W.-J., Qin, Z.-F., 2015. Low concentrations of 17 β -trenbolone induce female-to-male reversal and mortality in the frog *Pelophylax nigromaculatus*. *Aquat. Toxicol.* 158, 230–237. <https://doi.org/10.1016/J.AQUATOX.2014.11.017>
128. Liu, P.-Y., Meng, T., Li, Y.-Y., Cai, M., Li, X.-H., Chen, J., Qin, Z.-F., 2017. Tetrabromoethylcyclohexane affects gonadal differentiation and development in the frog *Pelophylax nigromaculatus*. *Aquat. Toxicol.* 192, 40–47.
<https://doi.org/10.1016/j.aquatox.2017.09.009>
129. Lorenz, C., Contardo-Jara, V., Pflugmacher, S., Wiegand, C., Nützmann, G., Lutz, I., Kloas, W., 2011. The synthetic gestagen levonorgestrel impairs metamorphosis in *Xenopus laevis* by disruption of the thyroid system. *Toxicol. Sci.* 123, 94–102. <https://doi.org/10.1093/toxsci/kfr159>
130. Lou, Q.-Q., Zhang, Y.-F., Zhou, Z., Shi, Y.-L., Ge, Y.-N., Ren, D.-K., Xu, H.-M., Zhao, Y.-X., Wei, W.-J., Qin, Z.-F., 2013. Effects of perfluorooctanesulfonate and perfluorobutanesulfonate on the growth and sexual development of *Xenopus laevis*. *Ecotoxicology* 22, 1133–1144.
<https://doi.org/10.1007/s10646-013-1100-y>
131. Lutz, I., Kloas, W., Springer, T.A., Holden, L.R., Wolf, J.C., Krueger, H.O., Hosmer, A.J., 2008. Development, standardization and refinement of procedures for evaluating effects of endocrine active compounds on development and sexual differentiation of *Xenopus laevis*. *Anal. Bioanal. Chem.* 390, 2031–2048. <https://doi.org/10.1007/S00216-008-1973-4>
132. Mackenzie, C.A., Berrill, M., Metcalfe, C., Pauli, B.D., 2003. Gonadal differentiation in frogs exposed to estrogenic and antiestrogenic compounds. *Environ. Toxicol. Chem. Int. J.* 22, 2466–2475. <https://doi.org/10.1897/02-173>
133. Martins, D., Monteiro, M.S., Soares, A.M.V.M., Quintaneiro, C., 2017. Effects of 4-MBC and triclosan in embryos of the frog *Pelophylax perezi*. *Chemosphere* 178, 325–332.
<https://doi.org/10.1016/J.CHEMOSPHERE.2017.03.038>
134. Massari, A., Urbatzka, R., Cevasco, A., Canesi, L., Lanza, C., Scarabelli, L., Kloas, W., Mandich, A., 2010. Aromatase mRNA expression in the brain of adult *Xenopus laevis* exposed to Lambro river water and endocrine disrupting compounds. *Gen. Comp. Endocrinol.* 168, 262–268.
<https://doi.org/10.1016/j.ygcen.2010.04.012>
135. Mathieu-Denoncourt, J., Solla, S.R. de, Langlois, V.S., 2015. Chronic exposures to monomethyl phthalate in Western clawed frogs. *Gen. Comp. Endocrinol.* 219, 53–63.
<https://doi.org/10.1016/j.ygcen.2015.01.019>
136. Matsumura, N., Ishibashi, H., Hirano, M., Nagao, Y., Watanabe, N., Shiratsuchi, H., Kai, T., Nishimura, T., Kashiwagi, A., Arizono, K., 2005. Effects of nonylphenol and triclosan on

- production of plasma vitellogenin and testosterone in male South African clawed frogs (*Xenopus laevis*). *Biol. Pharm. Bull.* 28, 1748–1751. <https://doi.org/10.1248/BPB.28.1748>
137. Mayer, L.P., Dyer, C.A., Propper, C.R., 2003. Exposure to 4-tert-octylphenol accelerates sexual differentiation and disrupts expression of steroidogenic factor 1 in developing bullfrogs. *Environ. Health Perspect.* 111, 557–561. <https://doi.org/10.1289/EHP.5304>
 138. Meerts, I.A.T.M., Letcher, R.J., Hoving, S., Marsh, G., Bergman, Å., Lemmen, J.G., Burg, B.V.D., Brouwer, A., 2001. In vitro estrogenicity of polybrominated diphenyl ethers, hydroxylated PDBEs, and polybrominated bisphenol A compounds. *Environ. Health Perspect.* 109, 399–407. <https://doi.org/10.1289/EHP.01109399>
 139. Melvin, S.D., Leusch, F.D.L., Carroll, A.R., 2018. Metabolite profiles of striped marsh frog (*Limnodynastes peronii*) larvae exposed to the anti-androgenic fungicides vinclozolin and propiconazole are consistent with altered steroidogenesis and oxidative stress. *Aquat. Toxicol.* 199, 232–239. <https://doi.org/10.1016/j.aquatox.2018.04.004>
 140. Mikkelsen, M., & Jenssen, B. M. 2006. Polychlorinated biphenyls, sex steroid hormones and liver retinoids in adult male European common frogs *Rana temporaria*. *Chemosphere*, 63(5), 707–715.
 141. Mikó, Z., Nemesházi, E., Ujhegyi, N., Verebélyi, V., Ujszegi, J., Kásler, A., Bertalan, R., Vili, N., Gál, Z., Hoffmann, O.I., Hettyey, A., Bókony, V., 2021. Sex reversal and ontogeny under climate change and chemical pollution: are there interactions between the effects of elevated temperature and a xenoestrogen on early development in agile frogs? *Environ. Pollut.* 285, 117464. <https://doi.org/10.1016/J.ENVPOL.2021.117464>
 142. Mikó, Z., Ujszegi, J., Gál, Z., Hettyey, A., 2017. Standardize or diversify experimental conditions in ecotoxicology? A case study on herbicide toxicity to larvae of two anuran amphibians. *Arch. Environ. Contam. Toxicol.* 73, 562–569. <https://doi.org/10.1007/s00244-017-0427-4>
 143. Mintz, B., Foote, C.L., Witschi, E., 1945. Quantitative studies on response of sex characters of differentiated *Rana clamitans* larvae to injected androgens and estrogens. *Endocrinology* 37, 286–296. <https://doi.org/10.1210/ENDO-37-4-286>
 144. Mitsui, N., Tooi, O., & Kawahara, A. 2007. Vitellogenin-inducing activities of natural, synthetic, and environmental estrogens in primary cultured *Xenopus laevis* hepatocytes. *Comparative Biochemistry and Physiology Part C: Toxicology & Pharmacology*, 146(4), 581–587.
 145. Miyata, S., & Kubo, T. 2000. *In vitro* Effects of Estradiol and Aromatase Inhibitor Treatment on Sex Differentiation in *Xenopus laevis* Gonads. *Gen. Comp. Endocrinol.* 119(1), 105–110.
 146. Mosconi, G., Carnevali, O., Franzoni, M.F., Cottone, E., Lutz, I., Kloas, W., Yamamoto, K., Kikuyama, S., Polzonetti-Magni, A.M., 2002. Environmental estrogens and reproductive biology in amphibians. *Gen. Comp. Endocrinol.* 126, 125–129. <https://doi.org/10.1006/gcen.2002.7781>
 147. Nandi, D. K., Debnath, J. M., & Ghosh, D. 1999. Direct effects of lithium chloride on the activities of delta 5-3 beta and 17 beta-hydroxysteroid dehydrogenase in the testis and Bidder's organ of the adult toad (*Bufo melanostictus*)--in vitro study. *Folia Biologica* 47(3-4), 73–76.
 148. Navarro-Martín, L., Lanctôt, C., Jackman, P., Park, B.J., Doe, K., Pauli, B.D., Trudeau, V.L., 2014. Effects of glyphosate-based herbicides on survival, development, growth and sex ratios of wood frogs (*Lithobates sylvaticus*) tadpoles. I: Chronic laboratory exposures to VisionMax®. *Aquat. Toxicol.* 154, 278–290. <https://doi.org/10.1016/j.aquatox.2014.05.017>
 149. Nomura, Y., Mitsui, N., Bhawal, U. K., Sawajiri, M., Tooi, O., Takahashi, T., & Okazaki, M. 2006. Estrogenic activity of phthalate esters by in vitro VTG assay using primary-cultured *Xenopus* hepatocytes. *Dental Materials Journal*, 25(3), 533–537.
 150. Noriega, N.C., Hayes, T.B., 2000. DDT congener effects on secondary sex coloration in the reed frog *Hyperolius argus*: a partial evaluation of the *Hyperolius argus* endocrine screen. *Comp. Biochem. Physiol. B Biochem. Mol. Biol.* 126, 231–237. [https://doi.org/10.1016/S0305-0491\(00\)00201-7](https://doi.org/10.1016/S0305-0491(00)00201-7)

151. Norris, D. O., Carr, J. A., Summers, C. H., & Featherston, R. 1997. Interactions of androgens and estradiol on sex accessory ducts of larval tiger salamanders, *Ambystoma tigrinum*. Gen. Comp. Endocrinol. 106(3), 348-355.
152. Ohtani, H., Ichikawa, Y., Iwamoto, E., Miura, I., 2001. Effects of styrene monomer and trimer on gonadal sex differentiation of genetic males of the frog *Rana rugosa*. Environ. Res. 87, 175–180. <https://doi.org/10.1006/enrs.2001.4310>
153. Ohtani, H., Miura, I., Ichikawa, Y., 2000. Effects of dibutyl phthalate as an environmental endocrine disruptor on gonadal sex differentiation of genetic males of the frog *Rana rugosa*. Environ. Health Perspect. 108, 1189–1193. <https://doi.org/10.1289/EHP.001081189>
154. Oike, A., Kodama, M., Nakamura, Y., Nakamura, M., 2016. A threshold dosage of testosterone for female-to-male sex reversal in *Rana rugosa* frogs. J. Exp. Zool. Part Ecol. Genet. Physiol. 325, 532–538. <https://doi.org/10.1002/JEZ.2037>
155. Oike, A., Nakamura, Y., Yasumasu, S., Ito, E., Nakamura, M., 2020. A threshold dosage of estrogen for male-to-female sex reversal in the *Glandirana rugosa* frog. J. Exp. Zool. Part Ecol. Integr. Physiol. 333, 652–659. <https://doi.org/10.1002/JEZ.2408>
156. Oka, T., Mitsui, N., Hinago, M., Miyahara, M., Fujii, T., Tooi, O., Santo, N., Urushitani, H., Iguchi, T., Hanaoka, Y., Mikami, H., 2006. All ZZ male *Xenopus laevis* provides a clear sex-reversal test for feminizing endocrine disruptors. Ecotoxicol. Environ. Saf. 63, 236–243. <https://doi.org/10.1016/J.ECOENV.2005.07.018>
157. Oka, T., Tooi, O., Mitsui, N., Miyahara, M., Ohnishi, Y., Takase, M., Kashiwagi, A., Shinkai, T., Santo, N., Iguchi, T., 2008. Effect of atrazine on metamorphosis and sexual differentiation in *Xenopus laevis*. Aquat. Toxicol. 87, 215–226. <https://doi.org/10.1016/J.AQUATOX.2008.02.009>
158. Okada, G., Maruo, K., Funada, S., Nakamura, M., 2008. Differential display analysis of gene expression in female-to-male sex-reversing gonads of the frog *Rana rugosa*. Gen. Comp. Endocrinol. 155, 623–634. <https://doi.org/10.1016/J.YGCEN.2007.08.015>
159. Olmstead, A.W., Kosian, P.A., Johnson, R., Blackshear, P.E., Haselman, J., Blanksma, C., Korte, J.J., Holcombe, G.W., Burgess, E., Lindberg-Livingston, A., Bennett, B.A., Woodis, K.K., Degitz, S.J., 2012. Trenbolone causes mortality and altered sexual differentiation in *Xenopus tropicalis* during larval development. Environ. Toxicol. Chem. 31, 2391–2398. <https://doi.org/10.1002/etc.1965>
160. Olmstead, A.W., Kosian, P.A., Korte, J.J., Holcombe, G.W., Woodis, K.K., Degitz, S.J., 2009. Sex reversal of the amphibian, *Xenopus tropicalis*, following larval exposure to an aromatase inhibitor. Aquat. Toxicol. 91, 143–150. <https://doi.org/10.1016/J.AQUATOX.2008.07.018>
161. Ortiz-Santaliestra, M.E., Marco, A., Mari, M., Fernández, M.J., Itez, F.F.-B., Lizana, M., 2009. Alteration of courtship behavior because of water acidification and minor effect of ammonium nitrate in the Iberian newt (*Lissotriton boscai*). Environ. Toxicol. Chem. 28, 1500–1505. <https://doi.org/10.1897/08-580.1>
162. Orton, F., Carr, J.A., Handy, R.D., 2006. Effects of nitrate and atrazine on larval development and sexual differentiation in the northern leopard frog *Rana pipiens*. Environ. Toxicol. Chem. 25, 65–71. <https://doi.org/10.1897/05-136r.1>
163. Orton, F., Lutz, I., Kloas, W., Routledge, E.J., 2009. Endocrine disrupting effects of herbicides and pentachlorophenol: In vitro and in vivo evidence. Environ. Sci. Technol. 43, 2144–2150. <https://doi.org/10.1021/es8028928>
164. Orton, F., Roberts-Rhodes, B., Whatley, C., Tyler, C.R., 2023. A review of non-destructive biomonitoring techniques to assess the impacts of pollution on reproductive health in frogs and toads. Ecotoxicol. Environ. Saf. 262, 115163. <https://doi.org/10.1016/J.ECOENV.2023.115163>
165. Orton, F., Säfholm, M., Jansson, E., Carlsson, Y., Eriksson, A., Fick, J., Webster, T.U., McMillan, T., Leishman, M., Verbruggen, B., Economou, T., Tyler, C.R., Berg, C., 2018. Exposure to an anti-androgenic herbicide negatively impacts reproductive physiology and fertility in *Xenopus tropicalis*. Sci. Rep. 2018 81 8, 1–15. <https://doi.org/10.1038/s41598-018-27161-2>
166. Palmer, B.D., Palmer, S.K., 1995. Vitellogenin induction by xenobiotic estrogens in the red-eared turtle and African clawed frog. Environ. Health Perspect. 103, 19–25. <https://doi.org/10.1289/EHP.95103S419>

167. Park, B.J., Kidd, K., 2005. Effects of the synthetic estrogen ethinylestradiol on early life stages of mink frogs and green frogs in the wild and in situ. *Environ. Toxicol. Chem.* 24, 2027–2036. <https://doi.org/10.1897/04-227R.1>
168. Park, C.J., Gye, M.C., 2014. Sensitization of vitellogenin gene expression by low doses of octylphenol is mediated by estrogen receptor autoregulation in the *Bombina orientalis* (Boulenger) male liver. *Aquat. Toxicol.* 156, 191–200. <https://doi.org/10.1016/J.AQUATOX.2014.08.013>
169. Park, D., Hempleman, S.C., Propper, C.R., 2001. Endosulfan exposure disrupts pheromonal systems in the red-spotted newt: A mechanism for subtle effects of environmental chemicals. *Environ. Health Perspect.* 109, 669–673. <https://doi.org/10.1289/EHP.01109669>
170. Pech, M., Steinbach, C., Kocour, M., Prokopová, I., Šandová, M., Bořík, A., ... & Kroupová, H. K., 2023. Effects of mifepristone, a model compound with anti-progestogenic activity, on the development of African clawed frog (*Xenopus laevis*). *Aquat. Toxicol.* 263, 106694. <https://10.1016/j.aquatox.2023.106694>
171. Petrini, S., Zaccanti, F., 1998. The effects of aromatase and 5 α -reductase inhibitors, antiandrogen, and sex steroids on Bidder's organs development and gonadal differentiation in *Bufo bufo* tadpoles. *J. Exp. Zool.* 280, 245–259. [https://doi.org/10.1002/\(sici\)1097-010x\(19980215\)280:3<245::aid-jez6>3.0.co;2-n](https://doi.org/10.1002/(sici)1097-010x(19980215)280:3<245::aid-jez6>3.0.co;2-n)
172. Pettersson, I., Arukwe, A., Lundstedt-Enkel, K., Mortensen, A.S., Berg, C., 2006. Persistent sex-reversal and oviducal agenesis in adult *Xenopus* (*Silurana*) *tropicalis* frogs following larval exposure to the environmental pollutant ethinylestradiol. *Aquat. Toxicol.* 79, 356–365. <https://doi.org/10.1016/J.AQUATOX.2006.07.004>
173. Pettersson, I., Berg, C., 2007. Environmentally relevant concentrations of ethinylestradiol cause female-biased sex ratios in *Xenopus tropicalis* and *Rana temporaria*. *Environ. Toxicol. Chem.* 26, 1005–1009. <https://doi.org/10.1897/06-464R.1>
174. Phuge, S., 2020. Tamoxifen stimulates gonad development and somatic growth in the tadpoles of Indian skipper frog, *Euphyctis cyanophlyctis*. *J. Basic Appl. Zool.* 81, 1–7. <https://doi.org/10.1186/s41936-020-00161-3>
175. Phuge, S., Sequeira, A., Pandit, R., 2021. Effect of ethylenethiourea on metamorphosis and ovary development: A comparative study of three larval frogs. *J. Exp. Zool. Part Ecol. Integr. Physiol.* 335, 469–476. <https://doi.org/10.1002/jez.2464>
176. Phuge, S.K., Gramapurohit, N.P., 2015. Sex hormones alter sex ratios in the Indian skipper frog, *Euphyctis cyanophlyctis*: Determining sensitive stages for gonadal sex reversal. *Gen. Comp. Endocrinol.* 220, 70–77. <https://doi.org/10.1016/J.YGCEN.2014.04.030>
177. Pickford, D.B., Hetheridge, M.J., Caunter, J.E., Hall, A.T., Hutchinson, T.H., 2003. Assessing chronic toxicity of bisphenol A to larvae of the African clawed frog (*Xenopus laevis*) in a flow-through exposure system. *Chemosphere* 53, 223–235. [https://doi.org/10.1016/S0045-6535\(03\)00308-4](https://doi.org/10.1016/S0045-6535(03)00308-4)
178. Pickford, D.B., Morris, I.D., 1999. Effects of endocrine-disrupting contaminants on amphibian oogenesis: methoxychlor inhibits progesterone-induced maturation of *Xenopus laevis* oocytes in vitro. *Environ. Health Perspect.* 107, 285–292. <https://doi.org/10.1289/ehp.99107285>
179. Pickford, D.B., Morris, I.D., 2003. Inhibition of gonadotropin-induced oviposition and ovarian steroidogenesis in the African clawed frog (*Xenopus laevis*) by the pesticide methoxychlor. *Aquat. Toxicol.* 62, 179–194. [https://doi.org/10.1016/s0166-445x\(02\)00082-6](https://doi.org/10.1016/s0166-445x(02)00082-6)
180. Pilone, G. B., & Humphries Jr, A. A. 1975. Progesterone-induced in vitro maturation in oocytes of *Notophthalmus viridescens* (Amphibia Urodela) and some observations on cytological aspects of maturation. *Development*, 34(2), 451–466.
181. Piprek, R.P., Pecio, A., Kubiak, J.Z., Szymura, J.M., 2012. Differential effects of testosterone and 17 β -estradiol on gonadal development in five anuran species. *Reproduction* 144, 257–267. <https://doi.org/10.1530/REP-12-0048>
182. Porter, K.L., Olmstead, A.W., Kumsher, D.M., Dennis, W.E., Sprando, R.L., Holcombe, G.W., Korte, J.J., Lindberg-Livingston, A., Degitz, S.J., 2011. Effects of 4-tert-octylphenol on *Xenopus*

- tropicalis in a long term exposure. *Aquat. Toxicol.* 103, 159–169.
<https://doi.org/10.1016/J.AQUATOX.2011.02.019>
183. Potter, K.A., Bose, T., Yamaguchi, A., 2005. Androgen-induced vocal transformation in adult female African clawed frogs. *J. Neurophysiol.* 94, 415–428.
<https://doi.org/10.1152/JN.01279.2004>
 184. Poulsen, R., Luong, X., Hansen, M., Styrisshave, B., Hayes, T., 2015. Tebuconazole disrupts steroidogenesis in *Xenopus laevis*. *Aquat. Toxicol.* 168, 28–37.
<https://doi.org/10.1016/j.aquatox.2015.09.008>
 185. Qin, Z.F., Qin, X.F., Yang, L., Li, H.T., Zhao, X.R., Xu, X.B., 2007. Feminizing/demasculinizing effects of polychlorinated biphenyls on the secondary sexual development of *Xenopus laevis*. *Aquat. Toxicol.* 84, 321–327. <https://doi.org/10.1016/j.aquatox.2007.06.011>
 186. Qin, Z.F., Zhou, J.M., Chu, S.G., Xu, X.B., 2003. Effects of Chinese domestic polychlorinated biphenyls (PCBs) on gonadal differentiation in *Xenopus laevis*. *Environ. Health Perspect.* 111, 553–556. <https://doi.org/10.1289/EHP.5620>
 187. Qin, Z.-F., Zhou, J.-M., Cong, L., Xu, X.-B., 2005. Potential ecotoxic effects of polychlorinated biphenyls on *Xenopus laevis*. *Environ. Toxicol. Chem.* 24, 2573–2578. <https://doi.org/10.1897/05-160r.1>
 188. Quassinti, L., Maccari, E., Murri, O., Bramucci, M., 2009. Effects of paraquat and glyphosate on steroidogenesis in gonads of the frog *Rana esculenta* in vitro. *Pestic. Biochem. Physiol.* 93, 91–95. <https://doi.org/10.1016/J.PESTBP.2008.11.006>
 189. Rastogi, R. K., & Chieffi, G. 1975. The effects of antiandrogens and antiestrogens in nonmammalian vertebrates. *Gen. Comp. Endocrinol.* 26(1), 79–91.
 190. Regnault, C., Willison, J., Veyrenc, S., Airieau, A., Méresse, P., Fortier, M., Fournier, M., Brousseau, P., Raveton, M., Reynaud, S., 2016. Metabolic and immune impairments induced by the endocrine disruptors benzo[a]pyrene and triclosan in *Xenopus tropicalis*. *Chemosphere* 155, 519–527. <https://doi.org/10.1016/j.chemosphere.2016.04.047>
 191. Richards, C.M., 1982. The alteration of chromatophore expression by sex hormones in the Kenyan reed frog, *Hyperolius viridiflavus*. *Gen. Comp. Endocrinol.* 46, 59–67.
[https://doi.org/10.1016/0016-6480\(82\)90163-0](https://doi.org/10.1016/0016-6480(82)90163-0)
 192. Rimayi, C., Odusanya, D., Weiss, J.M., Boer, J. de, Chimuka, L., Mbajjorgu, F., 2018. Effects of environmentally relevant sub-chronic atrazine concentrations on African clawed frog (*Xenopus laevis*) survival, growth and male gonad development. *Aquat. Toxicol.* 199, 1–11.
<https://doi.org/10.1016/j.aquatox.2018.03.028>
 193. Robinson, C.E., Elvidge, C.K., Frank, R.A., Headley, J.V., Hewitt, L.M., Little, A.G., Robinson, S.A., Trudeau, V.L., Meulen, I.J.V., Orihel, D.M., 2023. Naphthenic acid fraction compounds reduce the reproductive success of wood frogs (*Rana sylvatica*) by affecting offspring viability. *Environ. Pollut.* 316, 120455. <https://doi.org/10.1016/j.envpol.2022.120455>
 194. Robinson, S.A., Young, S.D., Brinovcar, C., McFee, A., Silva, A.O.D., 2020. Ecotoxicity assessment and bioconcentration of a highly brominated organophosphate ester flame retardant in two amphibian species. *Chemosphere* 260, 127631.
<https://doi.org/10.1016/J.CHEMOSPHERE.2020.127631>
 195. Rozenblut-Kościsty, B., Ogielska, M., Hahn, J., Kleemann, D., Kossakowski, R., Tamschick, S., Schöning, V., Krüger, A., Lutz, I., Lymberakis, P., Kloas, W., Stöck, M., 2019. Impacts of the synthetic androgen Trenbolone on gonad differentiation and development – comparisons between three deeply diverged anuran families. *Sci. Rep.* 9, 1–15.
<https://doi.org/10.1038/s41598-019-45985-4>
 196. Säfholm, M., Jansson, E., Fick, J., Berg, C., 2012. Disrupted oogenesis in *Xenopus tropicalis* exposed to environmental norethindrone and progesterone concentrations. *Biol. Reprod.* 86, 1–7. <https://doi.org/10.1095/biolreprod.111.097378>
 197. Säfholm, M., Jansson, E., Fick, J., Berg, C., 2015. Mixture effects of levonorgestrel and ethinylestradiol: Estrogenic biomarkers and hormone receptor mRNA expression during sexual programming. *Aquat. Toxicol.* 161, 146–153. <https://doi.org/10.1016/J.AQUATOX.2015.02.004>

198. Säfholm, M., Jansson, E., Fick, J., Berg, C., 2016. Molecular and histological endpoints for developmental reproductive toxicity in *Xenopus tropicalis*: Levonorgestrel perturbs anti-Müllerian hormone and progesterone receptor expression. *Comp. Biochem. Physiol. Part C Toxicol. Pharmacol.* 181–182, 9–18. <https://doi.org/10.1016/J.CBPC.2015.12.001>
199. Säfholm, M., Ribbenstedt, A., Fick, J., Berg, C., 2014. Risks of hormonally active pharmaceuticals to amphibians: A growing concern regarding progestagens. *Philos. Trans. R. Soc. B Biol. Sci.* 369, 20130577. <https://doi.org/10.1098/rstb.2013.0577>
200. Sai, L., Liu, Y., Qu, B., Yu, G., Guo, Q., Bo, C., Xie, L., Jia, Q., Li, Y., Li, X., Ng, J.C., Peng, C., 2015a. The Effects of Simazine, a Chlorotriazine Herbicide, on the Expression of Genes in Developing Male *Xenopus laevis*. *Bull. Environ. Contam. Toxicol.* 95, 157–163. <https://doi.org/10.1007/s00128-015-1483-y>
201. Sai, L., Wu, Q., Qu, B., Bo, C., Yu, G., Jia, Q., Xie, L., Li, Y., Guo, Q., Ng, J.C., Peng, C., 2015b. Assessing atrazine-induced toxicities in bufo *Bufo gargarizans* Cantor. *Bull. Environ. Contam. Toxicol.* 94, 152–157. <https://doi.org/10.1007/s00128-014-1441-0>
202. Salvani, G.G., Jumawan, J.C., 2023. Butachlor at environmentally relevant concentrations induces partial feminization in male Luzon wart frog *Fejervarya vittigera* Wiegmann, 1834. *J. Hazard. Mater. Adv.* 10, 100275. <https://doi.org/10.1016/J.HAZADV.2023.100275>
203. Samuelsen, M., Olsen, C., Holme, J.A., Meussen-Elholm, E., Bergmann, A., Hongslo, J.K., 2001. Estrogen-like properties of brominated analogs of bisphenol A in the MCF-7 human breast cancer cell line. *Cell Biol. Toxicol.* 17, 139–151. <https://doi.org/10.1023/A:1011974012602>
204. Scaia, M.F., Gregorio, L.S. de, Franco-Belussi, L., Succi-Domingues, M., Oliveira, C. de, 2019. Gonadal, body color, and genotoxic alterations in *Lithobates catesbeianus* tadpoles exposed to nonylphenol. *Environ. Sci. Pollut. Res.* 26, 22209–22219. <https://doi.org/10.1007/S11356-019-05403-8>
205. Scaia, M.F., Volonteri, M.C., Czuchlej, S.C., Ceballos, N.R., 2015. Effect of estradiol on apoptosis, proliferation and steroidogenic enzymes in the testes of the toad *Rhinella arenarum* (Amphibia, Anura). *Gen. Comp. Endocrinol.* 221, 244–254. <https://doi.org/10.1016/j.ygcen.2014.12.016>
206. Schlumpf, M., Durrer, S., Faass, O., Ehnes, C., Fuetsch, M., Gaille, C., Henseler, M., Hofkamp, L., Maerkel, K., Reolon, S., Timms, B., Tresguerres, J.A.F., Lichtensteiger, W., 2008. Developmental toxicity of UV filters and environmental exposure: a review. *Int. J. Androl.* 31, 144–151. <https://doi.org/10.1111/J.1365-2605.2007.00856.X>
207. Schmidt, N.D. van, Cary, T.L., Ortiz-Santaliestra, M.E., Karasov, W.H., 2012. Effects of chronic polybrominated diphenyl ether exposure on gonadal development in the northern leopard frog, *Rana pipiens*. *Environ. Toxicol. Chem.* 31, 347–354. <https://doi.org/10.1002/etc.1702>
208. Schwendiman, A.L., Propper, C.R., 2012. A common environmental contaminant affects sexual behavior in the clawed frog, *Xenopus tropicalis*. *Physiol. Behav.* 106, 520–526. <https://doi.org/10.1016/j.physbeh.2012.03.035>
209. Secondi, J., Hinot, E., Djalout, Z., Sourice, S., Jadas-Hécart, A., 2009. Realistic nitrate concentration alters the expression of sexual traits and olfactory male attractiveness in newts. *Funct. Ecol.* 23, 800–808. <https://doi.org/10.1111/J.1365-2435.2009.01558.X>
210. Secondi, J., Lepetz, V., Cossard, G., Sourice, S., 2013. Nitrate affects courting and breathing but not escape performance in adult newts. *Behav. Ecol. Sociobiol.* 67, 1757–1765. <https://doi.org/10.1007/S00265-013-1583-9>
211. Selcer, K.W., Verbanic, J.D., 2014. Vitellogenin of the northern leopard frog (*Rana pipiens*): development of an ELISA assay and evaluation of induction after immersion in xenobiotic estrogens. *Chemosphere* 112, 348–354. <https://doi.org/10.1016/j.chemosphere.2014.04.073>
212. Sharma, B., & Patiño, R. 2009. Effects of cadmium on growth, metamorphosis and gonadal sex differentiation in tadpoles of the African clawed frog, *Xenopus laevis*. *Chemosphere*, 76(8),
213. Sharma, B., Patiño, R., 2010. Effects of cadmium, estradiol-17beta and their interaction on gonadal condition and metamorphosis of male and female African clawed frog, *Xenopus laevis*. *Chemosphere* 79, 499–505. <https://doi.org/10.1016/j.chemosphere.2010.02.044>

214. Shi, H., Zhu, P., Guo, S., 2014. Effects of tributyltin on metamorphosis and gonadal differentiation of *Xenopus laevis* at environmentally relevant concentrations. *Toxicol. Ind. Health* 30, 297–303. <https://doi.org/10.1177/0748233712457440>
215. Signorini, G., Innocenti, S. B., Raghianti, M., & Giorgi, F. 1981. Vitellogenin synthesis induced by estradiol 17 β in the newt *Triturus cristatus carnifex*(Laurenti). *Comparative Biochemistry and Physiology Part B: Comparative Biochemistry*, 69(1), 121-126.
216. Slaby, S., Lemi re, S., Hanotel, J., Lescuyer, A., Demuynck, S., Bodart, J. F., ... & Marin, M. 2016. Cadmium but not lead exposure affects *Xenopus laevis* fertilization and embryo cleavage. *Aquat. Toxicol.* 177, 1-7.
217. Slaby, S., Titran, P., Marchand, G., Hanotel, J., Lescuyer, A., Lepr tre, A., ... & Lemi re, S. 2020. Effects of glyphosate and a commercial formulation Roundup  exposures on maturation of *Xenopus laevis* oocytes. *Environmental Science and Pollution Research*, 27, 3697-3705.
218. Spolyarich, N., Hyne, R., Wilson, S., Palmer, C., Byrne, M., 2010. Growth, development and sex ratios of Spotted Marsh Frog (*Limnodynastes tasmaniensis*) larvae exposed to atrazine and a herbicide mixture. *Chemosphere* 78, 807–813. <https://doi.org/10.1016/J.CHEMOSPHERE.2009.11.048>
219. Stebbins-Boaz, B., Fortner, K., Frazier, J., Piluso, S., Pullen, S., Rasar, M., ... & Winger, E. 2004. Oocyte maturation in *Xenopus laevis* blocked by the hormonal herbicide, 2, 4-dichlorophenoxy acetic acid. *Molecular Reproduction and Development: Incorporating Gamete Research*, 67(2), 233-242.
220. Storrs, S.I., Semlitsch, R.D., 2008. Variation in somatic and ovarian development: Predicting susceptibility of amphibians to estrogenic contaminants. *Gen. Comp. Endocrinol.* 156, 524–530. <https://doi.org/10.1016/j.ygcen.2008.03.001>
221. Storrs-M ndez, S.I., Semlitsch, R.D., 2010. Intersex gonads in frogs: Understanding the time course of natural development and role of endocrine disruptors. *J. Exp. Zool. B Mol. Dev. Evol.* 314, 57–66. <https://doi.org/10.1002/jez.b.21310>
222. Svanholm, S., S fholm, M., Brande-Lavridsen, N., Larsson, E., Berg, C., 2021. Developmental reproductive toxicity and endocrine activity of propiconazole in the *Xenopus tropicalis* model. *Sci. Total Environ.* 753, 141940. <https://doi.org/10.1016/J.SCITOTENV.2020.141940>
223. Svartz, G., Acquaroni, M., Coll, C.P., 2018. Differential sensitivity of developmental stages of the South American toad to a fungicide based on fludioxonil and metalaxyl-M. *Environ. Sci. Pollut. Res.* 25, 23857–23863. <https://doi.org/10.1007/S11356-018-2445-9>
224. Svartz, G., Meijide, F., Coll, C.P., 2016. Effects of a fungicide formulation on embryo-larval development, metamorphosis, and gonadogenesis of the South American toad *Rhinella arenarum*. *Environ. Toxicol. Pharmacol.* 45, 1–7. <https://doi.org/10.1016/j.etap.2016.05.008>
225. Taft, J. D., Colonna, M. M., Schafer, R. E., Plick, N., & Powell, W. H. 2018. Dioxin exposure alters molecular and morphological responses to thyroid hormone in *Xenopus laevis* cultured cells and prometamorphic tadpoles. *Toxicological Sciences*, 161(1), 196-206.
226. Tamschick, S., Rozenblut-Ko cisty, B., Ogielska, M., Kekenj, D., Gajewski, F., Kr ger, A., Kloas, W., St ck, M., 2016a. The plasticizer bisphenol A affects somatic and sexual development, but differently in pipid, hylid and bufonid anurans. *Environ. Pollut.* 216, 282–291. <https://doi.org/10.1016/j.envpol.2016.05.091>
227. Tamschick, S., Rozenblut-Ko cisty, B., Ogielska, M., Lehmann, A., Lymberakis, P., Hoffmann, F., Lutz, I., Kloas, W., St ck, M., 2016b. Sex reversal assessments reveal different vulnerability to endocrine disruption between deeply diverged anuran lineages. *Sci. Rep.* 6, 1–8. <https://doi.org/10.1038/srep23825>
228. Tamschick, S., Rozenblut-Ko cisty, B., Ogielska, M., Lehmann, A., Lymberakis, P., Hoffmann, F., Lutz, I., Schneider, R.J., Kloas, W., St ck, M., 2016c. Impaired gonadal and somatic development corroborate vulnerability differences to the synthetic estrogen ethinylestradiol among deeply diverged anuran lineages. *Aquat. Toxicol.* 177, 503–514. <https://doi.org/10.1016/J.AQUATOX.2016.07.001>

229. Tang, Y., Chen, Z.Q., Lin, Y.F., Chen, J.Y., Ding, G.H., Ji, X., 2020. The combined effects of temperature and aromatase inhibitor on metamorphosis, growth, locomotion, and sex ratio of tiger frog (*Hoplobatrachus rugulosus*) tadpoles. *PeerJ* 2020, e8834. <https://doi.org/10.7717/PEERJ.8834/SUPP-2>
230. Tavera-Mendoza, L., Ruby, S., Brousseau, P., Fournier, M., Cyr, D., Marcogliese, D., 2002. Response of the amphibian tadpole (*Xenopus laevis*) to atrazine during sexual differentiation of the testis. *Environ. Toxicol. Chem.* 21, 527–531. <https://doi.org/10.1002/ETC.5620210309>
231. Thomson, P., Langlois, V.S., 2018. Developmental profiles of progesterone receptor transcripts and molecular responses to gestagen exposure during *Silurana tropicalis* early development. *Gen. Comp. Endocrinol.* 265, 4–14. <https://doi.org/10.1016/J.YGCEN.2018.05.017>
232. Thomson, P., Pineda, M., Yargeau, V., Langlois, V.S., 2021. Chronic exposure to two gestagens differentially alters morphology and gene expression in *Silurana tropicalis*. *Arch. Environ. Contam. Toxicol.* 80, 745–759. <https://doi.org/10.1007/S00244-021-00831-5>
233. Tompsett, A.R., Higley, E., Pryce, S., Giesy, J.P., Hecker, M., Wiseman, S., 2015. Transcriptional changes in African clawed frogs (*Xenopus laevis*) exposed to 17 α -ethynylestradiol during early development. *Ecotoxicol. Lond. Engl.* 24, 321–329. <https://doi.org/10.1007/s10646-014-1380-x>
234. Tompsett, A.R., Wiseman, S., Higley, E., Giesy, J.P., Hecker, M., 2013a. Effects of exposure to 17 α -ethynylestradiol during sexual differentiation on the transcriptome of the African clawed frog (*Xenopus laevis*). *Environ. Sci. Technol.* 47, 4822–4828. <https://doi.org/10.1021/ES400436Y>
235. Tompsett, A.R., Wiseman, S., Higley, E., Giesy, J.P., Hecker, M., 2013b. Effects of exposure to 17 α -ethynylestradiol during larval development on growth, sexual differentiation, and abundances of transcripts in the liver of the wood frog (*Lithobates sylvaticus*). *Aquat. Toxicol.* 126, 42–51. <https://doi.org/10.1016/J.AQUATOX.2012.10.003>
236. Tompsett, A.R., Wiseman, S., Higley, E., Pryce, S., Chang, H., Giesy, J.P., Hecker, M., 2012. Effects of 17 α -ethynylestradiol on sexual differentiation and development of the African clawed frog (*Xenopus laevis*). *Comp. Biochem. Physiol. Part C Toxicol. Pharmacol.* 156, 202–210. <https://doi.org/10.1016/J.CBPC.2012.06.002>
237. Trachantong, W., Promya, J., Saenphet, S., Saenphet, K., 2013. Effects of atrazine herbicide on metamorphosis and gonadal development of *Hoplobatrachus rugulosus*. *Maejo Int. J. Sci. Technol.* 7, 60–71.
238. Ujhegyi, N., Bókony, V., 2020. Skin coloration as a possible non-invasive marker for skewed sex ratios and gonadal abnormalities in immature common toads (*Bufo bufo*). *Ecol. Indic.* 113, 106175. <https://doi.org/10.1016/J.ECOLIND.2020.106175>
239. Urbatzka, R., Bottero, S., Mandich, A., Lutz, I., Kloas, W., 2007. Endocrine disrupters with (anti)estrogenic and (anti)androgenic modes of action affecting reproductive biology of *Xenopus laevis*: I. Effects on sex steroid levels and biomarker expression. *Comp. Biochem. Physiol. - C Toxicol. Pharmacol.* 144, 310–318. <https://doi.org/10.1016/j.cbpc.2006.10.008>
240. Urbatzka, R., Lutz, I., Opitz, R., Kloas, W., 2006. Luteinizing hormone, follicle stimulating hormone, and gonadotropin releasing hormone mRNA expression of *Xenopus laevis* in response to endocrine disrupting compounds affecting reproductive biology. *Gen. Comp. Endocrinol.* 146, 119–125. <https://doi.org/10.1016/j.ygcen.2005.10.005>
241. Wang, C.F., Tian, Y., 2015. Reproductive endocrine-disrupting effects of triclosan: Population exposure, present evidence and potential mechanisms. *Environ. Pollut.* 206, 195–201. <https://doi.org/10.1016/J.ENVPOL.2015.07.001>
242. Wang, M. Z., & Jia, X. Y. 2009. Low levels of lead exposure induce oxidative damage and DNA damage in the testes of the frog *Pelophylax nigromaculatus*. *Ecotoxicology*, 18, 94–99.
243. Windle, S., McMurry, S., Brain, R., Maul, J., Pickford, D.B., Wolf, J., Belden, J., 2021. Evaluating a developmental endocrine toxicity assay for Blanchard's cricket frog (*Acris blanchardi*) in outdoor enclosures. *Sci. Total Environ.* 767, 145444. <https://doi.org/10.1016/J.SCITOTENV.2021.145444>

244. Witschi, E., Foote, C.L., Chang, C.Y., 1956. Modification of Sex Differentiation by Steroid Hormones in a Tree Frog (*Pseudacris nigrita triseriata* Wied).*: <https://doi.org/10.3181/00379727-97-23687> 97, 196–197. <https://doi.org/10.3181/00379727-97-23687>
245. Wolf, J.C., Lutz, I., Kloas, W., Springer, T.A., Holden, L.R., Krueger, H.O., Hosmer, A.J., 2010. Effects of 17 β -estradiol exposure on *Xenopus laevis* gonadal histopathology. *Environ. Toxicol. Chem.* 29, 1091–1105. <https://doi.org/10.1002/etc.133>
246. Wolff, S.E., Veldhoen, N., Helbing, C.C., Ramirez, C.A., Malpas, J.M., Propper, C.R., 2015. Estrogenic environmental contaminants alter the mRNA abundance profiles of genes involved in gonadal differentiation of the American bullfrog. *Sci. Total Environ.* 521, 380–387. <https://doi.org/10.1016/j.scitotenv.2015.02.033>
247. Wyk, J.H.V., Pool, E.J., Leslie, A.J., 2003. The effects of anti-androgenic and estrogenic disrupting contaminants on breeding gland (nuptial pad) morphology, plasma testosterone levels, and plasma vitellogenin levels in male *Xenopus laevis* (African clawed frog). *Arch. Environ. Contam. Toxicol.* 44, 247–256. <https://doi.org/10.1007/S00244-002-1161-Z>
248. Xu, W., Li, Y.Y., Lou, Q.Q., Chen, X.R., Qin, Z.F., Wie, W.J., 2015. Low concentrations of dihydrotestosterone induce female-to-male sex reversal in the frog *Pelophylax nigromaculatus*. *Environ. Toxicol. Chem.* 34, 2370–2377. <https://doi.org/10.1002/ETC.3072>
249. Yang, W., Han, X., Lee, K.S., Lee, K., Ju, J., Shin, I., 2011. Effect of Endocrine Disrupting Chemicals on *Bombina orientalis* Aromatase Activity Expressed in Cultured Mammalian Cells. *Korean J. Environ. Biol.* 29, 74–80.
250. Yu, N. W., Hsu, C. Y., Ku, H. H., Chang, L. T., & Liu, H. W. 1993. Gonadal differentiation and secretions of estradiol and testosterone of the ovaries of *Rana catesbeian* tadpoles treated with 4-hydroxyandrostenedione. *Journal of experimental Zoology*, 265(3), 252–257.
251. Zaya, R.M., Amini, Z., Whitaker, A.S., Kohler, S.L., Ide, C.F., 2011. Atrazine exposure affects growth, body condition and liver health in *Xenopus laevis* tadpoles. *Aquat. Toxicol.* 104, 243–253. <https://doi.org/10.1016/J.AQUATOX.2011.04.021>
252. Zhang, H., Cai, C., Shi, C., Cao, H., Han, Z., & Jia, X. 2012. Cadmium-induced oxidative stress and apoptosis in the testes of frog *Fejervarya limnocharis*. *Aquatic Toxicology*, 122–123, 67–74.
253. Zhang, H., Cai, C., Wu, Y., Ye, B., Han, L., Shou, X., Wang, M., Wang, J., Jia, X., 2013. Toxic effects of microcystin-LR on the reproductive system of male *Rana nigromaculata* in vitro. *Aquat. Toxicol.* 126, 283–290. <https://doi.org/10.1016/j.aquatox.2012.09.017>
254. Zhang, H., Liu, W., Chen, B., He, J., Chen, F., Shan, X., Du, Q., Li, N., Jia, X., Tang, J., 2018. Differences in reproductive toxicity of TBBPA and TCBPA exposure in male *Rana nigromaculata*. *Environ. Pollut.* 243, 394–403. <https://doi.org/10.1016/j.envpol.2018.08.086>
255. Zhang, W., Chen, L., Xu, Y., Deng, Y., Zhang, L., Qin, Y., Wang, Z., Liu, R., Zhou, Z., Diao, J., 2019. Amphibian (*Rana nigromaculata*) exposed to cyproconazole: Changes in growth index, behavioral endpoints, antioxidant biomarkers, thyroid and gonad development. *Aquat. Toxicol.* 208, 62–70. <https://doi.org/10.1016/j.aquatox.2018.12.015>
256. Zhang, W., Deng, Y., Chen, L., Zhang, L., Wang, Z., Liu, R., Zhou, Z., Diao, J., 2020. Comparing the effect of triadimefon and its metabolite on male and female *Xenopus laevis*: Obstructed growth and gonad morphology. *Chemosphere* 259. <https://doi.org/10.1016/j.chemosphere.2020.127415>
257. Zhang, W.S., Farmer, E.J., Muhanzi, D., Trudeau, V.L., 2022. Petroleum-derived naphthenic acids disrupt hormone-dependent sexual behaviours in male Western clawed frogs. *Conserv. Physiol.* 10. <https://doi.org/10.1093/CONPHYS/COAC030>
258. Zhang, Y., Li, X., Gao, J., Wang, H., 2018. Influence of DEHP on thyroid, sex steroid-related genes and gonadal differentiation in *Rana chensinensis* tadpoles. *Environ. Toxicol.* 33, 112–121. <https://doi.org/10.1002/tox.22504>
259. Ziková, A., Lorenz, C., Hoffmann, F., Kleiner, W., Lutz, I., Stöck, M., Kloas, W., 2017. Endocrine disruption by environmental gestagens in amphibians – A short review supported by new in vitro data using gonads of *Xenopus laevis*. *Chemosphere* 181, 74–82. <https://doi.org/10.1016/j.chemosphere.2017.04.021>

260. Ziková, A., Lorenz, C., Lutz, I., Pflugmacher, S., & Kloas, W. 2013. Physiological responses of *Xenopus laevis* tadpoles exposed to cyanobacterial biomass containing microcystin-LR. *Aquat. Toxicol.* 128, 25-33.