

Supplementary Material

1 Supplementary materials include:

1. Demographics of consumers in workshops and which workshops they attended
2. Demographics of professionals in workshops and which workshops they attended
3. Demographics of consumer participants in user testing interviews
4. Journey Mapping Activity Completed by Consumers in Workshop One
5. Example of Prototype v1
6. Example of Prototype v2

1. Supplementary Table 1: Demographics of consumers in workshops.

Participant	Gender	Duration of prescription opioid	Research Activity		
			Workshop 1	Workshop 2	Workshop 3
P01	F	Long term prescription	X	X	
P02	M	Long term prescription	X	X	X
P03	F	Long term prescription	X		X
P04	F	Long term prescription	X	X	
P05	F	Long term prescription	X		
P06	F	Long term prescription	X		X
P07	F	Long term prescription	X	X	
P08	F	Long term prescription	X		X
P09	F	Long term prescription	X		
P10	F	Long term prescription	X	X	X
P11	F	Short term prescription, carer			X*
P12	M	Short term prescription			X*
P13	F	Short term prescription			X*

2. Supplementary Table 2: Demographics of Healthcare Professionals and Stakeholders.


Participant	Gender	Expertise	Research Activity		
			Workshop 1	Workshop 2	Workshop 3
E01	F	Academic Pharmacist (opioid deprescribing specialist)	X	X	
E02	F	Pharmacist in GP practice	X	X	X
E03	F	Stakeholder advocate	X	X	

E04	F	Academic Pharmacist	X	X	X
E05	F	Pharmacist (Pain management specialist)	X		
E06	F	Pharmacist in GP practice	X		
E07	M	Pharmacist (alcohol and other drug treatment focussed)	X		
E08	F	Community pharmacist	X		
E09	F	Community pharmacist	X	X	X
E10	F	Community pharmacist	X		
E11	F	Pharmacist (Community setting)	X	X	
E12	F	Prescriber/Pain Specialist	X	X	X
E13	M	Stakeholder advocate	X		


3. Supplementary Table 3: Demographics of consumer participants in user testing interviews.

Participant Number	Gender	Opioid Prescription Length	Operating System	Browser	Location (Metro/Regional, State)
P01	F	More than 3 months	Mac	Chrome	Regional, NSW
P02	F	Less than 2 weeks	PC	Edge	Metro, VIC
P03	F	2 weeks to 3 months	Mac	Safari	Metro, VIC
P04	M	More than 3 months	Mac	Safari	Metro, QLD
P05	F	More than 3 months	PC	Edge	Metro, VIC
P06	F	More than 3 months	Mac	Firefox	Metro, SA
P07	F	More than 3 months	Mac	Safari	Metro, NSW
P08	M	More than 3 months	Android	Samsung	Metro, SA
P09	F	Less than 2 weeks	PC	Chrome	Metro, VIC
P10	F	More than 3 months	Mac	Safari	Regional, VIC
P11	M	More than 3 months	Mac	Chrome	Regional, NSW
P12	M	More than 3 months	Mac	Safari	ACT
P13	F	More than 3 months	Mac	Chrome	Regional, NSW
P14	F	More than 3 months	PC	Edge	Regional, NSW
P15	M	Less than 2 weeks	iPad	Safari	Regional, NSW

4. Supplementary Figure 1: Journey Mapping Activity Completed by Consumers in Workshop One.



5. Supplementary Figure 2: Example of Prototype v1.



6. Supplementary Figure 3: Example of Prototype v2.

Opioid Safety Toolkit.

[Opioid safety plan](#) [ROOM Tool](#) [About naloxone](#) [About opioids](#) [About the toolkit](#) [Emergency guide](#)


Home > Safety plan

[← Go Back](#)


About the opioid safety toolkit

This toolkit was designed with consumers and health professionals to help guide the safer use of prescription opioids. This toolkit includes guidance on developing a safety plan to help prevent or respond to severe opioid side effects, and using the ROOM (Routine Opioid Outcome Monitoring) tool to help monitor prescription opioid outcomes.


To get the best experience, please select one of the following options:

☒

I take prescription opioids

☐

I care for or know someone with prescribed opioids

☐

I am prescribed opioids for pain associated with cancer

[Go back](#) [Continue →](#)