


Supplementary Material

Divergent N deficiency-dependent senescence and transcriptome response in developmentally old and young *Brassica napus* leaves


Vajiheh Safavi-Rizi, Jürgen Franzaring, Andreas Fangmeier and Reinhard Kunze*

* **Correspondence:** Reinhard Kunze: reinhard.kunze@fu-berlin.de


Supplementary Figures



Supplementary Figure 1. Phenotype of *B. napus* cv. Mozart plants grown under optimal or low N supply. In each panel the three plants on the left were grown under optimal N supply (N_O) and the three plants on the right were grown under low N supply (N_L). The three plants in the center (grown under elevated N supply) were not used in this study.



Supplementary Figure 2. MapMan functional classification of temporally up- and downregulated genes in leaf #4. Genes in the (A) 'downregulated' and (B) 'upregulated' STEM cluster of N_O and N_L leaves #4 were classified according to their putative assignment to MapMan metabolic pathways using the BAR Classification SuperViewer Tool. Bars show the normed frequency (NF) of genes in functional categories $\pm$ SD for 100 bootstraps. Normed frequency is the $(\text{Number in Class}_{\text{input_set}} / \text{Number Classified}_{\text{input_set}}) / (\text{Number in Class}_{\text{reference_set}} / \text{Number Classified}_{\text{reference_set}})$. Enriched (NF > 1) or underrepresented categories (NF < 1) which are statistically significant (p-value of the hypergeometric distribution < 0.05) are marked by asterisks.



Supplementary Figure 3. MapMan functional classification of up- and downregulated genes in leaf #8. Genes in the (A) 'downregulated' and (B) 'upregulated' N_O and N_L leaves #8 were classified according to their putative assignment to MapMan metabolic pathways using the BAR Classification SuperViewer Tool. Bars show the normed frequency (NF) of genes in functional categories $\pm$ SD for 100 bootstraps. Normed frequency is the (Number in Class_{input_set}/Number Classified_{input_set})/(Number in Class_{reference_set}/Number Classified_{reference_set}). Enriched (NF > 1) or underrepresented categories (NF < 1) which are statistically significant (p-value of the hypergeometric distribution < 0.05) are marked by asterisks.