

A Climate smartness Index (CSI) based on Greenhouse Gas intensity and Water productivity: application to irrigated rice

Laura N. Arenas-Calle^{1*}, Stephen Whitfield², Andrew J. Challinor¹

1. Institute Climate and Atmospheric Science, University of Leeds, Leeds, United Kingdom

2. School of Earth and Environment, Sustainability Research Institute, University of Leeds, Leeds, United Kingdom

Supplementary material 2: References papers reviewed

1. Ali, M. A., Hoque, M. A., and Kim, P. J. (2013). Mitigating global warming potentials of methane and nitrous oxide gases from rice paddies under different irrigation regimes. *Ambio*, 42(3), 357–368. <https://doi.org/10.1007/s13280-012-0349-3>
2. Ali, M. A., Kim, P. J., and Inubushi, K. (2015). Mitigating yield-scaled greenhouse gas emissions through combined application of soil amendments: A comparative study between temperate and subtropical rice paddy soils. *Sci. Total. Environ.* 529, 140–148. <https://doi.org/10.1016/j.scitotenv.2015.04.090>
3. Arora, V. K., Joshi, R., and Singh, C. B. (2018). Irrigation and Deep Tillage Effects on Productivity of Dry-Seeded Rice in a Subtropical Environment. *Agric. Res.* 7 (4), 416–423. <https://doi.org/10.1007/s40003-018-0323-9>
4. Bueno, C. S., Bucourt, M., Kobayashi, N., Inubushi, K., and Lafarge, T. (2010). Water productivity of contrasting rice genotypes grown under water-saving conditions in the tropics and investigation of morphological traits for adaptation. *Agric. Water. Manag.* 98(2), 241–250. <https://doi.org/10.1016/j.agwat.2010.08.015>
5. Camargo, E. S., Pedroso, G. M., Minamikawa, K., Shiratori, Y., and Bayer, C. (2018). Intercontinental comparison of greenhouse gas emissions from irrigated rice fields under feasible water management practices: Brazil and Japan. *Soil. and. Plant. Food.* 64(1), 59–67. <https://doi.org/10.1080/00380768.2017.1415660>
6. Cha-un, N., Chidthaisong, A., Yagi, K., Sudo, S., and Towprayoon, S. (2017). Greenhouse gas emissions, soil carbon sequestration and crop yields in a rain-fed rice field with crop rotation management. *Agric. Ecosyst. Environ.* 237, 109–120. <https://doi.org/10.1016/j.agee.2016.12.025>
7. Chen, W., Wang, Y., Zhao, Z., Cui, F., Gu, J., and Zheng, X. (2013). The effect of planting density on carbon dioxide, methane and nitrous oxide emissions from a cold paddy field in the Sanjiang Plain, northeast China. *Agric. Ecosyst. Environ.* 178, 64–70. <https://doi.org/10.1016/j.agee.2013.05.008>
8. Chidthaisong, A., Cha-un, N., Rossopa, B., Buddaboon, C., Kunuthai, C., Sriphirom, P., Minamikawa, K. (2017). Evaluating the effects of alternate wetting and drying (AWD) on

methane and nitrous oxide emissions from a paddy field in Thailand. *Soil. and Plant. Food.* 00(00), 1–8. <https://doi.org/10.1080/00380768.2017.1399044>

9. Chu, G., Wang, Z., Zhang, H., Liu, L., Yang, J., and Zhang, J. (2015). Alternate wetting and moderate drying increases rice yield and reduces methane emission in paddy field with wheat straw residue incorporation. *Food. Energy. Secur.* 4(3), 238–254. <https://doi.org/10.1002/FES3.66>

10. Das, S., Ghosh, A., and Adhya, T. K. (2011). Nitrous oxide and methane emission from a flooded rice field as influenced by separate and combined application of herbicides bensulfuron methyl and pretilachlor. *Chemosphere*, 84(1), 54–62. <https://doi.org/10.1016/j.chemosphere.2011.02.055>

11. Das, S., and Adhya, T. K. (2014). Geoderma Effect of combine application of organic manure and inorganic fertilizer on methane and nitrous oxide emissions from a tropical flooded soil planted to rice. *Geoderma*, 213, 185–192. <https://doi.org/10.1016/j.geoderma.2013.08.011>

12. Datta, A., and Adhya, T. K. (2014). Effects of organic nitrification inhibitors on methane and nitrous oxide emission from tropical rice paddy. *Atm. Environ.*, 92, 533–545. <https://doi.org/10.1016/j.atmosenv.2014.04.009>

13. Deelstra, J., Nagothu, U. S., Kakumanu, K. R., Kaluvai, Y. R., and Kallam, S. R. (2018). Enhancing water productivity using alternative rice growing practices: A case study from Southern India. *J. Agric. Sci.* 156(5), 673–679. <https://doi.org/10.1017/S0021859618000655>

14. Dong, W., Guo, J., Xu, L., Song, Z., Zhang, J., Tang, A., Lai, Y. (2018). Water regime-nitrogen fertilizer incorporation interaction: Field study on methane and nitrous oxide emissions from a rice agroecosystem in Harbin, China. *Journal of Environmental Sciences (China)*, 64, 289–297. <https://doi.org/10.1016/j.jes.2017.06.007>

15. Fanguero, D., Becerra, D., Albarrán, Á., Peña, D., Sanchez-Llerena, J., Rato-Nunes, J. M., and López-Piñeiro, A. (2017). Effect of tillage and water management on GHG emissions from Mediterranean rice growing ecosystems. *Atmos Environ.* 150, 303–312. <https://doi.org/10.1016/j.atmosenv.2016.11.020>

16. Gupta, D. K., Bhatia, A., Kumar, A., Das, T. K., Jain, N., Tomer, R., Pathak, H. (2016). Mitigation of greenhouse gas emission from rice-wheat system of the Indo-Gangetic plains: Through tillage, irrigation and fertilizer management. *Agric. Ecosyst. Environ.* 230, 1–9. <https://doi.org/10.1016/j.agee.2016.05.023>

17. Hao, Q., Jiang, C., Chai, X., Huang, Z., Fan, Z., and Xie, D. (2016). Drainage, no-tillage and crop rotation decreases annual cumulative emissions of methane and nitrous oxide from a rice field in Southwest China. *Agric. Ecosyst. Environ.* 233, 270–281.

18. Haque, M. M., Biswas, J. C., Kim, S. Y., and Kim, P. J. (2016). Suppressing methane emission and global warming potential from rice fields through intermittent drainage and green biomass amendment. *Soil. Use. Managem.* 32(1), 72–79. <https://doi.org/10.1111/sum.12229>

19. Hu, N., Wang, B., Gu, Z., Tao, B., Zhang, Z., Hu, S., Meng, Y. (2016). Effects of different straw returning modes on greenhouse gas emissions and crop yields in a rice-wheat rotation system. *Agric. Ecosyst. Environ.* 223, 115–122. <https://doi.org/10.1016/j.agee.2016.02.027>
20. Jain, N., Dubey, R., Dubey, D. S., Singh, J., Khanna, M., Pathak, H., and Bhatia, A. (2014). Mitigation of greenhouse gas emission with system of rice intensification in the Indo-Gangetic Plains. *Paddy. Water. Environ.* 12(3), 355–363. <https://doi.org/10.1007/s10333-013-0390-2>
21. Kar, I., Sudhir-Yadav, Mishra, A., Behera, B., Khanda, C., Kumar, V., and Kumar, A. (2018). Productivity trade-off with different water regimes and genotypes of rice under non-puddled conditions in Eastern India. *Field. Crops. Res.* 222(October 2017), 218–229. <https://doi.org/10.1016/j.fcr.2017.10.007>
21. Ku, H. H., Hayashi, K., Agbisit, R., and Villegas-Pangga, G. (2017). Evaluation of fertilizer and water management effect on rice performance and greenhouse gas intensity in different seasonal weather of tropical climate. *Sci. Total. Environ.* 601–602, 1254–1262. <https://doi.org/10.1016/j.scitotenv.2017.05.277>
23. Kudo, Y., Noborio, K., Shimoozono, N., and Kurihara, R. (2014). The effective water management practice for mitigating greenhouse gas emissions and maintaining rice yield in central Japan. *Agric. Ecosyst. Environ.* 186(September), 77–85. <https://doi.org/10.1016/j.agee.2014.01.015>
24. Lagomarsino, A., Agnelli, A. E., Linquist, B., Adviento-Borbe, M. A., Agnelli, A., Gavina, G., Ferrara, R. M. (2016). Alternate Wetting and Drying of Rice Reduced CO₂ Emissions but Triggered N₂O Peaks in a Clayey Soil of Central Italy. *Pedosphere*, 26(4), 533–548. [https://doi.org/10.1016/S1002-0160\(15\)60063-7](https://doi.org/10.1016/S1002-0160(15)60063-7)
25. LaHue, G. T., Chaney, R. L., Adviento-Borbe, M. A., and Linquist, B. A. (2016). Alternate wetting and drying in high yielding direct-seeded rice systems accomplishes multiple environmental and agronomic objectives. *Agric. Ecosyst. Environ.* 229, 30–39. <https://doi.org/10.1016/j.agee.2016.05.020>
26. Lampayan, R. M., Samoy-Pascual, K. C., Sibayan, E. B., Ella, V. B., Jayag, O. P., Cabangon, R. J., and Bouman, B. A. M. (2015). Effects of alternate wetting and drying (AWD) threshold level and plant seedling age on crop performance, water input, and water productivity of transplanted rice in Central Luzon, Philippines. *Paddy. Water. Environ.* 13(3), 215–227. <https://doi.org/10.1007/s10333-014-0423-5>
27. Li, X., Ma, J., Yao, Y., Liang, S., Zhang, G., Xu, H., and Yagi, K. (2014). Methane and nitrous oxide emissions from irrigated lowland rice paddies after wheat straw application and midseason aeration. *Nutr. Cycl. Agroecosys.* 100(1), 65–76. <https://doi.org/10.1007/s10705-014-9627-8>
28. Liang, K., Zhong, X., Huang, N., Lampayan, R. M., Pan, J., Tian, K., and Liu, Y. (2016). Grain yield, water productivity and CH₄ emission of irrigated rice in response to water

management in south China. *Agric. Water. Manag.* 163, 319–331.
<https://doi.org/10.1016/j.agwat.2015.10.015>

29. Liang, K., Zhong, X., Huang, N., Lampayan, R. M., Liu, Y., Pan, J. Fu, Y. (2017). Nitrogen losses and greenhouse gas emissions under different N and water management in a subtropical double-season rice cropping system. *Sci. Total. Environ.* 609 (3), 46–57.
<https://doi.org/10.1016/j.scitotenv.2017.07.118>

30. Linquist, B. A., Anders, M. M., Adviento-Borbe, M. A. A., Chaney, R. L., Nalley, L. L., da Rosa, E. F. F., and van Kessel, C. (2015). Reducing greenhouse gas emissions, water use, and grain arsenic levels in rice systems. *Glob. Chang. Biol.* 21(1), 407–417.
<https://doi.org/10.1111/gcb.12701>

31. Liu, L., Chen, T., Wang, Z., Zhang, H., Yang, J., and Zhang, J. (2013). Combination of site-specific nitrogen management and alternate wetting and drying irrigation increases grain yield and nitrogen and water use efficiency in super rice. *Field. Crops. Res.* 154, 226–235.
<https://doi.org/10.1016/j.fcr.2013.08.016>

32. Liu, S., Zhang, Y., Lin, F., Zhang, L., and Zou, J. (2014). Methane and nitrous oxide emissions from direct-seeded and seedling-transplanted rice paddies in southeast China. *Plant. Soil.* 374(1–2), 285–297. <https://doi.org/10.1007/s11104-013-1878-7>

33. Liu, Y., Zhou, Z., Zhang, X., Xu, X., Chen, H., and Xiong, Z. (2015). Net global warming potential and greenhouse gas intensity from the double rice system with integrated soil-crop system management: A three-year field study. *Atmos. Environ.* 116, 92–101.
<https://doi.org/10.1016/j.atmosenv.2015.06.018>

34. Liu, W., Hussain, S., Wu, L., Qin, Z., Li, X., Lu, J., Geng, M. (2016). Greenhouse gas emissions, soil quality, and crop productivity from a mono-rice cultivation system as influenced by fallow season straw management. *Environ. Sci. Pollut. R.* 23(1), 315–328.
<https://doi.org/10.1007/s11356-015-5227-7>

35. López-López, R., Jiménez-Chong, J. A., Hernández-Aragón, L., and Inzunza Ibarra, M. A. (2018). Water Productivity of Rice Genotypes with Irrigation and Drainage. *Irrigation and Drainage*, 67(4), 508–515. <https://doi.org/10.1002/ird.2250>

36. Ma, Y. C., Kong, X. W., Yang, B., Zhang, X. L., Yan, X. Y., Yang, J. C., and Xiong, Z. Q. (2013). Net global warming potential and greenhouse gas intensity of annual rice-wheat rotations with integrated soil-crop system management. *Agric. Ecosyst. Environ.* 164, 209–219. <https://doi.org/10.1016/j.agee.2012.11.003>

37. Malla, G., Bhatia, A., Pathak, H., Prasad, S., Jain, N., and Singh, J. (2005). Mitigating nitrous oxide and methane emissions from soil in rice-wheat system of the Indo-Gangetic plain with nitrification and urease inhibitors. *Chemosphere*, 58(2), 141–147.
<https://doi.org/10.1016/j.chemosphere.2004.09.003>

38. Maneepitak, S., Ullah, H., Paothong, K., Kachenchart, B., Datta, A., and Shrestha, R. P. (2019). Effect of water and rice straw management practices on yield and water productivity

of irrigated lowland rice in the Central Plain of Thailand. *Agric. Water. Manag.* 211(May 2018), 89–97. <https://doi.org/10.1016/j.agwat.2018.09.041>

39. Maris, S. C., Teira-Esmatges, M. R., and Català, M. M. (2016). Influence of irrigation frequency on greenhouse gases emission from a paddy soil. *Paddy. Water. Environ.* 14(1), 199–210. <https://doi.org/10.1007/s10333-015-0490-2>

40. Matsuo, N., and Mochizuki, T. (2009). Growth and Yield of Six Rice Cultivars under Three Water-saving Cultivations. *Plant Prod. Sci.* 12(4), 514–525. <https://doi.org/10.1626/pps.12.514>

41. Meijide, A., Gruening, C., Goded, I., Seufert, G., and Cescatti, A. (2017). Water management reduces greenhouse gas emissions in a Mediterranean rice paddy field. *Agric. Ecosyst. Environ.* 238, 168–178. <https://doi.org/10.1016/j.agee.2016.08.017>

42. Oo, A. Z., Sudo, S., Inubushi, K., Mano, M., Yamamoto, A., Ono, K., Ravi, V. (2018). Methane and nitrous oxide emissions from conventional and modified rice cultivation systems in South India. *Agric. Ecosyst. Environ.* 252(November 2017), 148–158. <https://doi.org/10.1016/j.agee.2017.10.014>

43. Pan, J., Liu, Y., Zhong, X., Lampayan, R. M., Singleton, G. R., Huang, N., Tian, K. (2017). Grain yield, water productivity and nitrogen use efficiency of rice under different water management and fertilizer-N inputs in South China. *Agric. Water. Manag.* 184, 191–200. <https://doi.org/10.1016/j.agwat.2017.01.013>

44. Pandey, A., Mai, V. T., Vu, D. Q., Bui, T. P. L., Mai, T. L. A., Jensen, L. S., and de Neergaard, A. (2014). Organic matter and water management strategies to reduce methane and nitrous oxide emissions from rice paddies in Vietnam. *Agric. Ecosyst. Environ.* 196, 137–146. <https://doi.org/10.1016/j.agee.2014.06.010>

45. Pittelkow, C. M., Adviento-Borbe, M. A., Hill, J. E., Six, J., van Kessel, C., and Linquist, B. A. (2013). Yield-scaled global warming potential of annual nitrous oxide and methane emissions from continuously flooded rice in response to nitrogen input. *Agric. Ecosyst. Environ.* 177, 10–20. <https://doi.org/10.1016/j.agee.2013.05.011>

46. Qin, Y., Liu, S., Guo, Y., Liu, Q., and Zou, J. (2010). Methane and nitrous oxide emissions from organic and conventional rice cropping systems in Southeast China. *Biol. Fertil. Soils.* 46(8), 825–834. <https://doi.org/10.1007/s00374-010-0493-5>

47. Sander, B. O., Samson, M., and Buresh, R. J. (2014). Geoderma Methane and nitrous oxide emissions from flooded rice fields as affected by water and straw management between rice crops. *Geoderma*, 235–236, 355–362. <https://doi.org/10.1016/j.geoderma.2014.07.020>

48. Setyanto, P., Pramono, A., Adriany, T. A., Susilawati, H. L., Tokida, T., Padre, A. T., and Minamikawa, K. (2018). Alternate wetting and drying reduces methane emission from a rice paddy in Central Java, Indonesia without yield loss. *Soil. and Plant. Food.* 64(1), 23–30. <https://doi.org/10.1080/00380768.2017.1409600>

49. Shang, Q., Yang, X., Gao, C., Wu, P., Liu, J., Xu, Y., Guo, S. (2011). Net annual global warming potential and greenhouse gas intensity in Chinese double rice-cropping systems: A 3-year field measurement in long-term fertilizer experiments. *Glob. Chang. Biol.* 17(6), 2196–2210. <https://doi.org/10.1111/j.1365-2486.2010.02374.x>
50. Shen, J., Tang, H., Liu, J., Wang, C., Li, Y., Ge, T., Wu, J. (2014). Contrasting effects of straw and straw-derived biochar amendments on greenhouse gas emissions within double rice cropping systems. *Agric. Ecosyst. Environ.* 188, 264–274. <https://doi.org/10.1016/j.agee.2014.03.002>
51. Sibayan, E. B., Samoy-Pascual, K., Grospe, F. S., Casil, M. E. D., Tokida, T., Padre, A. T., and Minamikawa, K. (2017). Effects of alternate wetting and drying technique on greenhouse gas emissions from irrigated rice paddy in Central Luzon, Philippines. *Soil. and Plant. Food.* 00(00), 1–8. <https://doi.org/10.1080/00380768.2017.1401906>
52. Simmonds Maegen B., Anders Merle., Adviento-Borbe, Maria Arlene., van Kessel, Chris., Anna McClung, and B. A. L. (2014). Seasonal Methane and Nitrous Oxide Emissions of Several Rice Cultivars in Direct-Seeded Systems. *J. Environ. Qual.* 44(1), 103. <https://doi.org/10.2134/jeq2014.07.0286>
53. Sun, H., Zhou, S., Fu, Z., Chen, G., Zou, G., and Song, X. (2016). A two-year field measurement of methane and nitrous oxide fluxes from rice paddies under contrasting climate conditions. *Sci. Rep.* 6(February), 1–11. <https://doi.org/10.1038/srep28255>
54. Suryavanshi, P., Singh, Y. V., Prasanna, R., Bhatia, A., and Shivay, Y. S. (2012). Pattern of methane emission and water productivity under different methods of rice crop establishment. *Paddy. Water. Environ.* 11(1–4), 321–329. <https://doi.org/10.1007/s10333-012-0323-5>
55. Tang, H.-M., Xiao, X.-P., Tang, W.-G., Wang, K., Sun, J.-M., Li, W.-Y., and Yang, G.-L. (2014). Effects of Winter Cover Crops Straws Incorporation on CH₄ and N₂O Emission from Double-Cropping Paddy Fields in Southern China. *PLoS ONE*, 9(10), e108322. <https://doi.org/10.1371/journal.pone.0108322>
56. Tariq, A., Vu, Q. D., Jensen, L. S., de Tourdonnet, S., Sander, B. O., Wassmann, R., de Neergaard, A. (2017). Mitigating CH₄ and N₂O emissions from intensive rice production systems in northern Vietnam: Efficiency of drainage patterns in combination with rice residue incorporation. *Agric. Ecosyst. Environ.* 249(November), 101–111. <https://doi.org/10.1016/j.agee.2017.08.011>
57. Tarlera, S., Capurro, M. C., Irisarri, P., Scavino, A. F., Cantou, G., and Roel, A. (2016). Yield-scaled global warming potential of two irrigation management systems in a highly productive rice system. *Sci. Agr.* 73(1), 43–50. <https://doi.org/10.1590/0103-9016-2015-0050>
58. Tirol-Padre, A., Minamikawa, K., Tokida, T., Wassmann, R., and Yagi, K. (2018). Site-specific feasibility of alternate wetting and drying as a greenhouse gas mitigation option in irrigated rice fields in Southeast Asia: a synthesis. *Soil. and Plant. Food.* 64(1), 2–13. <https://doi.org/10.1080/00380768.2017.1409602>

59. Towprayoon, S., Smakgahn, K., and Poonkaew, S. (2005). Mitigation of methane and nitrous oxide emissions from drained irrigated rice fields. *Chemosphere*, 59(11), 1547–1556. <https://doi.org/10.1016/j.chemosphere.2005.02.009>
60. Tran, D. H., Hoang, T. N., Tokida, T., Tirol-Padre, A., and Minamikawa, K. (2017). Impacts of alternate wetting and drying on greenhouse gas emission from paddy field in Central Vietnam. *Soil. and Plant. Food*. 64(1), 14–22. <https://doi.org/10.1080/00380768.2017.1409601>
61. Wang, W., Lai, D. Y. F., Sardans, J., Wang, C., Datta, A., Pan, T., Peñuelas, J. (2015). Rice straw incorporation affects global warming potential differently in early vs. late cropping seasons in Southeastern China. *Field. Crops. Res.* 181, 42–51. <https://doi.org/10.1016/j.fcr.2015.07.007>
62. Wang, Z., Zhang, W., Beebout, S. S., Zhang, H., Liu, L., Yang, J., and Zhang, J. (2016)a. Grain yield, water and nitrogen use efficiencies of rice as influenced by irrigation regimes and their interaction with nitrogen rates. *Field. Crops. Res.* 193, 54–69. <https://doi.org/10.1016/j.fcr.2016.03.006>
63. Wang, C., Shen, J., Tang, H., Inubushi, K., Guggenberger, G., Li, Y., and Wu, J. (2016)b. Greenhouse gas emissions in response to straw incorporation, water management and their interaction in a paddy field in subtropical central China. *Arch. Agron. Soil. Sci.* 63(2), 171–184. <https://doi.org/10.1080/03650340.2016.1193163>
62. Wang, C., Wang, W., Sardans, J., Singla, A., Zeng, C., Lai, D. Y. F., and Peñuelas, J. (2018)a. Effects of steel slag and biochar amendments on CO₂, CH₄, and N₂O flux, and rice productivity in a subtropical Chinese paddy field. *Environ. Geochem. Health*. 7. <https://doi.org/10.1007/s10653-018-0224-7>
64. Wang, Z., Gu, D., Beebout, S. S., Zhang, H., Liu, L., Yang, J., and Zhang, J. (2018)b. Effect of irrigation regime on grain yield, water productivity, and methane emissions in dry direct-seeded rice grown in raised beds with wheat straw incorporation. *Crop Journal*, 6(5), 495–508. <https://doi.org/10.1016/j.cj.2018.05.004>
65. Wang, W., Chen, C., Wu, X., Xie, K., Yin, C., Hou, H., and Xie, X. (2019). Effects of reduced chemical fertilizer combined with straw retention on greenhouse gas budget and crop production in double rice fields. *Biol. Fertil. Soils*. 55(1), 89–96. <https://doi.org/10.1007/s00374-018-1330-5>
66. Wu, X., Wang, W., Xie, X., Yin, C., Hou, H., Yan, W., and Wang, G. (2018). Net global warming potential and greenhouse gas intensity as affected by different water management strategies in Chinese double rice-cropping systems. *Sci. Rep.* 8(1), 1–9. <https://doi.org/10.1038/s41598-017-19110-2>
67. Xu, Y., Ge, J., Tian, S., Li, S., Nguy-Robertson, A. L., Zhan, M., and Cao, C. (2015). Effects of water-saving irrigation practices and drought resistant rice variety on greenhouse gas emissions from a no-till paddy in the central lowlands of China. *Sci. Total. Environ.* 505, 1043–1052. <https://doi.org/10.1016/j.scitotenv.2014.10.073>

68. Yang, S., Peng, S., Xu, J., Luo, Y., and Li, D. (2012). Methane and nitrous oxide emissions from paddy field as affected by water-saving irrigation. *Phys. Chem. Earth*. 53–54, 30–37. <https://doi.org/10.1016/j.pce.2011.08.020>
69. Yao, F., Huang, J., Cui, K., Nie, L., Xiang, J., Liu, X. Peng, S. (2012). Agronomic performance of high-yielding rice variety grown under alternate wetting and drying irrigation. *Field. Crops. Res.* 126, 16–22. <https://doi.org/10.1016/j.fcr.2011.09.018>
70. Ye, Y., Liang, X., Chen, Y., Liu, J., Gu, J., Guo, R., and Li, L. (2013). Field Crops Research Alternate wetting and drying irrigation and controlled-release nitrogen fertilizer in late-season rice. Effects on dry matter accumulation, yield , water and nitrogen use. *Field. Crops. Res.* 144, 212–224. <https://doi.org/10.1016/j.fcr.2012.12.003>
71. Zhang, H., Xue, Y., Wang, Z., Yang, J., and Zhang, J. (2009). An alternate wetting and moderate soil drying regime improves root and shoot growth in rice. *Crop Science*, 49(6), 2246–2260. <https://doi.org/10.2135/cropsci2009.02.0099>
72. Zhang, A., Cui, L., Pan, G., Li, L., Hussain, Q., Zhang, X., Crowley, D. (2010). Effect of biochar amendment on yield and methane and nitrous oxide emissions from a rice paddy from Tai Lake plain, China. *Agric. Ecosyst. Environ.* 139(4), 469–475. <https://doi.org/10.1016/j.agee.2010.09.003>
73. Zhang, A., Bian, R., Pan, G., Cui, L., Hussain, Q., Li, L., Yu, X. (2012)a. Effects of biochar amendment on soil quality, crop yield and greenhouse gas emission in a Chinese rice paddy: A field study of 2 consecutive rice growing cycles. *Field. Crops. Res.* 127, 153–160. <https://doi.org/10.1016/j.fcr.2011.11.020>
74. Zhang, Y., Tang, Q., Peng, S., Xing, D., Qin, J., Laza, R. C., and Punzalan, B. R. (2012)b. Water Use Efficiency and Physiological Response of Rice Cultivars under Alternate Wetting and Drying Conditions. *Sci. World. J.* 2012, 1–10. <https://doi.org/10.1100/2012/287907>
75. Zhang, Z. S., Cao, C. G., Guo, L. J., and Li, C. F. (2014). The effects of rape residue mulching on net global warming potential and greenhouse gas intensity from no-tillage paddy fields. *Sci. World. J.* 2014. <https://doi.org/10.1155/2014/198231>
76. Zhang, Z. S., Guo, L. J., Liu, T. Q., Li, C. F., and Cao, C. G. (2015). Effects of tillage practices and straw returning methods on greenhouse gas emissions and net ecosystem economic budget in rice-wheat cropping systems in central China. *Atmos Environ.* 122, 636–644. <https://doi.org/10.1016/j.atmosenv.2015.09.065>
77. Zhang, X., Xu, X., Liu, Y., Wang, J., and Xiong, Z. (2016). Global warming potential and greenhouse gas intensity in rice agriculture driven by high yields and nitrogen use efficiency. *Biogeosciences*, 13(9), 2701–2714. <https://doi.org/10.5194/bg-13-2701-2016>
78. Zhou, M., Zhu, B., Wang, X., and Wang, Y. (2017). Long-term field measurements of annual methane and nitrous oxide emissions from a Chinese subtropical wheat-rice rotation system. *Soil. Biol. Biochem.* 115(March), 21–34. <https://doi.org/10.1016/j.soilbio.2017.08.005>

79. Zhu, X., Zhang, J., Zhang, Z., Deng, A., and Zhang, W. (2016). Dense planting with less basal nitrogen fertilization might benefit rice cropping for high yield with less environmental impacts. *Eur. J. Agron.* 75, 50–59. <https://doi.org/10.1016/j.eja.2016.01.003>

80. Zschornack, T., da Rosa, C. M., Pedroso, G. M., Marcolin, E., da Silva, P. R. F., & Bayer, C. (n.d.). Mitigation of yield-scaled greenhouse gas emissions in subtropical paddy rice under alternative irrigation systems. *Nutrient Cycling in Agroecosystems*, 105(1), 61–73. <https://doi.org/10.1007/s10705-016-9775-0>