

Supplementary materials

Table S1. Checklist of barnacles reported from India. Life style of species is abbreviated for clarity. I – intertidal, EC – epibiotic on crustacean, P – pelagic, DW – deepwater, ET- Epibiotic on turtles, EG – epibiotic on variety of substratum, including shells or crustaceans, ECE – epibiotic on cetaceans, C – coral-associated, S – sponge-associated, Endo – endoparasitic in crustaceans.

Species	Life style /habitat	Western India (29 species)	South India and Sri Lanka (40 species)	Maldives (11 species)	Eastern India (76 species)	Northern Bay of Bengal (34 species)	Andaman and Nicobar Islands (65 species)
Iblidae Leach, 1825							
<i>Ibla cumingi</i> Darwin, 1851	I	Maharashtra (Karande, 1974); Arabian sea (Annandale, 1916);		Lakshadweep Islands (Nilsson-Cantell, 1938; Daniel, 1972)	Tamil Nadu (Daniel, 1956; 1972; Krishnamoorthy, 2007); Odisha (Nilsson-Cantell, 1938; Daniel, 1972)		Andaman and Nicobar Islands (Nilsson-Cantell, 1938; Daniel, 1972)
Oxynaspididae Pilsbry, 1907							
<i>Oxynaspis celata</i> Darwin, 1852	EC				Odisha (Annandale, 1909),	Bay of Bengal (Jones and Hosie, 2016)	
<i>Oxynaspis indica</i> Annandale, 1909	EC		Bay of Bengal (Annandale, 1914; Nilsson-Cantell, 1938 recorded as <i>O. celata indica</i> Annandale, 1909)			Odisha (Annandale, 1909 recorded as <i>Oxynaspis celata indica</i>)	
Pocilasmaticidae Annandale, 1909							
<i>Dianajonesia amygdalum</i>	EC				Tamil Nadu (Daniel, 1981 recorded as <i>Trilasmis</i>)		Andaman and Nicobar Islands

(Aurivillius, 1894)			<i>amygdalum</i> Aurivillius, 1894)		(Annandale, 1905 as <i>Poecilasma amygdalum</i> Aurivillius, 1894)
<i>Dianajonesia bathynomid</i> (Annandale, 1906)	EC			Bay of Bengal (Nilsson-Cantell, 1938 recorded as <i>Octolasmis bathynomi</i> Annandale, 1906)	
<i>Dianajonesia fissum</i> (Darwin, 1851)	EC				Andaman and Nicobar Islands (Annandale, 1909 recorded as <i>Poecilasma fissum</i> Darwin, 1851)
<i>Dianajonesia minutum</i> (Gruvel, 1902)	EC	Kerala (Annandale, 1909 recorded as <i>Poecilasma minutum</i> Gruvel, 1902); Tamil Nadu, (Annandale, 1909 as <i>P. minutum</i> Gruvel, 1902)	Tamil Nadu (Daniel, 1981 recorded as <i>Trilasmis minuta</i> (Gruvel))		Bay of Bengal (Annandale, 1909 as <i>P. minutum</i> Gruvel, 1902; Nilsson-Cantell, 1938 as <i>T. minuta</i> (Gruvel, 1900)); Andaman and Nicobar Islands (Annandale, 1909 as <i>P. minutum</i> Gruvel, 1902)
<i>Dianajonesia tridens</i> (Aurivillius, 1894)	EC		Tamil Nadu (Daniel, 1956 recorded as <i>Octolasmis tridens</i> (Aurivillius)1894; Fernando, 1978; Daniel, 1981 as <i>O. tridens</i> (Aurivillius); Sudakaran and	Odisha (Annandale, 1909 as <i>Dichelaspis tridens</i> Aurivillius,	

				Fernando, 1987 recorded as <i>O. tridens</i> ; Fernando, 2006; Krishnamoorthy, 2007 recorded as <i>O. tridens</i> (Aurivillius, 1893); Kumaravel et al., 2009 recorded as <i>O. tridens</i>)	1894; Lazarus et al., 1987); Bay of Bengal (Annandale, 1909 as <i>D. tridens</i> Aurivillius, 1894; Daniel, 1956)	
<i>Dichelaspis orthogonia</i> (Darwin, 1852)	EC				West Bengal (Daniel, 1981 recorded as <i>Octolasmis orthogonia</i> Darwin, 1852)	
<i>Glyptelasma gigas</i> (Annandale, 1916)	EC				Bay of Bengal (Nilsson-Cantell, 1938 recorded as <i>Megalasma gigas</i> (Annandale, 1916))	
<i>Glyptelasma gracile</i> (Hoek, 1883)	EC	Kerala (Annandale, 1907 recorded as <i>Poecilasma gracile</i> Hoek)				Andaman and Nicobar Islands (Nilsson-Cantell, 1938 recorded as <i>Megalasma gracile</i> (Hoek, 1883))
<i>Megalasma carinodentatum</i> Weltner, 1894	EC				Bay of Bengal (Annandale, 1909)	
<i>Megalasma minus</i> Annandale, 1906	EC	Bay of Bengal (Annandale, 1909; Nilsson-Cantell, 1938)	Lakshadweep Islands (Annandale, 1909)			Andaman and Nicobar Islands (Annandale, 1909)

<i>Octolasmis angulate</i> (Aurivillius, 1894)	EC	Maharashtra (Annandale, 1909 recorded as <i>Dichelaspis angulate</i> Aurivillius, 1894; Daniel, 1956)	Tamil Nadu (Daniel, 1956)	Tamil Nadu (Daniel, 1956; 1981 as <i>O. angulata</i> (Aurivillius); Fernando, 1978; Sudakaran and Fernando, 1987; Krishnamoorthy, 2007; Kumaravel et al., 2009); Pulicat Lake (Sanjeeva Raj, 2006); Odisha (Annandale, 1909 recorded as <i>D. angulate</i> Aurivillius, 1894; Fernando, 2006); Bay of Bengal (Nilsson-Cantell, 1938; Daniel, 1956)	
<i>Octolasmis cor</i> (Aurivillius, 1892)	EC	Kerala (Daniel 1981)	Tamil Nadu (Daniel 1956)	Tamil Nadu (Daniel, 1956, 1981; Venkateswaran and Fernando, 1982; Sudakaran and Fernando, 1987; Krishnamoorthy, 2007 recorded as <i>Octolasmis cor</i> var. A (Aurivillius, 1892); Kumaravel et al., 2009); Andhra Pradesh (Daniel, 1981); Pulicat Lake (Sanjeeva Raj, 2006); Bay of Bengal (Nilsson-Cantell, 1938 recorded as <i>O. cor</i> Aurivillius, 1893)	Odisha (Annandale, 1909 recorded as <i>Dichelaspis cor</i> ; Kemp, 1915; Daniel, 1981; Fernando, 2006); West Bengal (Annandale, 1909 recorded as <i>D. cor</i> ; Daniel, 1981)
<i>Octolasmis cor</i> var. <i>b</i> (Gruvel), 1902	EC			Tamil Nadu (Daniel, 1956); Pulicat Lake (Sanjeeva Raj, 2006)	
<i>Octolasmis cor</i> var. <i>c</i> (Gruvel), 1902	EC			Tamil Nadu (Daniel, 1956); Pulicat Lake (Sanjeeva Raj, 2006)	

<i>Octolasmis geryonophila</i> Pilsbry, 1907	EC			Lakshadweep Islands (Annandale, 1909 recorded as <i>Dichelaspis geryonophila</i> Pilsbry, 1907)			
<i>Octolasmis grayi</i> (Darwin, 1851)	EC	Goa (Padate et al., 2009)	Kerala (Annandale. 1909 recorded as <i>Dichelaspis grayii</i> Darwin, 1851)		Tamil Nadu (Annandale, 1909 recorded as <i>D. grayii</i> , Darwin, 1851; Fernando, 1978; Daniel 1956; 1981 recorded as <i>Octolasmis grayii</i> (Darwin); Krishnamoorthy, 2007 recorded as <i>O. grayii</i> (Darwin, 1851)); Odisha (Annandale, 1909 recorded as <i>D. grayii</i> Darwin, 1851; Nilsson-Cantell, 1938; Daniel, 1956; Fernando, 2006); Bay of Bengal (Annandale, 1909 recorded as <i>D. grayii</i> Darwin, 1851; Daniel, 1956)	East Coast of India (Annandale, 1906a as <i>D. pellucida</i> Darwin, 1851)	Andaman and Nicobar Islands (Annandale, 1909 recorded as <i>D. grayii</i> Darwin, 1851)
<i>Octolasmis grayii</i> var. <i>pernuda</i> (Annandale, 1909)	EC				Tamil Nadu (Annandale, 1909; Daniel, 1956; Fernando, 1978; Krishnamoorthy, 2007); Odisha (Annandale, 1909)		
<i>Octolasmis lowei</i> (Darwin, 1852)	EC				Tamil Nadu (Daniel, 1956 recorded as <i>Octolasmis lowei</i> (Darwin), 1851; Daniel, 1981; Krishnamoorthy, 2007)		Bay of Bengal (Annandale, 1909 recorded as <i>D. sinuate</i> Aurivillius, 1894; Nilsson- Cantell, 1938 recorded as <i>O. lowei</i> Darwin,

					1851); Andaman and Nicobar Islands (Annandale, 1909 recorded as <i>Dichelaspis sinuate</i> Aurivillius, 1894)
<i>Octolasmis neptuni</i> (MacDonald, 1869)	EC			Tamil Nadu (Kumaravel et al., 2009)	
<i>Octolasmis nierstraszi</i> (Hoek, 1907)	EC			Odisha (Annandale, 1910a; Nilsson-Cantell, 1938); Bay of Bengal (Nilsson-Cantell, 1938)	
<i>Octolasmis rhinoceros</i> (Annandale, 1909)	EC			Bay of Bengal (Annandale, 1909 recorded as <i>Dichelaspis rhinoceros</i> Annandale, 1909, Nilsson-Cantell, 1938)	
<i>Octolasmis stella</i> (Annandale, 1909)	EC	Kerala (Dinamani, 1964)		Tamil Nadu (Daniel, 1956; Sudakaran and Fernando, 1987; Krishnamoorthy, 2007)	Bay of Bengal (Annandale, 1909 recorded as <i>Dichelaspis stella</i> Annandale, 1909; Nilsson-Cantell, 1938)
<i>Octolasmis warwickii</i> Gray, 1825	EC	Arabian sea (Annandale, 1909 recorded as <i>Dichelaspis warwicki</i> Gray, 1825)		Tamil Nadu (Annandale, 1909 recorded as <i>D. warwicki</i> Gray, 1825; Daniel 1956, 1981; Krishnamoorthy, 2007; Kumaravel et al., 2009); Pulicat Lake (Sanjeeva Raj, 2006); Odisha (Annandale, 1909 recorded as <i>D.</i>	Odisha (Annandale, 1909 recorded as <i>D. warwicki</i> Gray, 1825); West Bengal (Annandale, 1909 recorded as <i>D. warwicki</i> Gray, 1825;

			<i>warwicki</i> Gray, 1825; Lazarus et al., 1987);	Daniel 1981; Ramkrishna and Talukdar, 2003); Bay of Bengal (Annandale, 1909 recorded as <i>D. warwicki</i> Gray, 1825; Nilsson-Cantell, 1938); East coast of India (Annandale, 1906a; 1909; Fernando, 1978)
<i>Poecilasma dubium</i> Hoek, 1907	EC			Tamil Nadu (Annandale, 1909 recorded as <i>Poecilasma kaempferi</i> Race II (<i>Poecilasma dubium</i> Hoek, 1907); Jones and Hosie, 2016)
<i>Poecilasma kaempferi</i> Darwin, 1852	EC	Tamil Nadu (Annandale, 1905 recorded as <i>Poecilasma kaempferi</i> Darwin); Bay of Bengal (Nilsson-Cantell, 1938 recorded as <i>P. kaempferi kaempferi</i> Darwin, 1852)		Bay of Bengal (Annandale, 1909)
<i>Dianajonesia amygdalum</i> (Aurivillius, 1894)	EC			Tamil Nadu (Daniel, 1981 recorded as <i>Trilasmis amygdalum</i> (Aurivillius))

<i>Temnaspis fissum</i> (Darwin, 1851)	EC						Andaman and Nicobar Islands (Annandale, 1909); Bay of Bengal (Annandale, 1909)
---	----	--	--	--	--	--	--

Lepadidae
Darwin, 1852

<i>Conchoderma indicum</i> Daniel, 1953	P		Tamil Nadu (Daniel, 1953a; Fernando, 2006);				Andaman and Nicobar Islands (Daniel, 1953);
<i>Conchoderma virgatum</i> Spengler, 1790	P	Maharashtra (Fernando, 2006); Kerala (Balakrishnan, 1969)	Lakshadweep (Annandale, 1905 recorded as <i>Conchoderma hunteri</i>)	Tamil Nadu (Daniel, 1956 recorded as <i>C. virgatum</i> var. <i>hunteri</i> Owen, 1830; Krishnamoorthy 2007); Pulicat Lake (Sanjeeva Raj, 2006 recorded as <i>C. virgatum</i> forma <i>hunteri</i>); Odisha (Darwin, 1854 recorded as <i>C. virgata</i> , Darwin, 1854; Annandale, 1909 recorded as <i>C. virgatum</i> var. <i>hunteri</i> ; Fernando 2006)	West Bengal (Annandale, 1909 recorded as <i>C. virgatum</i> var. <i>hunteri</i> ; Daniel, 1981 recorded as <i>C. virgatum hunteri</i>)		Andaman and Nicobar Islands (Annandale, 1909 recorded as <i>C. virgatum</i> var. <i>hunteri</i> ; Nilsson-Cantell, 1938 recorded as <i>C. virgatum</i> var. <i>hunteri</i> ; Pradeep et al., 2016)
<i>Dosima guanamuthui</i> (Daniel, 1971)	P						Andaman and Nicobar Islands (Daniel, 1971 recorded as <i>Lepas guanamuthui</i> ; Fernando, 2006)
<i>Hyalolepas bengalensis</i> Daniel, 1952	P		Tamil Nadu (Daniel, 1956 recorded as <i>L. bengalensis</i> Daniel, 1952); Bay of Bengal (Daniel, 1956)		Tamil Nadu (Daniel, 1952 recorded as <i>Lepas bengalensis</i> ; 1956 recorded as <i>L. bengalensis</i> Daniel, 1952; Fernando, 2006; Krishnamoorthy, 2007)		

				recorded as <i>L. bengalensis</i> Daniel, 1952); Bay of Bengal (Daniel, 1956)		
<i>Lepas anserifera</i> Linnaeus, 1767	P	Gujarat (Parmar et al., 2018; Trivedi et al., 2021, in press);	Tamil Nadu (Sundararaj 1927)	Tamil Nadu (Daniel, 1956; Fernando, 1978; Krishnamoorthy, 2007; Prasanth and Sureshkumar, 2020); Andhra Pradesh (Nilsson-Cantell, 1938; Daniel 1981 as <i>Lepas anserifera</i>); Odisha (Annandale, 1909; Nilsson-Cantell, 1938);	West Bengal (Annandale, 1909; Daniel, 1956, 1981)	Andaman and Nicobar Islands (Annandale, 1909; Nilsson-Cantell, 1938)
<i>Lepas anatifera</i> Linnaeus, 1758	P	Gujarat (Trivedi et al., 2021, in press)		Tamil Nadu (Daniel, 1956, 1981; Fernando, 1978; Krishnamoorthy, 2007; Prasanth and Sureshkumar, 2020); Odisha (Annandale, 1909)	West Bengal (Ramkrishna and Talukdar, 2003);	Andaman and Nicobar Islands (Nilsson-Cantell, 1938); Bay of Bengal (Annandale, 1909; Nilsson-Cantell, 1938)
<i>Lepas pectinata</i> Spengler, 1793	P			Tamil Nadu (Daniel, 1956; Krishnamoorthy, 2007)		Andaman and Nicobar Islands (Nilsson-Cantell, 1938)
<i>Lepas indica</i> Annandale, 1909	P			Tamil Nadu (Daniel, 1956 recorded as <i>Lepas anatifera indica</i> Annandale, 1909; 1981 recorded as <i>L. anatifera indica</i> Annandale; Krishnamoorthy, 2007 recorded as <i>L. anatifera indica</i> Annandale, 1909); Odisha (Annandale, 1909)	West Bengal (Ramkrishna and Talukdar, 2003 as <i>L. anatifera indica</i> Annandale, 1909)	

recorded as *L. anatifera indica* Annandale, 1909);

Heteralepadidae Nilsson-Cantell, 1921			
<i>Alepes pacifica</i> Pilsbry, 1907	P	Tamil Nadu (Fernando, 2006 recorded as <i>Alepes</i> <i>navigator</i> (Pilsbry, 1912))	Bay of Bengal (Annandale, 1914 recorded as <i>A.</i> <i>investigatoris</i>)
<i>Heteralepas</i> <i>cornuta</i> (Darwin, 1851)	DW		Andaman and Nicobar Islands (Nilsson-Cantell, 1938 recorded as <i>Heteralepas</i> (<i>Heterolepas</i>) <i>cornuta</i> Darwin; Jones and Hosie, 2016)
<i>Heteralepas</i> <i>japonica</i> (Aurivillius, 1892)	DW		Bay of Bengal (Nilsson- Cantell, 1938 recorded as <i>Heteralepas</i> (<i>Heteralepas</i>) <i>japonica</i> Aurivillius, 1892)
<i>Heteralepas</i> <i>nicobarica</i> Annandale, 1909	DW		Andaman and Nicobar Islands (Annandale, 1909 recorded as <i>Heteralepas</i> (<i>Heteralepas</i>)

nicobarica
Annandale, 1909)

Paralepas xenophorae (Annandale, 1906) DW Kerala (Annandale, 1906b as *Alepas xenophorae* Annandale, 1906; 1909 recorded as *Heteralepas (Paralepas) xenophorae*; Nilsson-Cantell, 1938 recorded as *H. (Paralepas) xenophorae* Annandale, 1906)

Lithotryidae
Gruvel, 1905

Lithotrya nicobarica Reinhardt, 1850 I Andaman and Nicobar Islands (Reinhardt, 1850; Annandale, 1905, 1916; Nilsson-Cantell, 1938; Daniel, 1972; Fernando, 2006; Namboothri and Fernando, 2012; Jones and Hosie, 2016)

Calanticidae
Zevina, 1978

Calantica kampeni DW Bay of Bengal (Annandale, 1914 recorded as

(Annandale, 1909)				<i>Scalpellum</i> (<i>Smilium</i>) <i>kampeni</i> , Annandale)
<i>Euscalpellum rostratum</i> (Darwin, 1851)	DW	Arabian sea (Nilsson-Cantell, 1938)		Bay of Bengal (Annandale, 1914 recorded as <i>Scalpellum</i> (<i>Smilium</i>) <i>rostratum</i> , Darwin)
<i>Euscalpellum squamuliferum</i> (Weltner, 1894)	DW		Tamil Nadu (Daniel, 1956 recorded as <i>Smilium squamuliferum</i> Weltner, 1894; Krishnamoorthy, 2007 recorded as <i>S. squamuliferum</i> Weltner, 1894)	Andaman and Nicobar Islands (Nilsson-Cantell, 1938)
<i>Smilium acutum</i> (Hoek, 1883)	DW			Andaman and Nicobar Islands (Annandale, 1905, 1916)
<i>Smilium sinense</i> (Annandale, 1910)	DW			Bay of Bengal (Annandale, 1914 recorded as <i>Scalpellum</i> (<i>Smilium</i>) <i>sinense</i> , Annandale).
Pollicipedidae				
Leach, 1817				
<i>Pollicipes polymerus</i> Sowerby, 1833 (Specimens probably imported from northern Pacific,	I		Tamil Nadu (Daniel, 1953b recorded as <i>Pollicipes polymerus madrasensis</i> ; 1956 recorded as <i>P. polymerus madrasensis</i> Daniel, 1953; Newman and Killingley, 1984;	

not native in India, not a valid record for India (see Newman and Killingley 1984)		Krishnamoorthy, 2007 recorded as <i>P. polymerus madrasensis</i> Daniel, 1953)	
Scalpellidae			
Pilsbry, 1907			
<i>Alcockianum alcockianum</i> (Annandale, 1906)	DW	Tamil Nadu (Annandale, 1906b as <i>Scalpellum Alcockianum</i> ; Nilsson-Cantell, 1938 recorded as <i>S. alcockianum</i> Annandale, 1906)	Andaman and Nicobar Islands (Nilsson-Cantell, 1938 recorded as <i>S. alcockianum</i> Annandale, 1906)
<i>Amigdoscalpellum costellatum</i> (Withers, 1935)	DW		Bay of Bengal (Nilsson-Cantell, 1938 recorded as <i>Scalpellum elongatum</i> Hoek, 1883)
<i>Amigdoscalpellum tenue</i> (Hoek, 1883)	DW		Bay of Bengal (Annandale, 1906a recorded as <i>Scalpellum tenue</i> Hoek, 1883)
<i>Annandaleum gruvelii</i> (Annandale, 1906)	DW	Tamil Nadu (Annandale, 1906b as <i>Scalpellum gruvelii</i>)	Lakshadweep Islands (Annandale, 1906b recorded as <i>S. gruvelii</i> ; 1906b recorded as <i>S. gruvelii</i> ; Nilsson-Cantell, 1938 recorded as <i>S. gruvelii</i> Annandale, 1906)
<i>Annandaleum gruvelii</i>	DW	Tamil Nadu (Annandale, 1906b,	

<i>quadratum</i> Annandale, 1906		recorded as <i>Annandaleum</i> <i>gruvelii</i> var. <i>quadratum</i>)			
<i>Annandaleum</i> <i>laccadivicum</i> <i>laccadivicum</i> (Annandale, 1906)	DW	Kerala (Annandale, 1906b as <i>Scalpellum</i> <i>subflavum</i> Annandale, 1905)	Lakshadweep Islands (Annandale, 1906b as <i>S. laccadivicum</i> var. <i>investigatoris</i> Annandale, 1906)	Tamil Nadu (Annandale, 1906b as <i>S. subflavum</i> Annandale, 1906)	
<i>Annandaleum</i> <i>lambda</i> (Annandale, 1910)	DW				Andaman and Nicobar Islands (Annandale, 1910b recorded as <i>S.</i> <i>lambda</i>); Bay of Bengal (Annandale, 1910b recorded as <i>Scalpellum lambda</i> ; Nilsson-Cantell, 1938 recorded as <i>S.</i> <i>lambda</i> Annandale, 1909 and <i>S. longius</i> Annandale, 1913)
<i>Arcoscalpellum</i> <i>sociabile</i> (Annandale, 1905)	DW				Andaman and Nicobar Islands (Nilsson-Cantell, 1938 recorded as <i>Scalpellum</i> <i>sociabile</i> Annandale, 1905; Jones and Hosie, 2016)
<i>Arcoscalpellum</i> <i>woodmasoni</i> (Annandale, 1906)	DW				Andaman and Nicobar Islands (Nilsson-Cantell, 1938 recorded as <i>Scalpellum</i>

					<i>woodmasoni</i> Annandale, 1906)
<i>Catherinum novaezelandiae</i> (Hoek, 1883)	DW				Andaman and Nicobar Islands (Annandale, 1905 as <i>Scalpellum novae-zelandiae</i> Hoek)
<i>Catherinum trapezoideum</i> (Hoek, 1907)	DW		Tamil Nadu (Nilsson- Cantell, 1938 recorded as <i>Scalpellum trapezoideum</i> Hoek, 1883)		
<i>Scalpellum (Smilium) bengalensis</i> (Annandale, 1906)	DW			Odisha (Annandale, 1906b recorded as <i>Scalpellum bengalense</i>); Bay of Bengal (Nilsson-Cantell, 1938 recorded as <i>Smilium bengalense</i> Annandale, 1906)	
<i>Scalpellum stearnsi</i> Pilsbry, 1890	DW				Andaman and Nicobar Islands (Nilsson-Cantell, 1938 as <i>Scalpellum stearnsii</i> Pilsbry, 1890)
<i>Teloscalpellum pacificum</i> (Pilsbry, 1907)	DW	Arabian Sea (Annandale, 1909)	Tamil Nadu (Nilsson- Cantell, 1938 recorded as <i>Scalpellum pacificum</i> Pilsbry, 1907)	Bay of Bengal (Nilsson- Cantell, 1938 recorded as <i>S. pacificum</i> Pilsbry, 1907)	
Chthamalidae Darwin, 1854					

<i>Chthamalus barnesi</i> Achituv and Safriel, 1980	I	Gujarat (Trivedi et al., 2021, in press); Maharashtra (Bhatt and Bal, 1960; Daniel, 1972) identified as <i>Chthamalus challenger</i> Hoek, 1883; Maharashtra (Karande and Palekar, 1963; Wagh and Bal, 1974; Daniel, 1972) recorded as <i>C. malayensis</i> Pilsbry, 1916; Gujarat (Parmar et al., 2018) recorded as <i>C. stellaus</i> (Poli, 1791)					
<i>Chthamalus malayensis</i> Pilsbry, 1916		Tamil Nadu (Daniel and Chakrabarathi, 1967); Tamil Nadu (Nilsson-Cantell, 1938 recorded as <i>C. stellatus stellatus</i> Poli, 1791; Daniel, 1956 recorded as <i>C. stellatus stellatus</i> Poli, 1791)	Lakshadweep (Daniel, 1972 recorded as <i>Chthamalus stellatus stellatus</i> (Poli))	Tamil Nadu (Dhandapani and Fernando, 1994); Tamil Nadu (Daniel, 1956 recorded as <i>C. stellatus stellatus</i> Poli, 1791; Krishnamoorthy, 2007 recorded as <i>C. stellatus stellatus</i> (Poli, 1791))	West Bengal (Daniel, 1981); Odisha (Mitra and Misra, 2006; Mitra et al., 2010); West Bengal (Ramkrishna and Talukdar, 2003) recorded as <i>C. stellatus</i> (Poli, 1791)	Andaman and Nicobar Islands (Namboothri and Fernando, 2012); Andaman and Nicobar Islands (Daniel, 1972 recorded as <i>C. stellatus stellatus</i> (Poli) 1795)	

<i>Euraphia hembeli</i> (Conrad, 1837)	I			Lakshadweep Islands (Daniel, 1972 recorded as <i>Chthamalus hembeli</i> (Conrad, 1837))			
<i>Microeuraphia withersi</i> (Pilsbry, 1916)	I	Gujarat (Trivedi et al., 2021, in press); Maharashtra (Nilsson- Cantell, 1938 recorded as <i>Chthamalus withersi</i> ; Karande and Palekar, 1966; Daniel, 1972 recorded as <i>C. withersi</i> Pilsbry, 1916; Wagh and Bal, 1974)				Odisha (Nilsson- Cantell, 1938 recorded as <i>C. withersi</i> ; Daniel, 1972 recorded as <i>C. withersi</i> , Pilsbry, 1916); West Bengal (Daniel, 1972 recorded as <i>C. withersi</i> Pilsbry, 1916; 1981 recorded as <i>Euraphia withersi</i> (Pilsbry))	
Chelonibiidae Pilsbry, 1916							
<i>Chelonibia caretta</i> (Spengler, 1790)	ET			Lakshadweep Islands (Borradaile, 1903)	Tamil Nadu (Daniel, 1956; Krishnamoorthy, 2007)		
<i>Chelonibia testudinaria</i> (Linnaeus, 1758)		Gujarat (Frazier, 1989; Trivedi et al., 2021, in press); Maharashtra (Daniel, 1958, Wagh and Bal, 1974 recorded as <i>Chelonibia</i>	Kerala (Pillai, 1958); Tamil Nadu (Sundararaj, 1927; Daniel, 1956 recorded as <i>C. patula</i> (Ranzani, 1818); Daniel and Chakrabarati, 1967 recorded as <i>C. patula</i> (Ranzani, 1818))	Lakshadweep Islands (Hayashi, 2012)	Tamil Nadu (Nilsson- Cantell, 1938 recorded as <i>C. patula</i> (Ranzani, 1818); Fernando, 1978; Krishnamoorthy, 2007 recored as <i>C. testudinaria</i> and recorded as <i>C. patula</i> (Ranzani, 1818)); Andhra Pradesh (Nilsson-Cantell, 1938 recorded as <i>C. patula</i>	West Bengal (Daniel 1981; Nilsson-Cantell, 1938)	Andaman and Nicobar Islands (Nilsson-Cantell, 1938)

patula (Ranzani, 1818))

(Ranzani, 1818); Daniel, 1981 recorded as *C. patula* (Ranzani, 1818)); Pulicat lake (Daniel, 1981 recorded as *C. patula* (Ranzani, 1818); Sanjeeva Raj, 2006 recorded as *C. patula* (Ranzani, 1818)); Odisha (Nilsson-Cantell, 1938 recorded as *C. patula* (Ranzani, 1818))

**Platylepadidae
Newman &
Ross, 1976**

*Platylepas
decorata*
(Darwin, 1854)

ET

Andaman and
Nicobar Islands
(Daniel, 1962
recorded as
*Platylepas
multidecorata*;
Fernando, 2006)

*Platylepas
hexastylus*
(Fabricius, 1798)

ET

Gujarat (Fraizer, 1989)

Tamil Nadu (Daniel, 1956;
Krishnamoorthy, 2007)

*Platylepas
indicus* Daniel,
1958

ET

Tamil Nadu (Daniel, 1958);

Andaman and
Nicobar Islands
(Fernando, 2006)

*Platylepas
ophiophila*
Lanchester, 1902

ET

Tamil Nadu (Nilsson-Cantell, 1938 recorded as *Platylepas ophiopholis* Lanchester, 1902); Odisha (Nilsson-Cantell, 1938 recorded as *P. ophiopholis* Lanchester, 1902; Fernando, 2006)

<i>Stomatolepas elegans</i> (Costa, 1838)	ET		Odisha (Fernando, 2006 recorded as <i>Stomatolepas praegustator</i> Pilsbry, 1910)
Coronulidae Leach, 1817			
<i>Xenobalanus globicipitis</i> (Steenstrup, 1852)	ECE	Karnataka (Devaraj and Bennet, 1974)	Tamil Nadu (Karuppiah et al., 2004); Bay of Bengal (Rajaguru and Shantha, 1992)
Tetraclitidae Gruvel, 1903			
<i>Neonrosella vitiata</i> (Darwin, 1854)	I		Andaman and Nicobar Islands (Darwin, 1854 recorded as <i>Tetraclita vitiata</i> Darwin, 1854; Nilsson-Cantell, 1938 recorded as <i>T. vitiata</i> Darwin, 1854; Daniel, 1972 recorded as <i>T. vitiata</i> Darwin, 1854; Jones and Hosie, 2016 recorded as <i>Yamaguchiella (Neonrosella) vitiata</i> Darwin, 1854)
<i>Tetraclitella karandei</i> Ross, 1971	I	Gujarat (Trivedi et al., 2021 in press); Maharashtra	

		(Ross, 1971; Fernando 2006)	
<i>Tetraclitella purpurascens</i> (Wood, 1815)	I	Gujarat (Desai and Senthikumar, 1975; Fernando, 2006; Parmar et al., 2018); Maharashtra (Bhatt and Bal, 1960; Wagh and Bal, 1969; 1974 recorded as <i>Tetraclita</i> (<i>Tetraclitella</i>) <i>purpurascens</i> Wood, 1815; Daniel, 1972 recorded as <i>T. purpurascens</i> (Wood) 1815)	Tamil Nadu (Daniel, 1956 recorded as <i>T. purpurascens</i> Wood, 1815; 1972 recorded as <i>T. purpurascens</i> (Wood) 1815; Krishnamoorthy, 2007 recorded as <i>T. purpurascens</i> Wood, 1815)
<i>Tetraclita ehsani</i> Chan, Shahdadi and Sari, 2011	I	Gujarat (Tsang et al., 2012; Trivedi et al., 2021, in press)	
<i>Tetraclita japonica formosana</i> (Hiro, 1939) (uncertain record, see discussion)	I		Andaman and Nicobar Islands (Malakar et al., 2015 recorded as <i>Tetraclita formosana</i>)
<i>Tetraclita squamosa rufotincta</i> Pilsbry, 1916	I	Gujarat (Wagh and Bal, 1969; Daniel, 1972; Fernando, 2006;	

(Should be <i>Tetracrita ehsani</i>)		Parmar et al., 2018)		
<i>Tetracrita squamosa</i> (Bruguère, 1789)	I		Tamil Nadu (Fernando, 2006);	Andaman and Nicobar Islands (Nilsson-Cantell, 1938 recorded as <i>Tetracrita squamosa viridis</i> Bruguère, 1789 and <i>T. porosa patellaris</i> Darwin, 1854; Daniel, 1972 recorded as <i>T. squamosa viridis</i> Darwin, 1854; Fernando, 2006)
<i>Yamaguchiella coerulescens</i> (Spengler, 1790)	I			Bay of Bengal (Nilsson- Cantell, 1938 recorded as <i>Tetracrita coerulescens</i> Spengler, 1790; Daniel, 1972 recorded as <i>T. coerulescens</i> (Spengler), 1790; Jones and Hosie, 2016 recorded as <i>Yamaguchiella (Yamaguchiella) coerulescens</i> Spengler, 1790))

Archaeobalanidae Newman & Ross, 1976				
<i>Acasta cyathus</i> Darwin, 1854	S	Tamil Nadu (Darwin, 1854; Jones and Hosie, 2016)		
<i>Acasta fenestrata</i> (Darwin, 1854)	S		Odisha (Nilsson-Cantell, 1938; Fernando, 2006);	Bay of Bengal (Darwin, 1854; Nilsson-Cantell, 1938)
<i>Acasta navicula</i> (Darwin, 1854)	S		Odisha (Nilsson-Cantell, 1938 recorded as <i>Balanus navicula</i> Darwin, 1854);	Andaman and Nicobar Islands (Nilsson-Cantell, 1938 recorded as <i>B. navicula</i> Darwin, 1854)
<i>Acasta sulcata</i> Lamarck, 1818	S	Tamil Nadu (Fernando, 2006)	Lakshadweep Islands (Jones and Hosie, 2016);	
<i>Acasta sulcata akanthosa</i> (Daniel, 1956). Perreault (2016) renamed <i>A. sulcata spinosa</i> as <i>A. sulcata akanthosa</i> due to <i>A. sulcata spinosa</i> homonym to <i>Acasta spinosa</i> Hiro. Kolbasov (1993) considered <i>A. sulcata akanthosa</i>	S		Tamil Nadu (Daniel, 1956 recorded as <i>Acasta sulcata</i> var. <i>spinosa</i> ; Fernando, 2006 recorded as <i>A. sulcata spinosa</i> Daniel, 1956; Krishnamoorthy, 2007 recorded as <i>A. sulcata</i> var. <i>spinosa</i> Daniel, 1956); Bay of Bengal (Daniel, 1956 recorded as <i>A. sulcata</i> var. <i>spinosa</i>)	

synonym to *A. sulcata*.

Armatobalanus allium (Darwin, 1854)

C

Bay of Bengal (Darwin, 1854 recorded as *Balanus allium* Darwin, 1854; Jones and Hosie, 2016)

Andaman and Nicobar Islands (Jones and Hosie, 2016);

Armatobalanus arcuatus Hoek, 1913

EG

Andaman and Nicobar Islands (Hoek, 1913 recorded as *Balanus arcuatus*; Nilsson-Cantell, 1938 recorded as *B. arcuatus* Hoek, 1913); Bay of Bengal (Annandale, 1924 as *B. arcuatus* Hoek, 1913)

Armatobalanus cepa (Darwin, 1854)

EG

Tamil Nadu (Darwin, 1854 recorded as *Balanus cepa*; Annandale, 1924 recorded as *Balanus fujiyama*; Nilsson-Cantell, 1938 recorded as *B. cepa* Darwin, 1854); Bay of Bengal (Annandale, 1924 as

Odisha (Nilsson-Cantell, 1938 recorded as *B. cepa* Darwin, 1854);

B. fujiyama
Annandale, 1924)

Conopea calceola C
(Ellis, 1758)

Tamil Nadu (Darwin, 1854,
Daniel, 1956 recorded as
Balanus calceolus Darwin,
1854; Krishnamoorthy, 2007
recorded as *B. calceolus*
Darwin, 1854); Andhra
Pradesh (Nilsson-Cantell,
1938)

Conopea C
cymbiformis
(Darwin, 1854)

Tamil Nadu (Darwin, 1854
recorded as *Balanus*
cymbiformis; Daniel, 1956
recorded as *B. cymbiformis*
Darwin, 1854;
Krishnamoorthy, 2007
recorded as *B. cymbiformis*
Darwin, 1854; Fernando,
2006); Odisha (Nilsson-
Cantell, 1938 recorded as *B.*
cymbiformis Darwin, 1854)

Eoatria S
funiculorum
(Annandale,
1906)
(Note Van Syoc
and Newman
2010 erected
Eoatria and
accommodating
Balanus
furniculorum
(Annandale,

Tamil Nadu (Nilsson-
Cantell, 1938
recorded as *Acasta*
funiculorum
Annandale, 1906;
Gulf of Mannar (Van
Syoc and Newman,
2010)

1906) into this
genus

Euacasta porata
(Nilsson-Cantell,
1921)

Tamil Nadu (Nilsson-
Cantell, 1938
recorded as *Acasta*
porata Nilsson-
Cantell, 1921;
Fernando, 2006); Bay
of Bengal (Nilsson-
Cantell, 1938 as *A.*
porata Nilsson-
Cantell, 1921)

Odisha (Nilsson-Cantell,
1938 as *A. porata* Nilsson-
Cantell, 1921; Fernando,
2006);

Membranobalanus S
longirostrum
(Hoek, 1913)

Tamil Nadu (Daniel,
1956 recorded as
Balanus
(*Membranobalanus*)
longirostrum var.
krusadaiensis Danie,
1956, 1972 recorded
as *B. longirostrum*
krusadaiensis Daniel,
1956; Premkumar
and Daniel, 1968
recorded as *B.*
(*Membranobalanus*)
roonwali Premkumar
and Daniel, 1968;
Sundararaj, 1927;
Nilson-Cantell, 1938

Tamil Nadu (Daniel, 1972
recorded as *B. longirostrum*
krusadaiensis Daniel, 1956;
1981; Krishnamoorthy, 2007
recorded as *B. longirostrum*
var. *krusadaiensis* Daniel,
1956)

		recorded as <i>B. longirostrum</i>)		
<i>Multatritia terebratus</i> (Darwin, 1854)	S	Tamil Nadu (Darwin, 1854 recorded as <i>Balanus terebratus</i> Darwin, 1854; Jones and Hosie, 2016);	Odisha (Nilsson-Cantell, 1938 recorded as <i>B. terebratus</i> Darwin, 1854); Bay of Bengal (Nilsson-Cantell, 1938 recorded as <i>B. terebratus</i> Darwin, 1854)	
<i>Multatritia terebratus radificifer</i> (Annandale, 1924)	S			Bay of Bengal (Annandale, 1924 as <i>Balanus terebratus</i> var. <i>radificifer</i>)
<i>Neoacasta glans</i> (Lamarck, 1818)	S		Odisha (Nilsson-Cantell, 1938 recorded as <i>Acasta glans</i> Lamarck, 1818; Fernando, 2006); Bay of Bengal (Nilsson-Cantell, 1938 recorded as <i>A. glans</i> Lamarck, 1818; Jones and Hosie, 2016)	
<i>Neoacasta laevigata</i> (Gray, 1825)	S			Andaman and Nicobar Islands (Nilsson-Cantell, 1938 recorded as <i>Acasta laevigata</i> Gray, 1825; Jones and Hosie, 2016)
<i>Pectinoacasta pectinipes</i> (Pilsbry, 1912)	S			Andaman and Nicobar Islands (Nilsson-Cantell, 1938 recorded as <i>Acasta pectinipes</i>

Pilsbry, 1912; Jones and Hosie, 2016)

*Semibalanus
balanoides*
(Linnaeus, 1767)
(Considered as
mis-identification
in the present
study, see
discussion below)

I

*Semibalanus
madrasensis*
(Daniel, 1958)

Tamil Nadu (Daniel, 1956
recorded as *Balanus
balanoides* Linnaeus, 1767;
Krishnamoorthy, 2007
recorded as *B. balanoides*
Linnaeus, 1767)

Tamil Nadu (Daniel, 1958
*Balanus (Semibalanus)
madrasensis*; 1972 recorded
as *B. (Semibalanus)
madrasensis* Daniel, 1958)

*Semibalanus
sinnurensis*
(Daniel, 1962)

I

Tamil Nadu (Daniel, 1962
recorded as *Balanus
(Semibalanus) sinnurensis*;
1972 recorded as *B.
(Semibalanus) sinnurensis*
Daniel, 1962; 1981;
Fernando, 2006)

*Solidobalanus
ciliates* (Hoek,
1913)

EG

Arabian sea
(Nilsson-
Cantell, 1938);
Karnataka
(Nilsson-
Cantell, 1938
recorded as
*Balanus
ciliatus*);

Kerala (Nilsson-
Cantell, 1938
recorded as *B.
ciliatus* Hoek, 1913);
Tamil Nadu (Nilsson-
Cantell, 1938
recorded as *B.
ciliatus* Hoek, 1913;
Fernando, 2006);

Odisha (Nilsson-Cantell,
1938 recorded as *B.
ciliatus*);

Andaman and
Nicobar Islands
(Nilsson-Cantell,
1938; Fernando,
2006)

*Solidobalanus
socialis* (Hoek,
1883)

EG

Tamil Nadu
(Annandale, 1906b;
Nilsson-Cantell, 1938)

Bay of Bengal (Jones and
Hosie, 2016)

			recorded as <i>Balanus socialis</i>)			
<i>Striatobalanus amaryllis</i> (Darwin, 1854)	EG	Maharashtra (Karande and Palekar, 1966 recorded as <i>Balanus amaryllis</i> forma <i>euamaryllis</i> Broch, 1922; Wagh and Bal, 1974 recorded as <i>B. amaryllis</i> forma <i>euamaryllis</i> Broch, 1922; Swami et al., 2011 as <i>Chirona amaryllis eumaryllis</i>); Goa (Nandankumar, 1990 recorded as <i>B. amaryllis</i>)	Tamil Nadu (Nilsson-Cantell, 1938 recorded as <i>B. amaryllis</i> forma <i>nivea</i>)	Tamil Nadu (Nilsson-Cantell, 1938 recorded as <i>B. amaryllis</i> forma <i>euamaryllis</i> Broch, 1922; Daniel, 1956 recorded as <i>B. amaryllis</i> forma <i>euamaryllis</i> Broch, 1922 and <i>B. amaryllis</i> forma <i>nivea</i> Gruvel, 1905; 1972 recorded as <i>B. amaryllis euamaryllis</i> , Broch, 1922; Krishnamoorthy, 2007 recorded as <i>B. amaryllis</i> forma <i>euamaryllis</i> , Broch, 1922 and <i>B. amaryllis</i> forma <i>nivea</i> Gruvel, 1905; Prasanth and Sureshkumar, 2020) Odisha (Nilsson-Cantell, 1938 recorded as <i>B. amaryllis</i> forma <i>euamaryllis</i> Broch, 1922 and <i>B. amaryllis</i> forma <i>nivea</i> Gruvel; Daniel, 1972 recorded as <i>B. amaryllis euamaryllis</i> , Broch, 1922; Fernando, 2006);	West Bengal (Nilsson-Cantell, 1938 recorded as <i>B. amaryllis</i> forma <i>euamaryllis</i> Broch, 1922; Daniel, 1981 recorded as <i>C. amaryllis nivea</i> and <i>C. amaryllis euamaryllis</i>)	
<i>Striatobalanus tenuis</i> (Hoek, 1883)	EG	Gujarat (Trivedi et al., 2021, in press); Karnataka (Nilsson-Cantell, 1938 recorded as <i>Balanus tenuis</i>);		Tamil Nadu (Daniel, 1956 recorded as <i>B. tenuis</i> Hoek, 1883; Krishnamoorthy, 2007 recorded as <i>B. tenuis</i> Hoek, 1883); Odisha (Nilsson-Cantell, 1938 recorded as <i>B. tenuis</i>)	Bay of Bengal (Nilsson-Cantell, 1938 recorded as <i>B. tenuis</i>)	Andaman and Nicobar Islands (Nilsson-Cantell, 1938 recorded as <i>B. tenuis</i>)

Balanidae
Leach, 1817

<i>Amphibalanus amphitrite</i> (Darwin, 1854)	I	Gujarat (Singh et al., 2004; Trivedi et al., 2015; Parmar et al., 2018; Trivedi et al., 2021, in press); Maharashtra (Bhatt and Bal, 1960; Karande and Palekar, 1966; Wagh and Bal, 1974 recorded as <i>Balanus amphitrite hawaiiensis</i> Broch, 1922 and <i>B. amphirite communis</i> Darwin, 1854; Fernando, 2006); Goa (Nandankumar, 1990 recorded as <i>B. amphirite</i> ; Anil and Kurian, 1996; Desai et al., 2018 recorded as <i>B. amphitrite</i>); Kerala (Nilsson-Cantell, 1938 recorded as <i>B.</i>	Tamil Nadu (Nilsson-Cantell, 1938 recorded as <i>B. amphitrite communis</i> Darwin, 1854);	Tamil Nadu (Nilsson-Cantell, 1938 recorded as <i>B. amphitrite communis</i> Darwin, 1854; Daniel, 1956 recorded as <i>B. amphitrite communis</i> Darwin, 1854; 1981 as <i>B. amphitrite amphitrite</i> ; Krishnamoorthy, 2007 recorded as <i>B. amphitrite communis</i> Darwin, 1854; Satpathy et al., 2010 recorded as <i>B. amphitrite</i> Darwin; Prasanth and Sureshkumar, 2020); Andhra Pradesh (Daniel, 1981 as <i>B. amphitrite amphitrite</i> ; Rao and Balaji, 1988 recorded as <i>B. amphirite</i>); Pulicat Lake (Daniel, 1981 as <i>B. amphitrite amphitrite</i> ; Raj et al., 2002 recorded as <i>B. amphitrite</i> ; Sanjeeva Raj, 2006 recorded as <i>B. amphitrite</i>); Odisha (Nilsson-Cantell, 1938 recorded as <i>B. amphitrite communis</i> Darwin, 1854; Pati et al., 2009)	Odisha (Daniel, 1981 as <i>B. amphitrite amphitrite</i> ; Mitra and Misra, 2006; Pati et al., 2009; Mitra et al., 2010; Mondal et al., 2019); West Bengal (Nilsson-Cantell, 1938 recorded as <i>B. amphitrite communis</i> Darwin, 1854; Daniel, 1981 recorded as <i>B. amphitrite amphitrite</i> ; Ramkrishna and Talukdar, 2003); Bay of Bengal (Daniel, 1981)	Andaman and Nicobar Islands (Mishra et al., 2010; Patro, 2012)
---	---	---	--	---	--	--

		<i>amphitrite</i> <i>cochinensis</i> ; Pillai, 1958; Daniel, 1981 recorded as <i>B.</i> <i>amphitrite</i> <i>amphitrite</i> ; Sahadevan, 2016)		
<i>Amphibalanus</i> <i>cirratus</i> (Darwin, 1854)	I		Andhra Pradesh (Nilsson- Cantell, 1938 recorded as <i>B.</i> <i>amphitrite cirratus</i> Darwin, 1854); Pulicat Lake (Raj et al., 2002 recorded as <i>B.</i> <i>cirratus</i>)	Odisha (Nilsson- Cantell, 1938 recorded as <i>B.</i> <i>amphitrite</i> <i>cirratus</i> Darwin, 1854); West Bengal (Nilsson- Cantell, 1938 recorded as <i>B.</i> <i>amphitrite</i> <i>cirratus</i> Darwin, 1854; Daniel, 1981 recorded as <i>B. variegatus</i> var. <i>cirratus</i>)
<i>Amphibalanus</i> <i>eburneus</i> (Gould, 1841)	I		Tamil Nadu (Daniel, 1956 recorded as <i>Balanus</i> <i>eburneus</i> Gould, 1841; Krishnamoorthy, 2007 recorded as <i>B. eburneus</i> Gould, 1841)	
<i>Amphibalanus</i> <i>improvises</i> (Darwin, 1854)	I		Odisha (Pati et al., 2009)	

<i>Amphibalanus reticulatus</i> (Utinomi, 1967)	I	Gujarat (Trivedi et al., 2021, in press); Maharashtra (Karande and Palekar, 1966 recorded as <i>Balanus amphitrite</i> var. <i>denticulata</i> Broch, 1927; Henry and McLaughlin, 1975 recorded as <i>B. reticulatus</i> Utinomi; Swami et al., 2011 recorded as <i>B. reticulatus</i>)	Tamil Nadu (Fernando, 2006; Satpathy et al., 2010 recorded as <i>B. reticulatus</i> Utinomi); Pulicat lake (Raj et al., 2002 recorded as <i>B. reticulatus</i>)		
<i>Amphibalanus variegatus</i> (Darwin, 1854)	I	Maharashtra (Bhatt and Bal, 1960 recorded as <i>Balanus amphitrite malayensis</i> Hoek; Karande and Palekar, 1966 recorded as <i>B. amphitrite</i> var. <i>variegatus</i> Darwin, 1854; Swami et al., 2011); Goa (Nilsson-Cantell, 1938 recorded as <i>Balanus</i>	Tamil Nadu (Nilsson-Cantell, 1938 recorded as <i>B. amphitrite variegatus</i> Darwin, 1854; Daniel, 1956 recorded as <i>B. amphitrite variegatus</i> Darwin, 1854; Krishnamoorthy 2007 recorded as <i>B. amphitrite variegatus</i> Darwin, 1854; Satpathy et al., 2010); Bay of Bengal (Nilsson-Cantell, 1938 recorded as <i>B. amphitrite variegatus</i> Darwin, 1854)	Odisha (Nilsson-Cantell, 1938 recorded as <i>B. amphitrite venustus</i> Darwin, 1854; Ramkrishna and Talukdar, 2003); West Bengal (Daniel, 1981 recorded as <i>B. variegatus</i> Darwin, 1854; Ramkrishna and Talukdar, 2003 recorded as <i>B.</i>	Andaman and Nicobar Islands (Daniel, 1972 recorded as <i>B. amphitrite variegatus</i> Darwin, 1854); recorded as <i>B. variegatus</i> Darwin)

		<i>amphitrite variegatus</i> Darwin, 1854)			<i>variegatus</i> (Darwin))	
<i>Amphibalanus venustus</i> (Darwin, 1854)	I	Maharashtra (Bhatt and Bal, 1960 recorded as <i>Balanus amphitrite malayensis</i> Hoek; Karande and Palekar, 1966 recorded as <i>B. amphitrite</i> var. <i>venustus</i> ; Henry and McLaughlin, 1975 recorded as <i>B. venustus</i> Darwin; Swami et al., 2011)	Tamil Nadu (Nilsson- Cantell, 1938 recorded as <i>B. amphitrite venustus</i> Darwin, 1854)	Tamil Nadu (Daniel, 1956 recorded as <i>B. amphitrite venustus</i> Darwin, 1854; Krishnamoorthy 2007 recorded as <i>B. amphitrite venustus</i> Darwin, 1854); Bay of Bengal (Nilsson-Cantell, 1938 recorded as <i>B. amphitrite variegatus</i> Darwin, 1854)	Odisha (Ramkrishna and Talukdar, 2003); West Bengal (Daniel, 1981 recorded as <i>B. variegatus</i> Darwin, 1854; Ramkrishna and Talukdar, 2003 recorded as <i>B. variegatus</i> (Darwin))	Andaman and Nicobar Islands (Daniel, 1972 recorded as <i>B. amphitrite variegatus</i> Darwin, 1854)
<i>Balanus balanus</i> (Linnaeu s, 1758) (Considered as mis-identification and invalid, see discussion below)	I	Gujarat (Ramamoorthy et al., 2012)				
<i>Balanus calidus</i> Pilsbry, 1916	I	Maharashtra (Karande and Palekar, 1966)		Tamil Nadu (Daniel, 1956; Krishnamoorthy, 2007)		
<i>Balanus crenatus</i> Bruguère, 1789	I	Gujarat (Parmar et al., 2018)				Andaman and Nicobar Islands (Namboothri and Fernando, 2012)
<i>Balanus glandula</i> Darwin,	I			Odisha (Nayak and Berkes, 2014; Nayak, 2017)		

1854 (Considered as mis-identification and invalid, see discussion)

Balanus hoekianus Pilsbry, 1911

I

Fistulobalanus kondakovi (Tarasov & Zevina, 1957)

I

Maharashtra (Karande and Palekar, 1966; Henry and McLaughlin, 1975 recorded as *Balanus pallidus* Darwin)

Fistulobalanus pallidus (Darwin, 1854)

I

Maharashtra (Nilsson-Cantell, 1938 recorded as *Balanus amphitrite pallidus* Darwin, 1854; Wagh, 1974 as *B. amphitrites tutsburi* Darwin, 1854; Henry and McLaughlin, 1975 recorded as *B. pallidus* Darwin)

Tamil Nadu (Daniel, 1981)

Tamil Nadu (Fernando, 2006 recorded as *Balanus kondakovi* Tarasov and Zevina, 1957); Odisha (Karande and Gaonkar, 1977)

<i>Fistulobalanus patelliformis</i> (Bruguière, 1789)	I				Tamil Nadu (Fernando, 2006 recorded as <i>Balanus patelliformis</i> Bruguière, 1789); Andhra Pradesh (Rao and Balaji, 1988 recorded as <i>Balanus patellaris</i>); Odisha (Nilsson-Cantell, 1938 recorded as <i>B. patellaris</i> (Spengler); Daniel, 1972 recorded as <i>B. patellaris</i> (Spengler) 1780; 1981 recorded as <i>B. patellaris</i>);	Odisha (Daniel, 1981 recorded as <i>B. patellaris</i>); West Bengal (Daniel, 1981 recorded as <i>B. patellaris</i>)	
<i>Megabalanus occator</i> (Darwin, 1854)	I				Tamil Nadu (Daniel, 1972 recorded as <i>Balanus tintinnabulum occator</i> Darwin, 1854)		Andaman and Nicobar Islands (Daniel, 1972 recorded as <i>B. tintinnabulum occator</i> Darwin, 1854)
<i>Megabalanus tintinnabulum</i> (Linnaeus, 1758)	I	Gujarat (Singh et al., 2004; Ramamoorthy et al., 2012; Trivedi et al., 2015; Parmar et al., 2018; Trivedi et al., 2021, in press); Maharashtra (Karande and Palekar, 1966; Wagh and Bal, 1974 recorded as <i>Balanus tintinnabulum tintinnabulum</i> Linnaeus,	Tamil Nadu (Sundararaj, 1927)		Tamil Nadu (Daniel, 1956 recorded as <i>B. tintinnabulum tintinnabulum</i> Linnaeus, 1758; 1981 recorded as <i>Megabalanus tintinnabulum tintinnabulum</i> Linnaeus, 1758; Krishnamoorthy, 2007 recorded as <i>B. tintinnabulum tintinnabulum</i> Linnaeus, 1758; Satpathy et al., 2010 recorded as <i>B. tintinnabulum tintinnabulum</i> Linnaeus); Andhra Pradesh (Rao and Balaji, 1988 recorded as <i>B. tintinnabulum</i>); Odisha (Pati et al., 2009);	West Bengal (Nilsson-Cantell, 1938 recorded as <i>B. tintinnabulum tintinnabulum</i> Linnaeus, 1758; Daniel, 1981 recorded as <i>M. tintinnabulum tintinnabulum</i> (Linnaeus); Ramkrishna and Talukdar, 2003 as <i>M. tintinnabulum</i> Newman & Ross), Bay of	Andaman and Nicobar Islands (Daniel, 1972 recorded as <i>B. tintinnabulum tintinnabulum</i> Linnaeus, 1758)

		1758); Goa (Nandakumar, 1990, recorded as <i>B.</i> <i>tintinnabulum</i>)		Bengal (Nilsson- Cantell, 1938 recorded as <i>B.</i> <i>tintinnabulum</i> <i>tintinnabulum</i> Linnaeus, 1758)
<i>Megabalanus</i> <i>validus</i> Darwin, 1854	I	Tamil Nadu (Daniel, 1972 recorded as <i>Balanus</i> <i>tintinnabulum validus</i> Darwin, 1854)		Andaman and Nicobar Islands (Daniel, 1972 recorded as <i>B.</i> <i>tintinnabulum</i> <i>validus</i> Darwin, 1854)
<i>Megabalanus</i> <i>volcano</i> (Pilsbry, 1916)	I	Tamil Nadu (Nilsson- Cantell, 1938 recorded as <i>Balanus</i> <i>tintinnabulum</i> <i>volcano</i> Pilsbry, 1916; Daniel, 1972 recorded as <i>B.</i> <i>tintinnabulum</i> <i>volcano</i> Pilsbry, 1916)	Odisha (Daniel, 1972 recorded as <i>B. (Balanus)</i> <i>amphitrite volcano</i> Pilsbry)	Andaman and Nicobar Islands (Daniel, 1972 recorded as <i>B.</i> <i>tintinnabulum</i> <i>volcano</i> Pilsbry, 1916)
<i>Notomegabalanus</i> <i>squillae</i> (Daniel & Ghosh, 1963) Pitombo (2003) classified <i>Balanus</i> (<i>Megabalanus</i>) <i>squillae</i> into the	I		Tamil Nadu (Daniel and Ghosh, 1963 recorded as <i>Balanus (Megabalanus)</i> <i>squillae</i>)	

genus
Notomegabalanu
 s

<i>Perforatus perforates</i> (Bruguière, 1789) (Mis-identified and invalid record, see discussion)	I	Tamil Nadu (Daniel, 1956 recorded as <i>Balanus perforatus</i> (Brugiere, 1789); 1972 recorded as <i>B. perforatus</i> Brugiere, 1789; Krishnamoorthy, 2007 recorded as <i>B. perforatus</i> (Brugiere, 1789))	Andaman and Nicobar Islands (Nilsson-Cantell, 1938 recorded as <i>B. perforatus</i> Bruguière, 1789; Daniel, 1972 recorded as <i>B. perforates</i> Brugiere, 1789; Namboothri and Fernando, 2012 recorded as <i>B. perforatus</i>)
--	---	--	---

Pyrgomatidae
Gray, 1825

<i>Pyrgomina</i> sp. Ross and Pitombo revised Megatrematidae, <i>Adnaanglica</i> is only present in Atlantic Ocean. Species in the Indo-Pacific is classified under <i>Pyrgomina</i> .	C	Odisha (Nilsson-Cantell, 1938 recorded as <i>Pyrgoma anglicum</i> Sowerby, 1823)	
<i>Cantellius euspinulosum</i> (Broch, 1931)	C		Bay of Bengal (Jones and Hosie, 2016) Andaman and Nicobar Islands (Nilsson-Cantell,

1938 recorded as
Creusia spinulosa
forma *euspinula*
Broch, 1931; Jones
and Hosie, 2016)

Bay of Bengal
(Darwin, 1854
recorded as *Creusia*
spinulosa var. (3)
Darwin, 1854;
Nilsson-Cantell,
1938 recorded as *C.*
spinulosa forma
gregaria Broch,
1931; Jones and
Hosie, 2016)

Andaman and
Nicobar Islands
(Darwin, 1854
recorded as *Creusia*
spinulosa var. 6,
subvar. 1 Darwin.
1854; Nilsson-
Cantell, 1938
recorded as *C.*
spinulosa forma
transversalis
Nilsson-Cantell,
1938; Jones and
Hosie, 2016)

Andaman and
Nicobar Islands
(Darwin, 1854
recorded as *Creusia*
spinulosa var. 2
Darwin, 1854;
Nilsson-Cantell,

Cantellius C
gregarius
(Sowerby, 1823)

Cantellius C
transversalis
(Nilsson-Cantell,
1938)

Cantellius C
secundus (Broch,
1931)

<i>Creusia spinulosa</i> Leach, 1818	C			1938 recorded as <i>C. spinulosa</i> forma <i>secunda</i> Broch, 1931; Jones and Hosie, 2016)
<i>Darwiniella conjugatum</i> (Darwin, 1854)	C	Tamil Nadu (Daniel, 1972 recorded as <i>Pyrgoma conjunctum</i> Darwin, 1854)	Tamil Nadu (Daniel, 1972 recorded as <i>Pyrgoma conjunctum</i> Darwin, 1854); Bay of Bengal (Darwin, 1854; Nilsson-Cantell, 1938 recorded as <i>P. conjunctum</i> Darwin, 1854; Jones and Hosie, 2016)	Andaman and Nicobar Islands (Annandale, 1924; Nilsson-Cantell, 1938; Daniel, 1972 recorded as <i>Creusia spinulosus euspinosus</i> Broch, 1931); Bay of Bengal (Annandale, 1924; Nilsson-Cantell, 1938)
<i>Galkinius indica</i> (Annandale, 1924)	C		Bay of Bengal (Darwin, 1854 recorded as <i>Creusia spinulosa</i> var. (11) Darwin, 1854; Annandale, 1924 recorded as <i>Pyrgoma indicum</i> Annandale, 1924; Nilsson-Cantell, 1938 recorded as <i>C. spinulosa</i> forma <i>angustiradiata</i> Broch, 1931; Jones and Hosie, 2016)	

<i>Hoekia monticulariae</i> (Gray, 1831)	C		Bay of Bengal (Gray, 1831; Annandale, 1924 as <i>Pyrgoma</i> (<i>Daracia</i>) <i>monticulariae</i> Gray, 1831; Nilsson-Cantell, 1938 recorded as <i>P.</i> <i>monticulariae</i> Gray, 1831; Jones and Hosie, 2016)	
<i>Nobia grandis</i> Sowerby, 1839	C		Bay of Bengal (Annandale, 1924 as <i>Pyrgoma</i> <i>grande</i> Darwin, 1854)	Andaman and Nicobar Islands (Nilsson-Cantell, 1938 recorded as <i>P.</i> <i>grande</i> ; Daniel 1972 recorded as <i>P.</i> <i>grande</i> (Sowerby) 1839)
<i>Pyrgoma cancellatum</i> Leach, 1818	C	Tamil Nadu (Fernando, 2006)		
<i>Pyrgopsella annandalei</i> (Gruvel, 1906)	C			Andaman and Nicobar Islands (Gruvel, 1906; 1907 recorded as <i>Pyrgopsis</i> <i>annandalei</i> ; Nilsson-Cantell, 1938 recorded as <i>P.</i> <i>annandalei</i> Gruvel, 1907); Bay of

				Bengal (Gruvel, 1906 recorded as <i>P. annandalei</i> ; 1907 recorded as <i>P. annandalei</i>)
<i>Savignium crenatum</i> (Sowerby, 1823)	C		Bay of Bengal (Annandale, 1924 as <i>Pyrgoma crenatum</i> Sowerby; Nilsson-Cantell, 1938 recorded as <i>P. crenatum</i> Sowerby, 1823)	
<i>Trevathana dentata</i> (Darwin, 1854)	C		Bay of Bengal (Nilsson-Cantell, 1938 recorded as <i>Pyrgoma dentatum</i> Darwin, 1854)	
<i>Wanella milleporae</i> (Darwin, 1854)	C	Bay of Bengal (Nilsson-Cantell, 1938 recorded as <i>Pyrgoma milleporae</i> Darwin, 1854)		
Verrucidae				
Darwin, 1854				
<i>Altiverruca plana</i> (Gruvel, 1907)	DW			Andaman and Nicobar Islands (Gruvel, 1907 recorded as <i>Verruca plana</i> , Nilsson-Cantell, 1938 recorded as <i>V.</i>

<i>Altiverruca regularis</i> (Nilsson-Cantell, 1929)	DW	<i>plana</i> Gruvel, 1907) Andaman and Nicobar Islands (Nilsson-Cantell, 1938 recorded as <i>Verruca regularis</i> Nilsson-Cantell, 1929)
<i>Cristallina verruca cristallina</i> (Gruvel, 1907)	DW	Andaman and Nicobar Islands (Gruvel 1907 recorded as <i>Verruca cristallina</i> ; Nilsson-Cantell, 1938 recorded as <i>V. cristallina</i> Gruvel, 1907)
<i>Cristallina verruca regularis</i> (Nilsson-Cantell, 1929)	DW	Andaman and Nicobar Islands (Nilsson-Cantell, 1938 as <i>Verruca regularis</i> Nilsson-Cantell, 1929)
<i>Newmaniverruca multicosata</i> (Gruvel, 1907)	DW	Andaman and Nicobar Islands (Gruvel, 1907 recorded as <i>Verruca multicosata</i> ; Nilsson-Cantell, 1938 recorded as <i>V. multicosata</i> Gruvel, 1907)
<i>Rostratoverruca koehleri</i> (Gruvel, 1907)	DW	Andaman and Nicobar Islands (Nilsson-Cantell,

1938 recorded as
Verruca koehleri
Nilsson-Cantell,
1929)

Sacculinidae Lill Pa
jeborg, 1861

Sacculina Endo
carcini Thompso
n, 1836

Odisha (Annandale, 1911)

Table S2. State-wide checklist of barnacles reported from India. Life style of species is abbreviated for clarity. I – intertidal, EC – epibiotic on crustacean, P – pelagic, DW – deepwater, ET- Epibiotic on turtles, EG – epibiotic on variety of substratum, including shells or crustaceans, ECE – epibiotic on cetaceans, C – coral-associated, S – sponge-associated, Endo – endoparasitic in crustaceans. States were abbreviated: GJ – Gujarat, MH – Maharashtra, KN – Karnataka , GO – Goa, KL – Kerala, LK – Lakshadweep Islands, TN – Tamil Nadu, AP – Andhra Pradesh, OD – Odisha, WB – West Bengal, AN – Andaman and Nicobar Islands. Note number of species in the state-wise records is less than species recorded based on ecoregions, because some species recorded in ‘Arabian Sea’ and ‘Bay of Bengal’ cover large geographical range and cannot be defined in states. For species synonyms on records, refer to Table 1 and Table S1.

<i>Species</i>	Life style/ habitat	GJ	MH	KN	GO	KL	LK	TN	AP	OD	WB	AN
<i>Iblidae</i> Leach, 1825												
<i>Ibla cumingi</i> Darwin, 1851	I		Maharas htra (Karande , 1974);				Laksh adwe ep Island s (Nilss on- Cante ll, 1938; Danie l, 1972)	Tamil Nadu (Daniel, 1956; 1972; Krishnamoor thy, 2007);		Odisha (Nilsson- Cantell, 1938; Daniel, 1972)		Andaman and Nicobar Islands (Nilsson- Cantell, 1938; Daniel, 1972)
Oxynaspididae Pilsbry, 1907												

<i>Oxynaspis celata</i> Darwin, 1852	EC		Odisha (Annandale, 1909),
<i>Oxynaspis indica</i> Annandale, 1909	EC		Odisha (Annandale, 1909)
Poecilasmata e Annandale, 1909			
<i>Dianajonesia amygdalum</i> (Aurivillius, 1894)	EC	Tamil Nadu (Daniel, 1981; Aurivillius, 1894)	Andaman and Nicobar Islands (Annandale, 1905)

<i>Dianajonesia</i> <i>fissum</i> (Darwin, 1851)	EC				Andaman and Nicobar Islands (Annandale, 1909)
<i>Dianajonesia</i> <i>minutum</i> (Gruvel, 1902)	EC	Kerala (Annand ale, 1909)	Tamil Nadu, (Annandale, 1909, 1902; Daniel, 1981)		Andaman and Nicobar Islands (Annandale, 1909; Gruvel, 1902)
<i>Dianajonesia</i> <i>tridens</i> (Aurivillius, 1894)	EC		Tamil Nadu (Daniel, 1956; Fernando, 1978; Daniel, 1981; Sudakaran	Odisha (Annandal e, 1909 as <i>Dichelaspi</i> <i>s tridens</i> Aurivillius, 1894;	

		and Fernando, 1987; Fernando, 2006; Krishnamoor thy, 2007; Kumaravel et al., 2009)	Lazarus et al., 1987)
<i>Dichelaspis orthogonia</i> (Darwin, 1852)	EC		West Bengal (Daniel, 1981)
<i>Glyptelasma gigas</i> (Annandale, 1916)	EC		

<i>Glyptelasma gracile</i> (Hoek,1883)	EC		Kerala (Annandale, 1907)			Andaman and Nicobar Islands (Nilsson-Cantell, 1938)
<i>Megalasma minus</i> Annandale, 1906	EC		Lakshadweep Islands (Annandale, 1909)			Andaman and Nicobar Islands (Annandale, 1909)
<i>Octolasmis angulate</i> (Aurivillius, 1894)	EC	Maharashtra (Annandale, 1909)		Tamil Nadu (Daniel, 1956; 1981 Fernando, 1978;	Pulicat Lake (Sanjeeva Raj, 2006);	Odisha (Annandale, 1909 r; Fernando, 2006)

		r; Daniel, 1956)		Sudakaran and Fernando, 1987; Krishnamoor thy, 2007; Kumaravel et al., 2009)			
<i>Octolasmis cor</i> (Aurivillius, 1892)	EC		Kerala (Daniel 1981)	Tamil Nadu (Daniel, 1956, 1981; Venkateswar an and Fernando, 1982; Sudakaran and Fernando, 1987; Krishnamoor thy, 2007;	Andhra Pradesh (Daniel , 1981); Pulicat Lake (Sanjee va Raj, 2006);	Odisha (Annandal e, 1909; Daniel, 1981; Fernando, 2006);	West Bengal (Annandal e, 1909; Daniel, 1981)

			Kumaravel et al., 2009);		
<i>Octolasmis cor</i> var. <i>b</i> (Gruvel), 1902	EC		Tamil Nadu (Daniel, 1956);	Pulicat Lake (Sanjee va Raj, 2006)	
<i>Octolasmis cor</i> var. <i>c</i> (Gruvel), 1902	EC		Tamil Nadu (Daniel, 1956);	Pulicat Lake (Sanjee va Raj, 2006)	
<i>Octolasmis</i> <i>geryonophila</i> Pilsbry, 1907	EC		Laksh adwe ep Island s (Ann andal		

e,
1909)

<i>Octolasmis grayi</i> (Darwin, 1851)	EC	Goa (Padate et al., 2009)	Kerala (Annandale, 1909)	Tamil Nadu (Annandale, 1909; Fernando, 1978; Daniel, 1956; 1981; Krishnamoorthy, 2007)	Odisha (Annandale, 1909; Nilsson-Cantell, 1938; Daniel, 1956; Fernando, 2006);	Andaman and Nicobar Islands (Annandale, 1909)
<i>Octolasmis grayii</i> var. <i>pernuda</i> (Annandale, 1909)	EC			Tamil Nadu (Annandale, 1909; Daniel, 1956; Fernando, 1978;	Odisha (Annandale, 1909)	

			Krishnamoorthy, 2007);	
<i>Octolasmis lowei</i> (Darwin, 1852)	EC		Tamil Nadu (Daniel, 1956; Daniel, 1981; Krishnamoorthy, 2007)	Andaman and Nicobar Islands (Annandale, 1909)
<i>Octolasmis neptuni</i> (MacDonald, 1869)	EC		Tamil Nadu (Kumaravel et al., 2009)	
<i>Octolasmis nierstraszi</i> (Hoek, 1907)	EC			Odisha (Annandale, 1910a; Nilsson-Cantell, 1938);

Octolasmis
rhinoceros
(Annandale,
1909)

EC

Octolasmis
stella
(Annandale,
1909)

EC

Kerala
(Dinama
ni, 1964)

Tamil Nadu
(Daniel,
1956;
Sudakaran
and
Fernando,
1987;
Krishnamoor
thy, 2007)

Octolasmis
warwickii Gray,
1825

EC

Tamil Nadu (Annandale, 1909; Daniel 1956, 1981; Krishnamoor thy, 2007;	Pulicat Lake (Sanjee va Raj, 2006)	Odisha (Annandal e, 1909; Lazarus et al., 1987);	West Bengal (Annandal e, 1909; Daniel 1981; Ramkrishn
---	--	--	---

			Kumaravel et al., 2009);	a and Talukdar, 2003);
<i>Poecilasma dubium</i> Hoek, 1907	EC		Tamil Nadu (Annandale, 1909; Jones and Hosie, 2016)	
<i>Poecilasma kaempferi</i> Darwin, 1852	EC		Tamil Nadu (Annandale, 1905)	
<i>Dianajonesia amygdalum</i> (Aurivillius, 1894)	EC		Tamil Nadu (Daniel, 1981)	
<i>Temnaspis fissum</i> (Darwin, 1851)	EC			Andaman and Nicobar Islands

(Annandale,
1909);

Lepadidae
Darwin, 1852

<i>Conchoderma indicum</i> Daniel, 1953	P					Tamil Nadu (Daniel, 1953a; Fernando, 2006);				Andaman and Nicobar Islands (Daniel, 1953);
<i>Conchoderma virgatum</i> Spengler, 1790	P	Maharashtra (Fernando, 2006);	Kerala (Balakrishnan, 1969)	Lakshadweep (Annandale, 1905)	Tamil Nadu (Daniel, 1956; Krishnamoorthy 2007);	Pulicat Lake (Sanjeeva Raj, 2006)	Odisha (Darwin, 1854; Annandale, 1909; Fernando 2006)	West Bengal (Annandale, 1909; Daniel, 1981)		Andaman and Nicobar Islands (Annandale, 1909; Nilsson-Cantell, 1938; Pradeep et al., 2016)

<i>Dosima</i> <i>guanamuthui</i> (Daniel, 1971)	P							Andaman and Nicobar Islands (Daniel, 1971;Fernan do, 2006)	
<i>Hyalolepas</i> <i>bengalensis</i> Daniel, 1952	P							Tamil Nadu (Daniel, 1952; Fernando, 2006; Krishnamoor thy, 2007;	
<i>Lepas</i> <i>anserifera</i> Linnaeus, 1767	P	Gujarat (Parma r et al., 2018; Trivedi et al., 2021,			Tamil Nadu (Sundararaj, 1927; Daniel, 1956; Fernando, 1978;	Andhra Pradesh (Nilsso n- Cantell, 1938; Daniel	Odisha (Annandal e, 1909; Nilsson- Cantell, 1938);	West Bengal (Annandal e, 1909; Daniel, 1956, 1981)	Andaman and Nicobar Islands (Annandale, 1909; Nilsson-

		in press);		Krishnamoor thy, 2007; Prasanth and Sureshkumar , 2020);	1981 as <i>Lepas</i> <i>anserif</i> <i>era</i>)		Cantell, 1938)
<i>Lepas anatifera</i> Linnaeus, 1758	P	Gujarat (Trived i et al., 2021, in press)		Tamil Nadu (Daniel, 1956, 1981; Fernando, 1978; Krishnamoor thy, 2007; Prasanth and Sureshkumar , 2020)	Odisha (Annandal e, 1909)	West Bengal (Ramkrish na and Talukdar, 2003);	Andaman and Nicobar Islands (Nilsson- Cantell, 1938)
<i>Lepas pectinata</i> Spengler, 1793	P			Tamil Nadu (Daniel, 1956; Krishnamoor thy, 2007)			Andaman and Nicobar Islands (Nilsson-

Cantell,
1938)

<i>Lepas indica</i>	P	Tamil Nadu	Odisha	West
Annandale,		(Daniel,	(Annandal	Bengal
1909		1956; 1981;	e, 1909);	(Ramkrish
		Krishnamoor		na and
		thy, 2007);		Talukdar,
				2003)

Heteralepadida
e Nilsson-
Cantell, 1921

<i>Alepas pacifica</i>	P	Tamil Nadu
Pilsbry, 1907		(Fernando,
		2006;
		Pilsbry,
		1912)

<i>Heteralepas</i> <i>cornuta</i> (Darwin, 1851)	DW		Andaman and Nicobar Islands (Nilsson- Cantell, 1938; Jones and Hosie, 2016)
<i>Heteralepas</i> <i>japonica</i> (Aurivillius, 1892)	DW		
<i>Heteralepas</i> <i>nicobarica</i> Annandale, 1909	DW		Andaman and Nicobar Islands (Annandale, 1909)
<i>Paralepas</i> <i>xenophorae</i>	DW	Kerala (Annand	

(Annandale,
1906)

ale,
1906b;
1909;
Nilsson-
antell,
1938;An
nandale,
1906)

Lithotryidae
Gruvel, 1905

Lithotrya I
nicobarica
Reinhardt, 1850

Andaman
and Nicobar
Islands
(Reinhardt,
1850;
Annandale,
1905, 1916;
Nilsson-
Cantell,
1938;

Daniel,
1972;
Fernando,
2006;
Namboothri
and
Fernando,
2012; Jones
and Hosie,
2016)

Calanticidae
Zevina, 1978

Calantica DW
kampeni
(Annandale,
1909)

Euscalpellum DW
rostratum
(Darwin, 1851)

Euscalpellum DW
squamuliferum
(Weltner, 1894)

Tamil Nadu
(Daniel,
1956;
Krishnamoor
thy, 2007)

Andaman
and Nicobar
Islands
(Nilsson-
Cantell,
1938)

Smilium acutum DW
(Hoek, 1883)

Andaman
and Nicobar
Islands
(Annandale,
1905, 1916)

Smilium sinense DW
(Annandale,
1910)

Pollicipedidae
Leach, 1817

Scalpellidae**Pilsbry, 1907**

<i>Alcockianum</i> <i>alcockianum</i> (Annandale, 1906)	DW		Tamil Nadu (Annandale, 1906b; Nilsson- Cantell, 1938)	Andaman and Nicobar Islands (Nilsson- Cantell, 1938)
<i>Amigdoscalpell</i> <i>um costellatum</i> (Withers, 1935)	DW			
<i>Amigdoscalpell</i> <i>um tenue</i> (Hoek, 1883)	DW			
<i>Annandaleum</i> <i>gruvelii</i> (Annandale, 1906)	DW	Laksh adwe ep Island	Tamil Nadu (Annandale, 1906b)	

s
 (Ann
 andal
 e,
 1906
 b ;
 1906
 b;
 Nilss
 on-
 Cante
 ll,
 1938)

Annandaleum DW
gruvelii
quadratum
 Annandale,
 1906

Tamil Nadu
 (Annandale,
 1906b,)

Annandaleum DW
laccadivicum

Laksh
 adwe
 ep

(Annandale,
1906)

Island
s
(Ann
andal
e,
1906
b)

Annandaleum DW
laccadivicum
laccadivicum
(Annandale,
1906)

Kerala	Laksh	Tamil Nadu
(Annand	adwe	(Annandale,
ale,	ep	1906b)
1906b	Island	
Annanda	s	
le, 1905)	(Ann	
	andal	
	e,	
	1906	
	b	
	Anna	
	ndale,	
	1906)	

Annandaleum DW
lambda
(Annandale,
1910)

Andaman
and Nicobar
Islands
(Annandale,
1910b);

Arcoscalpellum DW
sociabile
(Annandale,
1905)

Andaman
and Nicobar
Islands
(Nilsson-
Cantell,
1938; Jones
and Hosie,
2016)

Arcoscalpellum DW
woodmasoni
(Annandale,
1906)

Andaman
and Nicobar
Islands
(Nilsson-
Cantell,
1938*i*

			Annandale, 1906)
<i>Catherinum novaezelandiae</i> (Hoek, 1883)	DW		Andaman and Nicobar Islands (Annandale, 1905)
<i>Catherinum trapezoideum</i> (Hoek, 1907)	DW	Tamil Nadu (Nilsson- Cantell, 1938)	
<i>Scalpellum (Smilium) bengalens</i> (Annandale, 1906)	DW		Odisha (Annandal e, 1906b)

Scalpellum DW
stearnsi Pilsbry,
1890

Andaman
and Nicobar
Islands
(Nilsson-
Cantell,
1938 as
Scalpellum
stearnsii
Pilsbry,
1890)

Teloscalpellum DW
pacificum
(Pilsbry, 1907)

Tamil Nadu
(Nilsson-
Cantell,
1938)

Chthamalidae
Darwin, 1854

Chthamalus I
challengeri
Hoek, 1883

Maharas
htra
(Bhatt

			and Bal, 1960; Daniel, 1972)						
<i>Chthamalus barnesi</i> and Safriel, 1980	I	Gujarat (Trivedi et al., 2021, in press); Gujarat (Parma et al., 2018)	Maharashtra (Karande and Palekar, 1963; Wagh and Bal, 1974; Daniel, 1972)						
<i>Chthamalus malayensis</i> Pilsbry, 1916	I			Lakshadweep (Daniel and Chakrabarti, 1967; Dhandapani and	Tamil Nadu (Daniel and Chakrabarti, 1967; Dhandapani and	Odisha (Mitra and Misra, 2006;	West Bengal (Daniel, 1981);	Andaman and Nicobar Islands (Namboothri and Fernando,	

Euraphia I
hembeli
 (Conrad, 1837)

el, Fernando, Mitra et West 2012);
 1972) 1994); Tamil al., 2010) Bengal Andaman
 Nadu (Ramkrish and Nicobar
 (Nilsson- na and Islands
 Cantell, Talukdar, (Daniel,
 1938; 2003) 1972
 Daniel, recorded as
 1956; *C. stellatus*
 Krishnamoor *stellatus*
 thy, 2007) (Poli) 1795)

Laksh
 adwe
 ep
 Island
 s
 (Dani
 el,
 1972)
)

<i>Microeuraphia withersi</i> (Pilsbry, 1916)	I	Gujarat (Trivedi et al., 2021, in press)	Maharashtra (Nilsson-Cantell, 1938; Karande and Palekar, 1966; Daniel, 1972; Wagh and Bal, 1974)	Odisha (Nilsson-Cantell, 1938; Daniel, 1972);	West Bengal (Daniel, 1972; 1981)
--	---	---	---	--	-------------------------------------

Chelonibiidae
Pilsbry, 1916

<i>Chelonibia caretta</i> (Spengler, 1790)	ET	Lakshadweep Island	Tamil Nadu (Daniel, 1956;
---	----	-----------------------	------------------------------

					s	Krishnamoor				
					(Borr	thy, 2007)				
					adaile					
					,					
					1903)					
<i>Chelonibia</i>	Gujarat	Maharas		Kerala	Laksh	Tamil Nadu	Andhra	Odisha	West	Andaman
<i>testudinaria</i>	(Frazier	htra		(Pillai,	adwe	(Sundararaj,	Pradesh	(Nilsson-	Bengal	and Nicobar
(Linnaeus,	, 1989;	(Daniel,		1958);	ep	1927;	(Nilsso	Cantell,	(Daniel	Islands
1758)	Trivedi	1958,			Island	Nilsson-	n-	1938)	1981;	(Nilsson-
	et al.,	Wagh			s	Cantell,	Cantell,		Nilsson-	Cantell,
	2021,	and Bal,			(Haya	1938);	1938);		Cantell,	1938)
	in	1974)			shi,	Daniel,	Daniel,		1938)	
	press);				2012)	1956);	1981);			
						Daniel and				
						Chakrabarati	Pulicat			
						, 1967);	lake			
						Fernando,	(Daniel			
						1978;	, 1981			
						Krishnamoor				
						thy, 2007)				

Platylepadidae**Newman &****Ross, 1976**

<i>Platylepas</i> <i>decorata</i> (Darwin, 1854)	ET				Andaman and Nicobar Islands (Daniel, 1962 r; Fernando, 2006)
<i>Platylepas</i> <i>hexastylus</i> (Fabricius, 1798)	ET	Gujarat (Fraizer , 1989)		Tamil Nadu (Daniel, 1956; Krishnamoor thy, 2007)	
<i>Platylepas</i> <i>indicus</i> Daniel, 1958	ET			Tamil Nadu (Daniel, 1958);	Andaman and Nicobar Islands

(Fernando,
2006)

Platylepas
ophiophila
Lanchester,
1902

ET

Tamil Nadu
(Nilsson-
Cantell,
1938 r);

Odisha
(Nilsson-
Cantell,
1938;
Fernando,
2006)

Stomatolepas
elegans
(Costa,1838)

ET

Odisha
(Fernando,
2006)

Coronulidae
Leach, 1817

Xenobalanus
globicipitis
(Steenstrup,185
2)

ECE

Karnatak
a
(Devaraj
and

Tamil Nadu
(Karuppiah
et al., 2004);

Bennet, 1974)			
Tetraclitidae Gruvel, 1903			
<i>Neonrosella</i> <i>vitiata</i> (Darwin, 1854)	I		Andaman and Nicobar Islands (Darwin, 1854; Nilsson- Cantell, 1938; Daniel, 1972; Jones and Hosie, 2016)
<i>Tetraclitella</i> <i>karandei</i> Ross, 1971	I	Gujarat (Trivedi et al.,	Maharashtra (Ross,

		2021 in press);	1971; Fernando 2006)	
<i>Tetraclitella purpurascens</i> (Wood, 1815)	I	Gujarat (Desai and Senthik umar, 1975; Fernan do, 2006; Parmar et al., 2018);	Maharas htra (Bhatt and Bal, 1960; Wagh and Bal, 1969; 1974; Daniel, 1972)	Tamil Nadu (Daniel, 1956; 1972; Krishnamoor thy, 2007)
<i>Tetraclita ehsani</i> Chan, Shahdadi and Sari, 2011	I	Gujarat (Tsang et al., 2012; Trivedi et al.,		

2021,
in
press)

Tetraclita I
japonica
formosana (Hiro
, 1939)
(uncertain
record, see
discussion)

Andaman
and Nicobar
Islands
(Malakar et
al., 2015)

Tetraclita I Gujarat
squamosa (Wagh
rufotincta and
Pilsbry, 1916 Bal,
(Should be 1969;
Tetraclita Daniel,
ehsani) 1972;
Fernan
do,
2006;
Parmar

et al.,
2018)

Tetraclita
squamosa
(Bruguère,
1789)

I

Tamil Nadu
(Fernando,
2006);

Andaman
and Nicobar
Islands
(Nilsson-
Cantell,
1938;
Daniel,
1972;
Fernando,
2006)

**Archaeobalani
dae Newman &
Ross, 1976**

Acasta cyathus
Darwin, 1854

S

Tamil Nadu
(Darwin,
1854; Jones

			and Hosie, 2016)		
<i>Acasta fenestrata</i> (Darwin, 1854)	S			Odisha (Nilsson- Cantell, 1938; Fernando, 2006)	
<i>Acasta navicula</i> (Darwin, 1854)	S			Odisha (Nilsson- Cantell, 1938);	Andaman and Nicobar Islands (Nilsson- Cantell, 1938)
<i>Acasta sulcata</i> Lamarck, 1818	S		Laksh adwe ep Island s (Jone	Tamil Nadu (Fernando, 2006)	

		s and Hosie , 2016) ;	
<i>Acasta sulcata</i> <i>akanthosa</i> (Daniel, 1956).	S	Tamil Nadu (Daniel, 1956; Fernando, 2006; Krishnamoor thy, 2007);	
<i>Armatobalanus</i> <i>allium</i> (Darwin, 1854)	C		Andaman and Nicobar Islands (Jones and Hosie, 2016);

Armatobalanus EG
arcuatus Hoek,
 1913

Andaman
 and Nicobar
 Islands
 (Hoek,
 1913);

Armatobalanus EG
cepa (Darwin,
 1854)

Tamil Nadu	Odisha
(Darwin,	(Nilsson-
1854;	Cantell,
Annandale,	1938);
1924;	
Nilsson-	
Cantell,	
1938);	

Conopea C
calceola (Ellis,
 1758)

Tamil Nadu	Andhra
(Darwin,	Pradesh
1854,	(Nilsso
Daniel,	n-
1956;	Cantell,
Krishnamoor	1938)
thy, 2007);	

<i>Conopea</i> <i>cymbiformis</i> (Darwin, 1854)	C		Tamil Nadu (Darwin, 1854; Daniel, 1956; Krishnamoor thy, 2007; Fernando, 2006)	Odisha (Nilsson- Cantell, 1938)
<i>Eoatria</i> <i>funiculorum</i> (Annandale, 1906)	S		Tamil Nadu (Nilsson- Cantell, 1938; Van Syoc and Newman, 2010)	
<i>Euacasta porata</i> (Nilsson- Cantell, 1921)			Tamil Nadu (Nilsson- Cantell, 1938;	Odisha (Nilsson- Cantell, 1938S;

		Nilsson- Cantell, 1921; Fernando, 2006);	Fernando, 2006);
<i>Membranobalan us longirostrum</i> (Hoek, 1913)	S	Tamil Nadu (Daniel, 1956; 1972 1981; Premkumar and Daniel, 1968; Nilson- Cantell, 1938 Krishnamoor thy, 2007	
<i>Multatria terebratus</i> (Darwin, 1854)	S	Tamil Nadu (Darwin, 1854, 1854; Jones and	Odisha (Nilsson-

		Hosie, 2016);	Cantell, 1938);	
<i>Multatritia</i> <i>terebratus</i> <i>radicifer</i> (Annandale, 1924)	S			
<i>Neoacasta glans</i> (Lamarck, 1818)	S		Odisha (Nilsson- Cantell, 1938; Fernando, 2006);	
<i>Neoacasta</i> <i>laevigata</i> (Gray, 1825)	S			Andaman and Nicobar Islands (Nilsson- Cantell, 1938; Jones

			and Hosie, 2016)
<i>Pectinoacasta</i> <i>pectinipes</i> (Pilsbry, 1912)	S		Andaman and Nicobar Islands (Nilsson- Cantell, 1938; Jones and Hosie, 2016)
<i>Semibalanus</i> <i>balanoides</i> (Linnaeus, 1767)	I	Tamil Nadu (Daniel, 1956; Krishnamoor thy, 2007)	
<i>Semibalanus</i> <i>madrasensis</i> (Daniel, 1958)		Tamil Nadu (Daniel, 1958)	

<i>Semibalanus sinnurensis</i> (Daniel, 1962)	I				Tamil Nadu (Daniel, 1962; 1981; Fernando, 2006)		
<i>Solidobalanus ciliates</i> (Hoek, 1913)	EG	Karnataka (Nilsson-Cantell, 1938)	Kerala (Nilsson-Cantell, 1938 r	Tamil Nadu (Nilsson-Cantell, 1938; Fernando, 2006);	Odisha (Nilsson-Cantell, 1938);	Andaman and Nicobar Islands (Nilsson-Cantell, 1938; Fernando, 2006)	
<i>Solidobalanus socialis</i> (Hoek, 1883)	EG			Tamil Nadu (Annandale, 1906b; Nilsson-Cantell, 1938)			

<i>Striatobalanus amaryllis</i> (Darwin, 1854)	EG	Maharashtra (Karande and Palekar, 1966; Wagh and Bal, 1974; Swami et al., 2011)	Goa (Nandan Kumar, 1990)	Tamil Nadu (Nilsson-Cantell, 1938; Daniel, 1956; 1972; Krishnamoorthy, 2007; Prasanth and Sureshkumar, 2020)	Odisha (Nilsson-Cantell, 1938; Daniel, 1972; Fernando, 2006)	West Bengal (Nilsson-Cantell, 1938; Daniel, 1981)
<i>Striatobalanus tenuis</i> (Hoek, 1883)	EG	Gujarat (Trivedi et al., 2021, in press);	Karnataka (Nilsson-Cantell, 1938);	Tamil Nadu (Daniel, 1956; Krishnamoorthy, 2007);	Odisha (Nilsson-Cantell, 1938)	Andaman and Nicobar Islands (Nilsson-Cantell, 1938)

Balanidae
Leach, 1817

<i>Amphibalanus amphitrite</i> (Darwin, 1854)	I	Gujarat (Singh et al., 2004; Trivedi et al., 2015; Parmar et al., 2018; Trivedi et al., 2021, in press)	Maharas htra (Bhatt and Bal, 1960; Karande and Palekar, 1966; Wagh and Bal, 1974; Fernando , 2006)	Goa (Nanda nkumar , 1990; Desai et al., 2018);	Kerala (Nilsson- Cantell, 1938 <i>e</i> ; Sahadeva n, 2016)	Tamil Nadu (Nilsson- Cantell, 1938; Daniel, 1956; Krishnamoor thy, 2007; Satpathy et al., 2010; Prasanth and Sureshkumar , 2020);	Andhra Pradesh (Daniel , 1981; Rao and Balaji, 1988 <i>e</i>); Pulicat Lake (Daniel , 1981	Odisha (Nilsson- Cantell, 1938; Daniel, 1981; Mitra and Misra, 2006; Pati et al., 2009; Mitra et al., 2010; Mondal et al., 2019)	West Bengal (Nilsson- Cantell, 1938; Daniel, 1981; Ramkrishn a and Talukdar, 2003)	Andaman and Nicobar Islands (Mishra et al., 2010; Patro, 2012)
<i>Amphibalanus cirratus</i> (Darwin,1854)	I						Andhra Pradesh (Nilsso n- Cantell, 1938);	Odisha (Nilsson- Cantell, 1938)	West Bengal (Nilsson- Cantell, 1938;	

					Pulicat Lake (Raj et al., 2002)	Daniel, 1981)
<i>Amphibalanus eburneus</i> (Gould, 1841)	I			Tamil Nadu (Daniel, 1956; Krishnamoor thy, 2007)		
<i>Amphibalanus improvises</i> (Darwin, 1854)	I					Odisha (Pati et al., 2009)
<i>Amphibalanus reticulatus</i> (Utinomi, 1967)	I	Gujarat (Trivedi et al., 2021, in press); Henry	Maharas htra (Karande and Palekar, 1966; Henry	Tamil Nadu (Fernando, 2006; Satpathy et al., 2010);	Pulicat lake (Raj et al., 2002)	

and
McLaug
hlin,
1975;
Swami et
al., 2011)

<i>Amphibalanus</i> <i>variegatus</i> (Darwin, 1854)	I	Maharas htra (Bhatt and Bal, 1960; Karande and Palekar, 1966 r; Swami et al., 2011)	Goa (Nelsso n- Cantell, 1938)	Tamil Nadu (Nilsson- Cantell, 1938; Daniel, 1956; Krishnamoor thy 2007; Satpathy et al., 2010);	Odisha (Nilsson- Cantell, 1938; Ramkrishn a and Talukdar, 2003)	West Bengal (Daniel, 1981; Ramkrishn a and Talukdar, 2003)	Andaman and Nicobar Islands (Daniel, 1972)
<i>Amphibalanus</i> <i>venustus</i> (Darwin, 1854)	I	Maharas htra (Bhatt and Bal,		Tamil Nadu (Nilsson- Cantell, 1938;	Odisha (Ramkrish na and	West Bengal (Daniel, 1981;	Andaman and Nicobar Islands

		1960; Karande and Palekar, 1966; Henry and McLaug hlin, 1975; Swami et al., 2011)		Daniel, 1956; Krishnamoor thy 2007)	Talukdar, 2003);	Ramkrishn a and Talukdar, 2003)	(Daniel, 1972)
<i>Balanus</i> <i>balanus</i> (Linnae us, 1758)	I	Gujarat (Rama moorth y et al., 2012)					
<i>Balanus calidus</i> Pilsbry, 1916	I	Maharas htra (Karande and		Tamil Nadu (Daniel, 1956;			

		Palekar, 1966)	Krishnamoor thy, 2007)	
<i>Balanus crenatus</i> Bruguière, 1789	I	Gujarat (Parma r et al., 2018)		Andaman and Nicobar Islands (Namboothri and Fernando, 2012)
<i>Balanus glandula</i> Darwi n, 1854	I			Odisha (Nayak and Berkes, 2014; Nayak, 2017)
<i>Balanus hoekianus</i> Pilsbry, 1911	I		Tamil Nadu (Daniel, 1981)	

<i>Fistulobalanus kondakovi</i> (Tarasov & Zevina, 1957)	I	Maharashtra (Karande and Palekar, 1966; Henry and McLaughlin, 1975)	Tamil Nadu (Fernando, 2006; Tarasov and Zevina, 1957);	Odisha (Karande and Gaonkar, 1977)
<i>Fistulobalanus pallidus</i> (Darwin, 1854)	I	Maharashtra (Nilsson-Cantell, 1938; Wagh, 1974 as <i>B. amphitrit</i> es)		

tutsburi
 Darwin,
 1854;
 Henry
 and
 McLaug
 hlin,
 1975)

Fistulobalanus I
patelliformis
 (Bruguère,
 1789)

Tamil Nadu	Andhra	Odisha	West
(Fernando,	Pradesh	(Nilsson-	Bengal
2006);	(Rao	Cantell,	(Daniel,
	and	1938;	1981)
	Balaji,	Daniel,	
	1988)	1972;	
		1981;	

Megabalanus I
occator
 (Darwin, 1854)

Tamil Nadu	Andaman
(Daniel,	and Nicobar
1972)	Islands
	(Daniel,
	1972)

<i>Megabalanus</i> <i>tintinnabulum</i> (Linnaeus, 1758)	I	Gujarat (Singh et al., 2004; Ramam oorthy et al., 2012; Trivedi et al., 2015; Parmar et al., 2018; Trivedi et al., 2021, in press);	Maharas htra (Karande and Palekar, 1966; Wagh and Bal, 1974)	Goa (Nanda kumar, 1990,)	Tamil Nadu (Sundararaj, 1927; Daniel, 1956; 1981; Krishnamoor thy, 2007; Satpathy et al., 2010)	Andhra Pradesh (Rao and Balaji, 1988)	Odisha (Pati et al., 2009);	West Bengal (Nilsson- Cantell, 1938; Daniel, 1981; Ramkrishn a and Talukdar, 2003)	Andaman and Nicobar Islands (Daniel, 1972)
---	---	---	--	-----------------------------------	---	--	-----------------------------------	--	--

<i>Megabalanus</i> <i>validus</i> Darwin, 1854	I	Tamil Nadu (Daniel, 1972)		Andaman and Nicobar Islands (Daniel, 1972)
<i>Megabalanus</i> <i>volcano</i> (Pilsbry, 1916)	I	Tamil Nadu (Nilsson- Cantell, 1938; Daniel, 1972)	Odisha (Daniel, 1972)	Andaman and Nicobar Islands (Daniel, 1972)
<i>Notomegabalan</i> <i>us squillae</i> (Daniel & Ghosh, 1963)	I	Tamil Nadu (Daniel and Ghosh, 1963)		
<i>Perforatus</i> <i>perforates</i> (Bruguière, 1789) (Mis-	I	Tamil Nadu (Daniel, 1956); 1972;		Andaman and Nicobar Islands (Nilsson-

identified and
invalid record,
see discussion)

Krishnamoor
thy, 2007)

Cantell,
1938;
Daniel,
1972;
Namboothri
and
Fernando,
2012)

Pyrgomatidae
Gray, 1825

Pyrgomina sp. C

Odisha
(Nilsson-
Cantell,
1938)

Cantellius C
euspinulosum
(Broch, 1931)

Andaman
and Nicobar
Islands
(Nilsson-
Cantell,
1938; Jones

and Hosie,
2016)

Cantellius C
gregarius
(Sowerby,
1823)

Cantellius C
transversalis
(Nilsson-
Cantell, 1938)

Andaman
and Nicobar
Islands
(Darwin,
1854;
Nilsson-
Cantell,
1938; Jones
and Hosie,
2016)

Cantellius C
secundus
(Broch, 1931)

Andaman
and Nicobar
Islands
(Darwin,

			1854, 1854; Nilsson- Cantell, 1938; Jones and Hosie, 2016)
<i>Creusia spinulosa</i> Leach, 1818	C		Andaman and Nicobar Islands (Annandale, 1924; Nilsson- Cantell, 1938; Daniel, 1972)
<i>Darwiniella conjugatum</i> (Darwin, 1854)	C	Tamil Nadu (Daniel, 1972)	

Galkinius indica C
(Annandale,
1924)

Hoekia C
monticulariae
(Gray, 1831)

Nobia grandis C
Sowerby, 1839

Andaman
and Nicobar
Islands
(Nilsson-
Cantell,
1938; Daniel
1972)

Pyrgoma C
cancellatum
Leach, 1818

Tamil Nadu
(Fernando,
2006)

<i>Pyrgopsella</i> <i>annandalei</i> (Gruvel, 1906)	C	Andaman and Nicobar Islands (Gruvel, 1906; 1907; Nilsson- Cantell, 1938);
<i>Savignium</i> <i>crenatum</i> (Sowerby, 1823)	C	
<i>Trevathana</i> <i>dentata</i> (Darwin, 1854)	C	
<i>Wanella</i> <i>milleporae</i> (Darwin, 1854)	C	

Verrucidae**Darwin, 1854**

<i>Altiverruca</i> <i>plana</i> (Gruvel, 1907)	DW	Andaman and Nicobar Islands (Gruvel, 1907, Nilsson- Cantell, 1938)
<i>Altiverruca</i> <i>regularis</i> (Nilsson- Cantell, 1929)	DW	Andaman and Nicobar Islands (Nilsson- Cantell, 1938)
<i>Cristallina</i> <i>verruca</i>	DW	Andaman and Nicobar Islands

cristallina
(Gruvel, 1907)

(Gruvel
1907;
Nilsson-
Cantell,
1938)

Cristallina DW
verruca
regularis
(Nilsson-
Cantell, 1929)

Andaman
and Nicobar
Islands
(Nilsson-
Cantell,
1938)

Newmaniverruc DW
a multcostata
(Gruvel, 1907)

Andaman
and Nicobar
Islands
(Gruvel,
1907;
Nilsson-
Cantell,
1938)

Rostratoverruca DW
koehleri
(Gruvel,1907)

Andaman
and Nicobar
Islands
(Nilsson-
Cantell,
1938)

Sacculinidae Li Pa
Iljeborg, 1861

Sacculina Endo
carcini Thomps
on, 1836

Odisha
(Annandal
e, 1911)

