

Supplemental Table 2. Data table for Figure 9 blinded samples.

Figure 9A. 10⁸ CFU/mL								
Sample	GC Signal (nA)	2.50x10 ⁷ Ratio	1.25x10 ⁷ Ratio	6.25x10 ⁶ Ratio	2.94x10 ⁶ Ratio	1.47x10 ⁶ Ratio	7.35x10 ⁵ Ratio	3.68x10 ⁵ Ratio
EC61 (R)	9919.1	1.00816	1.00816	1.00816	0.99546	1.00816	0.90151	0.17149
Figure 9B. 10⁷ CFU/mL								
Sample	GC Signal (nA)	2.50x10 ⁶ Ratio	1.25x10 ⁶ Ratio	6.25x10 ⁵ Ratio	2.94x10 ⁵ Ratio	1.47x10 ⁵ Ratio	7.35x10 ⁴ Ratio	3.68x10 ⁴ Ratio
EC114 (I)	9526.61	0.53039	0.20639	0.17077	0.05904	0.01416	0.01063	0.00844
Figure 9C. 10⁶ CFU/mL								
Sample	GC Signal (nA)	2.50x10 ⁵ Ratio	1.25x10 ⁵ Ratio	6.25x10 ⁴ Ratio	2.94x10 ⁴ Ratio	1.47x10 ⁴ Ratio	7.35x10 ³ Ratio	3.68x10 ³ Ratio
EC67 (S)	2853.51	0.09104	0.06342	0.05839	0.01337	0.01347	0.01049	0.00875
Figure 9D. 10⁵ CFU/mL								
Sample	GC Signal (nA)	2.50x10 ⁴ Ratio	1.25x10 ⁴ Ratio	6.25x10 ³ Ratio	2.94x10 ³ Ratio	1.47x10 ³ Ratio	7.35x10 ² Ratio	3.68x10 ² Ratio
EC67(S) + EbC154(R)	158.134	1.0746	1.01882	1.04135	0.20976	0.19721	0.22629	0.20424