Table 1. Sociodemographic characteristics of survivors of various cancers

i abie 1. Sociodemograf	mic chara	cteristics	of surviv	ors of vari	ous canc	ers	
	Thyroid	Colon	Lung	Cervical	Breast	Prostate	Ovarian
N (%)	1195	3074	1252	3512	10314	5713	1304
	(2.0)	(5.2)	(2.1)	(6.0)	(17.6)	(9.8)	(2.2)
A ( CD)	59.1	70.5	68.9	53.7	67.4	72.2	60.2
Age (mean, SD)	(13.9)	(12.8)	(11.7)	(15.2)	(13.2)	(9.6)	(15.5)
Sex	, , ,		, ,				,
Eamala	979	1810	772	3512	10248		1304
Female	(81.9)	(58.9)	(61.7)	(99.6)	(99.4)		(99.8)
Male	216	1264	480		66	5713	
Iviaic	(18.1)	(41.1)	(38.3)		(0.6)	(99.8)	
Race, Ethnicity							
White only, Non-	1018	2597	1073	2867	8801	4713	1067
Hispanic	(85.2)	(84.5)	(85.7)	(81.3)	(85.3)	(82.4)	(81.6)
Black only, Non-	55 (4.6)	210	86	202	638	523	90 (6.1)
Hispanic	55 (4.6)	(6.8)	(6.9)	(5.7)	(6.2)	(9.1)	80 (6.1)
Uignania	62 (5.2)	109	26	194	355	193	62 (4.7)
Hispanic	62 (5.2)	(3.6)	(2.1)	(5.5)	(3.4)	(3.4)	62 (4.7)
Other race only,	41 (2.4)	66	33	138	275	148	12 (2 2)
Non-Hispanic	41 (3.4)	(2.2)	(2.6)	(3.9)	(2.7)	(2.6)	43 (3.3)
Multi-racial, Non-	12 (1.0)	49	20	106	160	72 (1.2)	16 (2.5)
Hispanic	12 (1.0)	(1.6)	(1.6)	(3.0)	(1.6)	72 (1.3)	46 (3.5)
Marital status							
Married	715	1479	560	1510	4642	3877	558
Manneu	(59.8)	(48.1)	(44.7)	(42.8)	(45)	(67.7)	(42.7)
Other	480	1595	692	2016	5672	1846	749
Other	(40.2)	(51.9)	(55.3)	(57.2)	(55)	(32.3)	(57.3)
Education							
Less than High	66 (5.5)	405	212	424	832	646	159
School	66 (5.5)	(13.2)	(16.9)	(12.0)	(8.1)	(11.3)	(12.2)
III als Cals and	336	1057	468	1164	3248	1566	429
High School	(28.1)	(34.4)	(37.4)	(33.0)	(31.5)	(27.4)	(32.8)
Sama Callaga	356	816	326	1169	2962	1241	375
Some College	(29.8)	(26.6)	(26.0)	(33.2)	(28.7)	(21.7)	(28.7)
Callaga	432	786	242	764	3258	2263	341
College	(36.2)	(25.6)	(19.3)	(21.7)	(31.6)	(39.5)	(26.1)
Income							
I and then \$15,000	114	403	190	666	1159	397	227
Less than \$15,000	(9.5)	(13.1)	(15.2)	(18.9)	(11.2)	(6.9)	(17.4)
\$15,000 to less than	173	666	279	743	1946	917	295
\$25,000	(14.5)	(21.7)	(22.3)	(21.1)	(18.9)	(16.0)	(22.6)
\$25,000 to less than	112	401	189	400	1287	754	132
\$35,000	(9.4)	(13.0)	(15.1)	(11.3)	(12.5)	(13.2)	(10.1)
\$35,000 to less than	144	408	151	449	1392	959	173
\$50,000	(12.1)	(13.3)	(12.1)	(12.7)	(13.5)	(16.8)	(13.2)

\$50,000 or more	502 (42.0)	709 (23.1)	223 (17.8)	890 (25.2)	2755 (26.7)	2091 (36.5)	293 (22.4)
Health care coverage							
Have health care	700	796	359	2147	3605	1060	640
coverage	(58.6)	(25.9)	(28.7)	(60.9)	(35.0)	(18.5)	(49.0)
Do not have health	54	75	28	506	332	84	138
care coverage	(4.5)	(2.4)	(2.2)	(14.4)	(3.2)	(1.5)	(10.6)
Don't know/Not	441	2203	865	873	6377	4579	529
sure/Refused	(36.9)	(71.7)	(69.1)	(24.8)	(61.8)	(80.0)	(40.4)

**Table 2: Odds of Reporting Poor Health-Related Quality of Life among Cancer Survivors** 

Cancer Site	Income	OR <sup>1</sup> [95% CI <sup>^1</sup> ]	$OR^{2}[95\% CI^{2}]$	$OR^{3} [95\% CI^{3}]$
Thyroid	Less than \$15,000*	Ref	Ref	Ref
n = 1195	\$15,000 to less than \$25,000	0.30 [0.11, 0.81]	0.56 [0.22, 1.42]	0.61 [0.22, 1.70]
	\$25,000 to less than \$35,000	0.30 [0.09, 1.06]	0.53 [0.16, 1.73]	0.37 [0.11, 1.26]
	\$35,000 to less than \$50,000	0.14 [0.04, 0.51]	0.45 [0.16, 1.24]	0.50 [0.16, 1.53]
	\$50,000 or more	0.13 [0.04, 0.40]	0.21 [0.08, 0.57]	0.51 [0.18, 1.46]
Colon	Less than \$15,000	Ref	Ref	Ref
n = 3074	\$15,000 to less than \$25,000	0.64 [0.35, 1.17]	0.64 [0.32, 1.28]	0.85 [0.39, 1.85]
	\$25,000 to less than \$35,000	0.39 [0.18, 0.86]	0.59 [0.25, 1.40]	0.36 [0.13, 1.02]
	\$35,000 to less than \$50,000	0.33 [0.15, 0.69]	0.54 [0.25, 1.19]	0.58 [0.24, 1.37]
	\$50,000 or more	0.19 [0.09, 0.40]	0.20 [0.09, 0.42]	0.43 [0.18, 1.01]
Lung	Less than \$15,000	Ref	Ref	Ref
n = 1252	\$15,000 to less than \$25,000	0.48 [0.22, 1.03]	0.40 [0.15, 1.07]	0.54 [0.15, 1.90]
	\$25,000 to less than \$35,000	0.36 [0.14, 0.89]	1.7 [0.46, 5.95]	0.58 [0.14, 2.33]
	\$35,000 to less than \$50,000	0.30 [0.11, 0.78]	0.22 [0.06, 0.72]	0.09 [0.02, 0.55]
	\$50,000 or more	0.20 [0.08, 0.50]	0.41 [0.13, 1.24]	0.05 [0.01, 0.34]
Cervical	Less than \$15,000	Ref	Ref	Ref
n = 3512	\$15,000 to less than \$25,000	0.44 [0.31, 0.63]	0.53 [0.38, 0.74]	0.74 [0.53, 1.03]
	\$25,000 to less than \$35,000	0.21 [0.13, 0.35]	0.36 [0.23, 0.55]	0.40 [0.26, 0.60]
	\$35,000 to less than \$50,000	0.18 [0.11, 0.30]	0.22 [0.14, 0.34]	0.28 [0.18, 0.43]
	\$50,000 or more	0.09 [0.06, 0.16]	0.19 [0.12, 0.28]	0.27 [0.18, 0.39]
Breast	Less than \$15,000	Ref	Ref	Ref

n = 10314	\$15,000 to less than \$25,000	0.49 [0.34, 0.70]	0.52 [0.36, 0.75]	0.69 [0.47, 1.02]
	\$25,000 to less than \$35,000	0.28 [0.18, 0.44]	0.35 [0.23, 0.54]	0.31 [0.20, 0.50]
	\$35,000 to less than \$50,000	0.21 [0.13, 0.33]	0.29 [0.19, 0.43]	0.30 [0.19, 0.46]
	\$50,000 or more	0.16 [0.10, 0.25]	0.20 [0.13, 0.30]	0.23 [0.15, 0.35]
Prostate	Less than \$15,000	Ref	Ref	Ref
n = 5713	\$15,000 to less than \$25,000	1.70 [0.70, 4.10]	0.99 [0.40, 2.48]	0.41 [0.12, 1.34]
	\$25,000 to less than \$35,000	0.54 [0.20, 1.52]	0.52 [0.20, 1.41]	0.14 [0.04, 0.53]
	\$35,000 to less than \$50,000	0.41 [0.15, 1.13]	0.40 [0.16, 0.99]	0.32 [0.11, 0.95]
	\$50,000 or more	0.14 [0.05, 0.39]	0.36 [0.15, 0.88]	0.19 [0.06, 0.57]
Ovarian	Less than \$15,000	Ref	Ref	Ref
n = 1304	\$15,000 to less than \$25,000	0.33 [0.17, 0.64]	0.67 [0.36, 1.25]	0.40 [0.20, 0.81]
	\$25,000 to less than \$35,000	0.38 [0.16, 0.89]	0.42 [0.19, 0.95]	0.47 [0.20, 1.13]
	\$35,000 to less than \$50,000	0.33 [0.14, 0.75]	0.30 [0.14, 0.68]	0.14 [0.06, 0.35]
	\$50,000 or more	0.27 [0.13, 0.60]	0.39 [0.19, 0.81]	0.20 [0.09, 0.45]

<sup>&</sup>lt;sup>1, 2, 3</sup>: Adjusted odds ratio

\* Reference Group  $OR^1$  and 95%  $CI^{\wedge 1}$ : Odds of reporting "poor" self-perceived health status  $OR^2$  and 95%  $CI^{\wedge 2}$ : Odds of reporting more than two weeks per month of bad physical health

OR<sup>3</sup> and 95% CI<sup>^3</sup>: Odds of reporting more than two weeks per month of bad mental health days

<sup>^ 95%</sup> Confidence Interval

## Supplementary Table 1. Health Related Quality of Life based sociodemographic characteristics of cancer survivors

	General Health			Physical Health			Mental Health		
	Good	Not good	p-value	Good	Not good	p-value	Good	Not good	p-value
N (%)									
Age (mean, SD)	66.3 (13.5)	67.3 (13.4)	< .01	66.9 (13.4)	66.0 (13.7)	< .01	67.6 (13.1)	59.2 (14.5)	< .01
Sex	(13.3)	(13.4)			(13.7)		(13.1)	(14.5)	
Female	12,569 (67.5%)	6,066 (32.5%)	0.36	14,443 (69.7%)	4,192 (74.0%)	< .01	16,076 (69.0%)	2,559 (82.6%)	< .01
Male	5,186 (66.9%)	2,570 (33.1%)		6,286 (30.3%)	1,470 (26.0%)		7,218 (31.0%)	538 (17.4%)	
Race, Ethnicity									
White only, Non-Hispanic	15,319 (86.3%)	6,817 (78.9%)	< .01	17,562 (84.7%)	4,574 (80.8%)	< .01	19,704 (84.6%)	2,432 (78.5%)	< .01
Black only, Non-Hispanic	1,007 (5.7%)	787 (9.1%)		1,382 (6.7%)	412 (7.3%)		1,572 (6.8%)	222 (7.2%)	
Hispanic	535 (3.0%)	466 (5.4%)		705 (3.4%)	296 (5.2%)		813 (3.5%)	188 (6.1%)	
Other race only, Non-Hispanic	621 (3.5%)	374 (4.3%)		769 (3.7%)	226 (4.0%)		847 (3.6%)	148 (4.8%)	
Multi-racial, Non-Hispanic	273 (3.5%)	192 (2.2%)		311 (1.5%)	154 (2.7%)		358 (1.5%)	107 (3.5%)	
Marital status	(2.273)	(=== / 5)		(110 / 5)	(=1,7,0)		(11070)	(21273)	
Married	9,532 (71.5%)	3,809 (28.5%)	< .01	10,895 (52.6%)	2,446 (43.2%)	< .01	12,093 (51.9%)	1,248 (40.3%)	< .01
Other	8,223 (63.0%)	4,827 (37.0%)		9,834 (47.4%)	3,216 (56.8%)		11,201 (48.1%)	1,849 (59.7%)	
Education									
Less than High School	1,181 (6.7%)	1,563 (18.1%)	< .01	1,781 (8.6%)	963 (17.0%)	< .01	2,261 (9.7%)	483 (15.6%)	< .01
High School	5,115 (28.8%)	3,153 (36.5%)		6,352 (30.6%)	1,916 (33.8%)		7,242 (31.1%)	1,026 (33.1%)	
Some College	4,969 (28.0%)	2,276 (26.4%)		5,622 (27.1%)	1,623 (28.7%)		6,288 (27.0%)	957 (30.9%)	
College	6,462 (36.4%)	1,624 (18.8%)		6,936 (33.5%)	1,150 (20.3%)		7,460 (32.0%)	626 (20.2%)	
Don't know/ Refused	28 (0.2%)	20 (0.2%)		38 (0.2%)	10 (0.2%)		43 (0.2%)	5 (0.2%)	
Income									
Less than \$15,000	1,333 (7.5%)	1,823 (21.1%)	< .01	1,903 (9.2%)	1,253 (22.1%)	< .01	2,364 (10.2%)	792 (25.6%)	< .01
\$15,000 to less than \$25,000	2,844 (16.0%)	2,175 (25.2%)		3,619 (17.5%)	1,400 (24.7%)		4,286 (18.4%)	733 (23.7%)	
\$25,000 to less than \$35,000	2,204 (12.4%)	1,071 (12.4%)		2,612 (12.6%)	663 (11.7%)		2,930 (12.6%)	345 (11.1%)	
\$35,000 to less than \$50,000	2,714 (15.3%)	962 (11.1%)		3,063 (14.8%)	613 (10.8%)		3,356 (14.4%)	320 (10.3%)	
\$50,000 or more	6,171 (34.8%)	1,292 (15.0%)		6,535 (31.5%)	928 (16.4%)		6,919 (29.7%)	544 (17.6%)	
Don't know/ Refused	2,489 (14.0%)	1,313 (15.2%)		2,997 (14.5%)	805 (14.2%)		3,439 (14.8%)	363 (11.7%)	

Health care									
coverage									
Have health care	6,478	2,829	< .01	7,207	2,100	< .01	7,709	1,598	< .01
coverage	(36.5%)	(32.8%)		(34.8%)	(37.1%)		(33.1%)	(51.6%)	
Do not have	689	528		848	369		835	382	
health care coverage	(3.9%)	(6.1%)		(4.1%)	(6.5%)		(3.6%)	(12.3%)	
Don't know/Not	10,588	5,279		14,674	3,193		14,750	1,117	
sure/Refused	(59.6%)	(61.1%)		(61.1%)	(56.4%)		(63.3%)	(36.1%)	