

Supplementary Material

Supplementary Table 1 Relationships between categories of adverse childhood experiences (ACEs)

Supplementary Table 2 Distribution of Body Mass Index (BMI) category (N=6946)

	Grade							
	Total		4th (N=4790)		6th (N=1028)		8th (N=1128)	
	N	%	N	%	N	%	N	%
BMI category								
Normal ($-1SD < BMI < 1SD$)	4438	63.9	3053	63.7	621	60.4	764	67.7
Underweight ($< -1SD$)	1212	17.4	778	16.2	232	22.6	202	17.9
Overweight ($1SD < - 2SD$)	928	13.4	685	14.3	123	12.0	120	10.6
Obesity ($2SD +$)	368	5.3	274	5.7	52	5.1	42	3.7

Supplementary Table 3 Correlation among characteristics, exposure, and outcome variables

	Correlation coefficient (r)							
	1	2	3	4	5	6	7	8
1. Child's sex								
2. Grade	0.02							
3. Maternal age	0.005	0.18**						
4. ACE total score	-0.13**	-0.07**	-0.08**					
5. Child's BMI category	-0.09**	-0.04**	0.01	0.05**				
6. Maternal BMI category	-0.01	0.01	0.09**	0.05**	0.12**			
7. Paternal BMI category	-0.01	0.02	0.01	0.02	0.10**	0.13**		
8. Screen time	-0.06**	0.15**	0.03*	0.02	0.002	0.02	0.02	

9. Physical activity	-0.08**	-0.14**	-0.03*	-0.07**	-0.04**	-0.02	-0.01	0.003
10. Having breakfast	0.04*	0.09**	-0.05**	0.09**	0.06**	0.03**	0.02	0.04** -0.08**

ACE=adverse childhood experience, BMI=body mass index.

Supplementary Table 4 Results of linear regression to examine the associations between ACEs and BMI z score (n=6946)

	Crude	Model 1		Model 2	
		β (95% CI)	β (95% CI)	β (95% CI)	
ACE total score (0-8)	0	Ref	Ref	Ref	Ref
	1	0.04 (-0.4 to 0.12)	0.02 (-0.05 to 0.11)	0.02 (-0.05 to 0.10)	
	2	0.13 (0.04 to 0.22)	0.07 (-0.02 to 0.16)	0.07 (-0.02 to 0.16)	
	3+	0.12 (0.01 to 0.24)	0.07 (-0.05 to 0.18)	0.05 (-0.06 to 0.17)	
Single parenthood	No	Ref	Ref	Ref	Ref
	Yes	0.15 (0.07 to 0.24)	0.14 (0.05 to 0.23)	0.16 (0.07 to 0.25)	
Parental history of psychiatric disorders	No	Ref	Ref	Ref	Ref
	Yes	0.01 (-0.10 to 0.12)	0.01 (-0.10 to 0.12)	-0.01 (-0.11 to 0.10)	
Physical abuse from parents (hit, slap)	No	Ref	Ref	Ref	Ref
	Yes	0.06 (-0.04 to 0.17)	0.03 (-0.08 to 0.13)	0.03 (-0.08 to 0.13)	
Psychological abuse from parents (verb)	No	Ref	Ref	Ref	Ref
	Yes	-0.02 (-0.16 to 0.12)	-0.04 (-0.19 to 0.10)	-0.07 (-0.21 to 0.07)	

Witness of domestic violence between parents	No	Ref	Ref	Ref
	Yes	−0.01 (−0.16 to 0.13)	0.003 (−0.14 to 0.15)	−0.01 (−0.15 to 0.13)
Neglect from parents (out, unfed)	No	Ref	Ref	Ref
	Yes	−0.03 (−0.13 to 0.07)	−0.06 (−0.16 to 0.04)	−0.06 (−0.16 to 0.04)
Peer isolation	No	Ref	Ref	Ref
	Yes	0.13 (0.04 to 0.22)	0.06 (−0.03 to 0.15)	0.06 (−0.03 to 0.15)
Low household income (<3,000,000)	No	Ref	Ref	Ref
	Yes	0.14 (0.05 to 0.24)	0.14 (0.04 to 0.24)	0.15 (0.05 to 0.25)

Note. All analyses were weighted for grade. Model 1 included maternal age, child's sex, grade, year conducted a survey, and schools in Adachi City. Model 2 added paternal obesity into Model 1.

ACE=adverse childhood experience, BMI=body mass index, RRR=relative risk ratio, 95%CI=95% confidence interval.