


**Supplementary Figure 1.** Fina path model for female with the standardized and unstandardized coefficients presented in the parentheses.

$$\chi^2/df$$
 = 1.463, GFI = 0.993, CFI = 0.994, RMSEA = 0.044, SRMR = 0.0216 \* $p$  < 0.05, \*\*  $p$  < 0.01, \*\*\*  $p$  < 0.001




**Supplementary Figure 2.** Fina path model for male with the standardized and unstandardized coefficients presented in the parentheses.

$$\chi^2/df = 0.918$$
, GFI = 0.983, CFI = 1.000, RMSEA = 0.000, SRMR = 0.0378

The dashed line indicates that the path is not significant.


\*
$$p$$
 < 0.05, \*\*  $p$  < 0.01, \*\*\*  $p$  < 0.001



**Supplementary Figure 3.** Fina path model for female with the standardized and unstandardized coefficients presented in the parentheses.

$$\chi^2/df = 0.809$$
, GFI = 0.998, CFI = 1.000, SRMR = 0.0191

\*
$$p$$
 < 0.05, \*\*  $p$  < 0.01, \*\*\*  $p$  < 0.001



**Supplementary Figure 4.** Fina path model for male with the standardized and unstandardized coefficients presented in the parentheses.

$$\chi^2/df = 0.068$$
, GFI = 0.999, CFI = 1.000, SRMR = 0.0110

The dashed line indicates that the path is not significant.