



# **Corrigendum: Mapping Potential Determinants of Peroxidative Activity in an Evolved Fungal Peroxygenase From Agrocybe aegerita**

Patricia Molina-Espeja<sup>1</sup>, Alejandro Beltran-Nogal<sup>1</sup>, Maria Alejandra Alfuzzi<sup>1</sup>, Victor Guallar<sup>2,3</sup> and Miguel Alcalde<sup>1\*</sup>

<sup>1</sup>Department of Biocatalysis, Institute of Catalysis, CSIC, Madrid, Spain, <sup>2</sup>Barcelona Supercomputing Center, Barcelona, Spain, <sup>3</sup>ICREA, Institució Catalana de Recerca i Estudis Avançats Passeig Lluís Companys, Barcelona, Spain

Keywords: fungal unspecific peroxygenase, peroxidative activity, peroxygenative activity, long range electron transfer pathway, heme access channel, directed evolution

### **OPEN ACCESS**

#### Approved by:

A Corrigendum on

Frontiers Editorial Office, Frontiers Media SA, Switzerland

> \*Correspondence: Miguel Alcalde malcalde@icp.csic.es

#### Specialty section:

This article was submitted to Industrial Biotechnology, a section of the journal Frontiers in Bioengineering and Biotechnology

Received: 17 September 2021 Accepted: 21 September 2021 Published: 05 October 2021

#### Citation:

Molina-Espeja P, Beltran-Nogal A, Alfuzzi MA, Guallar V and Alcalde M (2021) Corrigendum: Mapping Potential Determinants of Peroxidative Activity in an Evolved Fungal Peroxygenase From Agrocybe aegerita. Front. Bioeng. Biotechnol. 9:778727. doi: 10.3389/fbioe.2021.778727

## Mapping Potential Determinants of Peroxidative Activity in an Evolved Fungal Peroxygenase From Agrocybe aegerita

by Molina-Espeja, P., Beltran-Nogal, A., Alfuzzi, M. A., Guallar, V., and Alcalde, M. (2021). Front. Bioeng. Biotechnol. 9: 741282. doi: 10.3389/fbioe.2021.741282

In the original article, there was a typo error in the **Introduction** section, page 3, second paragraph, in which high and low efficiency were interchanged inaccurately. The sentence should be corrected as follows:

"Conversely, the heme access channel has been long described as the main oxidation site for lowredox potential compounds in generic peroxidases, although VP oxidizes low-redox potential compounds at both the heme access channel (with low efficiency) and at the catalytic surface Trp [with high efficiency (Ruiz-Dueñas et al., 2008)]."

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

**Publisher's Note:** All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2021 Molina-Espeja, Beltran-Nogal, Alfuzzi, Guallar and Alcalde. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.