

Editorial: Design of Functional Nanostructured Polymer Materials: Synthesis, Characterization and Applications

Vera Alejandra Álvarez^{1†}*, Guillermo Javier Copello^{2,3†}, Roberto Fernández de Luis^{4†}, Antonia Infantes Molina^{5†} and Juan Manuel Lázaro-Martínez^{2,3†}

¹Consejo Nacional de Investigaciones Científicas y Técnicas (CONICET), Instituto de Investigaciones en Ciencia y Tecnología de Materiales (INTEMA), Grupo de Materiales Compuestos Termoplásticos (CoMP), Facultad de Ingeniería, Universidad Nacional de Mar del Plata, Mar del Plata, Argentina, ²Universidad de Buenos Aires, Facultad de Farmacia y Bioquímica, Departamento de Ciencias Químicas, Buenos Aires, Argentina, ³CONICET - Universidad de Buenos Aires, Instituto de Química y Metabolismo del Fármaco (IQUIMEFA), Buenos Aires, Argentina, ⁴BCMaterials, Basque Center for Materials, Applications and Nanostructures UPV/EHU Science Park, Leioa, Spain, ⁵Departamento de Química Inorgánica, Facultad de Ciencias, Universidad de Málaga, Málaga, Spain

Keywords: nanocomposite, grafting, crosslinking, characterization techniques, nanoscience

Editorial on the Research Topic

OPEN ACCESS

Edited and reviewed by:

Pellegrino Musto, National Research Council (CNR), Italy

> *Correspondence: Vera Alejandra Álvarez alvarezvera@gmail.com

⁺These authors have contributed equally to this work

Specialty section:

This article was submitted to Polymer Chemistry, a section of the journal Frontiers in Chemistry

Received: 18 April 2022 Accepted: 25 April 2022 Published: 13 May 2022

Citation:

Álvarez VA, Copello GJ, Fernández de Luis R, Molina AI and Lázaro-Martínez JM (2022) Editorial: Design of Functional Nanostructured Polymer Materials: Synthesis, Characterization and Applications. Front. Chem. 10:923054. doi: 10.3389/fchem.2022.923054 Design of Functional Nanostructured Polymer Materials: Synthesis, Characterization and Applications

Modern problems sometimes require innovative solutions. Like many science fields, traditional polymer science would have reached an innovative plateau if it had not reinvented itself by the aid of modern technologies. Nowadays, polymers have exceeded their role as structural materials. In this sense, smart polymers, functional polymers, nanostructured polymers allow the development of materials and formulations with outstanding performances. These developments have been possible due to the interest of academic and industry researchers that have gathered through the years enough knowledge to manipulate, modify, characterize, and apply these polymers in a way that was unthinkable a decade ago. In this matter, nanotechnology has played a major role. The rise of nanotechnology at the beginning of this century has boosted the interest of its application as a panacea for any technological drawback.

As time goes by, nanotechnology has matured and the resultant developments can be found in the scientific literature as well as in patents and also in commercial products. This Research Topic gathers a portion of these developments. It revisits the relevance of nanotechnology in polymer science at different levels, from synthesis, characterization and applications of these materials.

Regarding synthesis, several strategies that confer a nanostructure to a material are reported in this Topic. Li et al. have made a nanostructured chitosan aerogel by lyophilization (Li et al.). Xiao et al. also achieved a nanostructured material whose internal morphology was endowed by the polymers used in the hydrogel assembly (Xiao et al.). They have observed the typical coral-like and dendritic 3D network structure of polyaniline (PANI). Also, the internal morphology of the material could be influenced by the amount of gelatin in the composite.

In a different approach, using nanostructures as molding agents, Thimmaiah et al. have developed a nanocomposite film by embedding lithium silver oxide (LAO) nanoparticles (NPs) in sodium alginate (Giriyappa Thimmaiah et al.). The authors highlight the relevance of avoiding phase separation in the system in order to achieve a homogeneous material. In this matter one can say that

1

characterization is an important issue, and will predict or explain the material properties and operative behavior. In fact, Zhao et al. have developed a method to calculate the fractal dimension of non-ordered nano-polymeric microspheres (Zhao et al.). Interestingly, they have found that the calculated fractal dimension of polymeric microspheres was linearly correlated to the average particle size during the hydration of the sphere. The use of freely available and powerful software such as NIH ImageJ was indispensable for this work.

There is no doubt that when it comes to nanostructured materials, microscopies play a major role in the characterization. Nevertheless, all works in this Topic demonstrate that more statistically weighted methods are needed to characterize NPs, such as Dynamic Light Scattering (DLS), and that other specific techniques should be implemented in order to gain a deep insight in the material properties, such as the crystalline phases or crystallite size of the NPs, that can be studied by X-ray diffraction (XRD), or the polymer's functional groups and interaction among, that can be analyzed by FT-IR.

The works from this Research Topic also demonstrate that applicability is one of the main goals for academic and industry researchers working in polymer chemistry. Li et al. and Xiao et al. have focused their works in the medicine field (Li et al.; Xiao et al.). The first authors have used the chemical nature and the nanostructure of the material as tools to control the release of ibuprofen. They have studied the release and permeation of the drug by means of medium pH and loading. The latter authors have developed a conductive antibacterial nanocomposite by mixing Ag NPs in a PANI/polyvinyl alcohol/gelatin matrix. For this application, together with the antimicrobial properties, the authors highlighted the relevance of testing the biocompatibility of the material. Seeking biocompatibility, Thimmaiah et al. have chosen sodium alginate as the support matrix for LAO NPs for the development of portable electronics (Giriyappa Thimmaiah et al.). In this case, the dielectric nature of alginate hinders the conductivity transmission of LAO NPs. Therefore, the loading of the NPs and the electric parameters needed for the proper performance of the material needed to be studied.

In brief, this Research Topic, compiles novel developments regarding nanostructured polymer materials, by assessing new synthetic methods, their characterization and the study of the plausibility of their application in order to allow the readers from industry and academia to reach for new ideas for future progress.

AUTHOR CONTRIBUTIONS

All authors listed have made a substantial, direct, and intellectual contribution to the work and approved it for publication.

Conflict of Interest: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Publisher's Note: All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2022 Álvarez, Copello, Fernández de Luis, Molina and Lázaro-Martínez. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.