



# Scaling CO<sub>2</sub> Capture With Downstream Flow CO<sub>2</sub> Conversion to Ethanol

Grant Pace and Stafford W. Sheehan\*

Air Company, Brooklyn, NY, United States

to liquids, ethanol, flow chemistry

To prevent the global average temperature from increasing more than  $1.5^{\circ}$ C and lower the concentration of greenhouse gases (GHGs) in the atmosphere, most emissions trajectories necessitate the implementation of strategies that include both GHG mitigation and negative emissions technologies (NETs). For NETs, there are unique research challenges faced by both CO<sub>2</sub> capture and utilization to scale in an economically feasible manner. Starting with incumbent methods, wherein CO<sub>2</sub> is recovered from a high concentration source, and moving toward CO<sub>2</sub> capture from more widely available dilute sources, we outline how CO<sub>2</sub> capture systems interface with downstream utilization in flow reactors. To provide a real-world point of comparison, we analyze CO<sub>2</sub> sourcing for Air Company's CO<sub>2</sub>-to-alcohols pilot and demonstration scale deployments in Brooklyn, New York, USA and Calgary, Alberta, Canada as case studies. The degree of reduction in atmospheric CO<sub>2</sub> depends on product alcohol usage; for example, use as a fixed chemical feedstock provides longer term emissions reduction than as a fuel, which is eventually oxidized. Lastly, we discuss the barriers that are present for economic scale-up of CO<sub>2</sub> capture and utilization technologies broadly.

Keywords: carbon dioxide utilization, direct air capture, carbon recovery, carbon capture, solar fuels, emissions

### iheehan any.com INTRODUCTION

Anthropogenic climate change is perhaps the most significant existential challenge that humanity faces today (Mora et al., 2018; Gills and Morgan, 2020). A rapid increase in utilization of fossil fuels since the industrial revolution has increased the concentration of greenhouse gases (GHGs) in the atmosphere at a faster rate than has been observed previously (Peng et al., 1983; Etheridge et al., 1996; Lacis et al., 2010). The overwhelming majority of scientific evidence points to this increase in atmospheric GHGs, specifically carbon dioxide, being the cause of the changing global climate (Oreskes, 2004; Hartmann et al., 2013). Historically, there has been an equilibrium between  $CO_2$  sequestration via photosynthesis and  $CO_2$  emissions by biodegradation and other natural mechanisms that gradually removed  $CO_2$  from the atmosphere, transforming Earth's atmosphere into the habitable one that we now rely on (Des Marais, 2000; Gonzalez Hernandez and Sheehan, 2020). Burning fossil fuels to power today's society introduces a new, rapid flux of  $CO_2$  into the atmosphere that natural photosynthesis can no longer compensate (Grace, 2004; Le Quéré et al., 2018).

### OPEN ACCESS

### Edited by:

Phil Renforth, Heriot-Watt University, United Kingdom

#### Reviewed by:

Volker Sick, University of Michigan, United States Binoy K. Saikia, North East Institute of Science and Technology (CSIR), India

### \*Correspondence: Stafford W. Sheehan

staff@aircompany.com

### Specialty section:

This article was submitted to Negative Emission Technologies, a section of the journal Frontiers in Climate

> Received: 21 January 2021 Accepted: 06 April 2021 Published: 06 May 2021

#### Citation:

Pace G and Sheehan SW (2021) Scaling CO<sub>2</sub> Capture With Downstream Flow CO<sub>2</sub> Conversion to Ethanol. Front. Clim. 3:656108. doi: 10.3389/fclim.2021.656108

1

Renewable technologies must be developed and deployed to bring equilibrium back to the global carbon cycle (Holdren et al., 1980; Goreau, 1990; Gielen et al., 2019). There are several renewable approaches to CO<sub>2</sub> emissions mitigation, and ultimately the planet will require a diversified portfolio as no single technology could reasonably abate global CO<sub>2</sub> emissions alone (Moriarty and Honnery, 2012; Fasihi et al., 2019; Realmonte et al., 2019). Many viable solutions rely on the increased utilization of renewable (wind, solar, hydroelectric, and others) energy with low lifecycle CO<sub>2</sub> emissions intensity (Sims, 2004). Displacing fossil fuel-based electricity generation with renewables indirectly reduces GHG emissions by preventing them from being emitted in the first place. Carbon capture and storage (CCS) technologies, on the other hand, provide direct CO<sub>2</sub> emissions reduction by sequestering CO<sub>2</sub> from anthropogenic sources or from the air (Snæbjörnsdóttir et al., 2020). Lastly, carbon capture and utilization (CCU) affords both direct and indirect emissions reduction by directly utilizing captured CO<sub>2</sub> as a reactant to make a product, which in turn displaces the product's fossil-derived counterpart. Together, the latter two technologies are known as carbon capture, utilization, and storage (CCUS). CCUS is a subset of negative emissions technologies (NETs), which is defined for the purposes of this article as technologies that reduce atmospheric GHG concentrations below the concentration that would occur without the technology (McLaren, 2012).

The utility of NETs increases over time as we implement measures to reduce global GHG emissions. In today's world where coal is still burned for electricity, it is in many cases more advantageous to replace these most polluting emitters with renewable energy to prevent their CO<sub>2</sub> emissions in the first place (Gaffney et al., 2020). Once the "lowest hanging fruit" is taken by removing the worst emitters, the relative difficulty of mitigating CO2 increases. At this intermediate point, the utility of NETs to capture CO<sub>2</sub> from clean emitters is comparable to deploying additional indirect CO<sub>2</sub> emissions reduction measures. Ultimately, when most electricity generation is done renewably (which introduces additional energy storage challenges that further enable several CCU technologies) there will still be substantial CO<sub>2</sub> emissions in several areas, such as the chemical and aerospace industries, agriculture, aviation, and cement production (Fasihi et al., 2019). At this point, NETs will be required to maintain equilibrium in the global carbon cycle. As of 2020, we need to remove more than 170 gigatons of CO<sub>2</sub> from the atmosphere to remain under the target of 1.5°C of warming by 2100 (Johansson et al., 2020). This is the equivalent of more than 5 times the total amount of CO<sub>2</sub> emitted globally in 2019 (Friedlingstein et al., 2020).

Currently, the most widely commercialized systems that capture  $CO_2$  recover it from a high-purity source, such as hydrogen production or sugar fermentation (de Assis Filho et al., 2013). These  $CO_2$  recovery (CR) systems utilize feed streams with typically >95%  $CO_2$  concentration, requiring minimal impurity removal to increase the concentration to >99%, while compressing to provide a liquefied  $CO_2$  product for ease of transport and use. In contrast, point source  $CO_2$  capture (PSC) uses a more dilute feed stream, such as natural gas flue gas which

is ~4–16% CO<sub>2</sub> in N<sub>2</sub> and O<sub>2</sub> from the air (Jiang et al., 2019). A testament to the energetic implications of CO<sub>2</sub> concentration on NET efficiency, much PSC research focuses on source gases with higher CO<sub>2</sub> concentrations (Li et al., 2011; Baker et al., 2017). Lower concentration feed streams necessitate use of a higher volume sorption system, and typically uses the industry standard monoethanolamine (MEA) CO<sub>2</sub> scrubber. Direct air capture (DAC), on the other hand, captures CO<sub>2</sub> from the air at ~416 ppm which is much more energetically challenging than either CR or PSC (Ren et al., 2021). A key differentiator between these technologies is the concentration of CO<sub>2</sub> in their source material, which dictates the feedstock mass and energy required for separation.

In this article, we present an analysis of  $CO_2$  capture technologies as they interface with downstream continuous flow  $CO_2$  utilization systems. We provide an industrial perspective by discussing the advantages and challenges to deploying flow reactors downstream from CR at high-purity point sources in the Air Company pilot reactor in New York, as compared to PSC from the flue gas of a natural gas-fired power plant using an amine absorption-based system at the Air Company demonstration reactor in Calgary. In doing so, we highlight the trajectory for deployment of  $CO_2$  capture technologies more broadly, when coupled with utilization as these emerging fields and respective technologies scale. Lastly, we discuss the lessons learned from these deployments as they relate to integrated  $CO_2$  capture and utilization systems and their associated technological and infrastructural barriers.

# **TECHNOLOGIES THAT CAPTURE CO2**

All three major categories of CO<sub>2</sub> capture technologies are subject to the same development constraints as other chemical processes. To progress from conceptual idea, to a proof of concept, followed by a benchtop prototype, then pilot, demonstration, and small commercial plant is highly capital intensive and requires research and development infrastructure of its own. As they are both still the subject of heavy R&D, the economics for both PSC and DAC do not reach the low cost point that CR has achieved. Given the long chemical scale-up and development cycles and the fundamentally higher energy requirement for PSC and DAC, CR is the lowest hanging fruit today as a CO<sub>2</sub> source to provide suitable feedstock for CO<sub>2</sub> utilization. On the other hand, CR has the lowest potential for scale and long-term CO<sub>2</sub> emissions reduction since there are limited sources; many are dependent on industries powered by fossil fuels that can be replaced with renewable alternatives, such as H<sub>2</sub> production (Table 1).

CR acts on CO<sub>2</sub>-rich gases produced during processes such as fermentation and is fully commercially available (Haszeldine et al., 2018). Due to its source gas containing >90% CO<sub>2</sub>, it can function without high thermal energy input to capture and release CO<sub>2</sub> from a sorbent and is typically fully powered by electricity. This gives it the best economics of all the CO<sub>2</sub> capture technologies today, as evidenced by its widespread use to produce CO<sub>2</sub> for sale. Due to its high concentration feedstock, CR is

TABLE 1   Typical reported energy consumption and potential scale for CO2
capture technologies as defined by their source concentration.

	CO <sub>2</sub> Recovery	CO <sub>2</sub> Capture	DAC
Source concentration	>90%	4–16%	>416 ppm
Sorbent phase	Liquid	Solid, Liquid	Solid, Liquid
temperatures	-10 0	30-130 0	(Sadiq et al., 2020)
Reported output pressures	20–57 bar (liquid)	0.1–2 bar	1–100 bar
Example sources	Fermentation, H <sub>2</sub> Refining	Coal and natural gas power generation	Ambient air
Reported energy cost (kWh/ton)	120 kWh/ton (Möllersten et al., 2003)	666–2,650 kWh/ton	1,470–3,803 kWh/ton
Electrical energy cost range (kWh/ton)	120 kWh/ton	136–189 kWh/ton (Fitzgerald et al., 2014)	200–775 kWh/ton (Goeppert et al., 2012)
Thermal energy cost range (kWh/ton)	N/A	530–2,500 kWh/ton	994–3,030 kWh/ton (Broehm et al., 2015)
Potential scale (GT CO <sub>2</sub> /year)	<1	~6 (Olivier et al., 2017)	>33

**TABLE 2** | Summary of technologies under R&D to improve the economics of PSC, including their current stage of development and reported technology readiness level (TRL).

Point Source CO <sub>2</sub> capture technology	Stage of development	TRL
Monoethanolamine (MEA) (Jiang et al., 2019)	Commercialized	9
Solid sorbent (Svante)	Commercialized	9
Ammonia absorption (Shirmohammadi et al., 2018)	Commercial demonstrations	6–9
Vacuum swing adsorption (Divekar et al., 2020)	Lab	3–5
Metal-organic frameworks (MOFs) (Witman et al., 2017)	Lab	3–5
Clathrate-based (Lim et al., 2018)	Lab	3–5
S-EGR membranes (Baker et al., 2017)	Lab	3–5
Nonaqueous amine absorbent (Guo et al., 2019)	Lab	3–5
Two-membrane system (Turi et al., 2017)	Theoretical	2–3
Activated carbon adsorption (Jiang et al., 2019)	Theoretical	2–3
Photoresponsive MOFs (Park et al., 2020)	Theoretical	2–3

**TABLE 3** Selected technologies under R&D to improve the economics of DAC, including current stage of development and reported TRL.

Direct air capture technology	Stage of development	TRL
Amine adsorbents (Broehm et al., 2015)	Commercial demonstrations	8–9
Solid adsorbents (Ishimoto et al., 2017)	Commercial demonstrations	8–9
MOFs (Lee et al., 2014)	Lab	2–5
Electrochemical absorption (Voskian and Hatton, 2019)	Lab	2–3
Resin (moisture swing) (Lackner, 2013)	Lab	2–3
NaOH/Na <sub>2</sub> CO <sub>3</sub> - Ca(OH) <sub>2</sub> /CaCO <sub>3</sub> (Broehm et al., 2015)	Theoretical	2–3

in combined cycles reaching 90% capture rates) require expensive retrofitting of plants, which may deter commercial deployment (Turi et al., 2017).

PSC typically uses the byproduct gas of fossil fuel combustion as a source of  $CO_2$ , raising concerns that overreliance on PSC may enable continued fossil fuel dependence. In contrast, DAC has been proposed as a mechanism that minimizes the need for infrastructural change or fossil fuel dependence from its inception (Lackner et al., 1999). As DAC removes  $CO_2$  from air, with a concentration that is orders of magnitude lower

the most entropically and energetically favorable  $CO_2$  capture technology by a large margin as shown in **Table 1**. However, because CR has the lowest potential for scale for global  $CO_2$ removal, it is insufficient to meet decarbonization goals over the long term if not used in tandem with PSC and DAC. Due in part to its low potential for scale and need for future technological improvements, there is a dearth of scientific literature and policybased focus on CR. For this reason, it makes the most pragmatic sense to prioritize deployment of CR in locations where there are concentrated  $CO_2$  streams being emitted as the lowesthanging fruit in the NET portfolio. These deployments can be done rapidly while simultaneously continuing to scale PSC and DAC technologies.

PSC predominantly acts on post-combustion point sources, such as natural gas combined cycle (NGCC) plants with CO<sub>2</sub> concentrations of 4–16% (Jiang et al., 2019; see **Table 1**). Currently, PSC is operating at industrial scales, but its poor economics prevent widespread deployment, prompting further R&D in laboratories and pilot plants to reduce capital and energy costs (**Table 2**). Several PSC pilots show significant promise to further these goals, with innovations such as corrosion inhibitors helping to reduce heat duty from 5.0 to 1.8 GJ/ton CO<sub>2</sub> and with projected return on investment within 2.5 years (Idem et al., 2015; Shirmohammadi et al., 2018). Current challenges are centered around optimizing adsorbent capacity at the high temperatures and low CO<sub>2</sub> concentrations present in flue gas streams (Divekar et al., 2020). Unfortunately, many otherwise promising improvements in PSC (including selective membranes

than that of CR and PSC, it requires the highest energy input of the technologies studied (Breyer et al., 2019). One of its strengths as a component of a diversified portfolio of NETs is in offsetting distributed emissions, such as those from aviation and agriculture. Areas for improvement of DAC technology primarily focus on decreasing energy requirements for  $CO_2$ desorption (see **Table 3**). Of the high temperature and low temperature DAC systems, low temperature thus far achieves lower heat supply costs (Fasihi et al., 2019). Thicker absorbent films, thinner monolithic walls, and adsorbents with higher efficiency at ambient air conditions can decrease the required energy of temperature vacuum swing adsorption (Sinha et al., 2017).

Critics argue that both PSC and DAC delay an inevitable transition to renewables, and thus increase the societal costs associated with pollution (Jacobson, 2019, 2020). There are scenarios in which this concern is understandable; some DAC deployment trajectories require a quarter of global energy demand by the end of the century (Realmonte et al., 2019). However, the warming targets in the Paris Agreement can only

be met if NETs are part of the portfolio of climate solutions deployed (Haszeldine et al., 2018), making it imperative to deploy both low-carbon energy generation and NETs. The timing and trajectory of NET deployment is critical to reconcile both sides of the discussion. In the near term, NETs have the most impact by displacing the processes that are both most  $CO_2$  intensive, thereby maximizing both direct and indirect  $CO_2$  emissions, and have no renewable replacement in the foreseeable future.

We propose a trajectory for deployment of  $CO_2$  capture technologies that follows this approach, and examples on the pilot and commercial demonstration scales using continuous flow  $CO_2$  conversion systems are described below. The stranded sources of concentrated  $CO_2$  are urgent to capture, but not as important in the long-term as our ability to remove  $CO_2$  from the air. Correspondingly, the energy and capital intensity of DAC make it more economic to first pursue lower-hanging fruit, especially when today's renewable energy infrastructure does not provide adequate heat to power DAC systems without burning fossil fuels (Holmes et al., 2013; Keith et al., 2018), but it is critical



that large-scale R&D efforts lower these expenses in the future. Proper timing for both renewable electricity and NETs is critical to maximize societal benefit.

# AIR COMPANY EXAMPLES

Air Company's CO<sub>2</sub>-to-alcohols commercial pilot plant in Brooklyn, New York is a distillery that utilizes CO<sub>2</sub> delivered from CR-sourced sites, including fermentation facilities, to produce ethanol. The ethanol is distilled, mixed, and bottled on-site to produce spirits and hand sanitizer. The facility is powered by a mixture of offsite wind turbines and utilityscale solar photovoltaics, enabling ethanol production from CO<sub>2</sub>, H<sub>2</sub>O, and renewable electricity. **Figure 1A** is a photograph of Air Company's CO<sub>2</sub> conversion pilot plant in the facility, with a NEL H-series H<sub>2</sub>O electrolysis system and a fixed bed flow reactor for CO<sub>2</sub> hydrogenation. A flow chart of the process can be seen in **Figure 1B**; in brief, CO<sub>2</sub> and H<sub>2</sub> are compressed, heated, and fed into the 16-foot fixed bed flow reactor. The reactor is filled with a novel and proprietary heterogeneous catalyst that has not yet been reported in literature and is developed and synthesized on the kg-scale in Air Company's facilities, enabling stable and continuous conversion of  $CO_2$  and  $H_2$  into ethanol. The gaseous products are passed through a condenser assembly, which separates the room-temperature crude ethanol aqueous liquid and gases (Sarp et al., 2021). Room temperature gases are recycled into the reactor for further conversion. The facility and systems are further adaptable to accommodate  $CO_2$  electrolysis when that technology is at an appropriate commercial stage of development (Chen et al., 2018).

After the CO<sub>2</sub> conversion process, the crude ethanol is filtered and distilled to produce a neutral spirit that is ~95% ethanol by volume, the remaining 5% being water with <300 ppm net of all impurities by gas chromatography (GC), and meets all requirements for United States Pharmacopeia (USP) grade. In this facility, the CO<sub>2</sub> fed into the reactor is captured offsite via CR powered by renewables, which typically requires 120 kWh/ton, together with ~30 kWh/ton for transportation. CR is a continuous flow system that delivers CO<sub>2</sub> as a liquid



<b>TABLE 4</b>   Summary of inlet parameters and approximate energy cost for CO2		
capture coupled with pilot and production scale downstream flow reactors.		

Parameter	Brooklyn pilot	Calgary demonstration
CO <sub>2</sub> emitter concentration	95%	6.6%
CO <sub>2</sub> capture electricity required	120 kWh/ton CO <sub>2</sub>	136 kWh/ton CO <sub>2</sub>
CO <sub>2</sub> capture heat required	n/a	2,405 kWh/ton CO <sub>2</sub>
Transportation fuel required	30 kWh/ton CO <sub>2</sub>	n/a
CO <sub>2</sub> product concentration	>99%	98%
Delivery pressure	57 bar (liquid, 21 °C)	0.2–1 bar
Water content (weight %)	<0.1% (Dry)	2%
Electrolysis energy required	11 MWh/ton CO <sub>2</sub>	8.9 MWh/ton CO <sub>2</sub>

at high pressure, ensuring consistent supply and eliminating concern about the rate or variability of  $\rm CO_2$  use in flow reactors downstream.

Defining NETs as technologies that reduce atmospheric GHG concentrations below that which would occur without the technology, lifecycle assessment is based on a cradle-to-gate analysis (McLaren, 2012). Under optimal production conditions and operating at capacity, to produce 1 kg of ethanol as a functional unit, a minimum of 1.91 kg of CO<sub>2</sub> and 0.26 kg of H<sub>2</sub> is required. Depending on the lifecycle analysis methodology, a reasonable carbon footprint for the captured CO<sub>2</sub> is  $\sim -1.78$ kgCO<sub>2</sub>e given that the CO<sub>2</sub> used in the process would otherwise be emitted to the atmosphere (Müller et al., 2020). The primarily wind and solar power for the facility has average lifecycle emissions of 10 gCO<sub>2</sub>e/kWh (Sovacool, 2008). Water electrolysis consumes 81 kWh/kg H<sub>2</sub>, which equates to 0.21 kgCO<sub>2</sub>e (NEL Hydrogen, 2020). Compression, heating, cooling, and distillation are all powered by electricity or waste heat and net  $\sim$ 8 kWh/kg ethanol. Amortized material of construction emissions over production lifetime averages 40 gCO2e/kg ethanol, accounting for unoptimized system mass (Sheehan, 2021). This results in an estimated carbon footprint of  $\sim$ -1.45 kgCO<sub>2</sub>e/kg ethanol, though a more detailed and thorough lifecycle analysis that includes cradle-to-grave considerations is the subject of a future study that is currently underway.

Especially when transportation GHG emissions are minimal as to keep the net  $CO_2e < 100$  kg per ton of  $CO_2$  captured, CR is an ideal capture medium for downstream flow  $CO_2$ conversion. The  $CO_2$  is delivered as a liquid, which has a constant vapor pressure. This is helpful in flow systems if there are one or more stages of compression prior to introduction of  $CO_2$ to other reactants. The suction pressure of these compressors must remain constant for optimum operation and to ensure adequate compressor lifetime, and severe variation in inlet  $CO_2$ pressure or temperature can cause challenges that prompt plant shutdown. CR eliminates these operational variables and is economic without substantial subsidy, which makes it a model system for integration with flow  $CO_2$  conversion systems in the near-term despite its limited long-term utility.

Unlike fermentation processes, NGCC power plants release flue gas streams with CO<sub>2</sub> concentrations of 4-16%. In this case, CO<sub>2</sub> is a harmful byproduct of electricity production. PSC from NGCC power plants takes place today using a commercial monoethanolamine (MEA) process, in which CO<sub>2</sub> is absorbed by liquid MEA at high pressure and low temperature and stripped from the MEA at low pressure and high temperature. Air Company's Calgary commercial CO2-to-alcohols demonstration plant is deployed at the Shepard Energy Center, an 860 MW NGCC power plant. The NGCC byproduct flue gas containing 6.6% CO<sub>2</sub> is fed into the MEA adsorption system operated by the Alberta Carbon Conversion Technology Center (ACCTC), shown in the left on the photograph in Figure 2A. The product from the capture system, water-saturated CO<sub>2</sub> (98%), is then pumped into the Air Company building. Tail gas is typically emitted from amine CO<sub>2</sub> capture systems, which contains  $\sim 1.2\%$ CO<sub>2</sub> that is not captured because it is too energy-intensive to do so. The water content of the captured CO<sub>2</sub> could have implications for the efficacy of the system, and a knockout drum dryer is used for its removal. After compression, the CO<sub>2</sub> is combined with H<sub>2</sub> and introduced into a reactor similar to, but significantly larger than, the Air Company pilot plant. While H<sub>2</sub> was supplied via tube trailer in the interim, construction of an integrated facility with a H<sub>2</sub>O electrolyzer powered by renewable electricity is nearly complete. Table 4 shows a summary of the gas inlet parameters between the pilot and demonstration facilities.

# **DISCUSSION AND CONCLUSIONS**

For the Air Company pilot and commercial demonstration facilities as well as deployments for larger CO2 utilization systems by us and others in the future, plant economics will play a major role in the technology used for CO<sub>2</sub> capture. Our experiences suggest that the hypothesis to target the high-concentration CO<sub>2</sub> emitters first is valid, but the GHG reduction of these sources is limited. This calls for research to reduce the capital costs, energy requirements, and improve product characteristics (e.g., temperature, pressure) for PSC and DAC at-scale. In our case, using a CR-sourced pilot reactor and PSC-sourced commercial demonstration reactor, the biggest barrier to use of DAC was the large capital expenditure for small units (on the order of 1-10 tons per day of CO<sub>2</sub>). Innovations in materials science and sorbent materials that drive down the capital cost of small DAC units would be hugely beneficial for distributed deployment, especially in industries where customers are willing to pay a substantial premium for modular and distributed DAC, thus offsetting its comparably larger operational expense.

Beyond capital expenditure and operational considerations, the necessity of retrofits for certain PSC technologies could represent key barrier to PSC deployment and receives little academic attention (Koelbl et al., 2014). Due in part to the costs of retrofits and the abundance of non-retrofittable power plants, DAC has surprisingly been identified as the less expensive option compared to PSC in one third of NGCC plants. Further select cases (e.g., microalgae cultivation) also make DAC energetically competitive despite being the furthest from commercial availability (Mangram, 2012; Wilcox et al., 2017; Azarabadi and Lackner, 2020; Hirsch and Foust, 2020). There is no fundamental reason why both DAC and PSC systems also cannot deliver product  $CO_2$  with the same consistency, pressures, and temperatures as CR to optimize integration with downstream flow reactors. Beyond facilitating retrofits, research that improves the feedstock input and  $CO_2$  output tolerances of DAC and PSC technologies could further accelerate commercialization.

Locations for geological storage and measures to mitigate leakage also represent key barriers to scaling NET outside CR, PSC, and DAC technologies themselves that must be addressed (Koelbl et al., 2014; von Strandmann et al., 2019). Since CCS does not produce a physical, saleable end product, exploration into further profitable NET opportunities, mass production and innovative infrastructural development, financial incentives, and international policy will be necessary to reach emissions targets (Honegger and Reiner, 2018; Hirsch and Foust, 2020; Olfe-Kräutlein, 2020). The high startup costs associated with early CCU deployment may potentially be overcome by following successful disruptive innovation models in electric vehicles (EVs) and EV infrastructure that move from high-end to mass markets to scale pragmatically, for example, as Tesla has done (Chen and Perez, 2018).

Ultimately, widespread  $CO_2$  capture and utilization will be needed to meet emissions targets, but these technologies alone will not save us. Real infrastructural change to facilitate an economic trajectory of  $CO_2$  capture deployment is required. Similar to the way the hardware and software for EVs existed prior to its currently accelerating adoption due to cultural and political changes, these fundamental pieces exist for  $CO_2$  capture.  $CO_2$  utilization technologies now provide an additional incentive to build the required infrastructure on local and global scales.

# REFERENCES

- Azarabadi, H., and Lackner, K. S. (2020). Postcombustion capture or direct air capture in decarbonizing US natural gas power? *Environ. Sci. Technol.* 54, 5102–5111. doi: 10.1021/acs.est.0c00161
- Baker, R. W., Freeman, B., Kniep, J., Wei, X., and Merkel, T. (2017). CO<sub>2</sub> capture from natural gas power plants using selective exhaust gas recycle membrane designs. *Int. J. Greenhouse Gas Control.* 66, 35–47. doi: 10.1016/j.ijggc.2017.08.016
- Breyer, C., Fasihi, M., Bajamundi, C., and Creutzig, F. (2019). Direct air capture of CO<sub>2</sub>: a key technology for ambitious climate change mitigation. *Joule* 3, 2053–2057. doi: 10.1016/j.joule.2019.08.010
- Broehm, M., Strefler, J., and Bauer, N. (2015). Techno-economic review of direct air capture systems for large scale mitigation of atmospheric CO<sub>2</sub>. Available at SSRN 2665702. doi: 10.2139/ssrn.2665702
- Chen, C., Kotyk, J. F. K., and Sheehan, S. W. (2018). Progress toward commercial application of electrochemical carbon dioxide reduction. *Chem* 4, 2571–2586. doi: 10.1016/j.chempr.2018.08.019
- Chen, Y., and Perez, Y. (2018). "Business model design: lessons learned from Tesla Motors," in *Towards a Sustainable Economy*, ed P. da Costa, and D. Attias (Cham: Springer), 53–69. doi: 10.1007/978-3-319-79060-2\_4
- de Assis Filho, R. B., Danielski, L., de Carvalho, F. R., and Stragevitch, L. (2013). Recovery of carbon dioxide from sugarcane fermentation broth in the ethanol industry. *Food Bioprod. Process.* 91, 287–291. doi: 10.1016/j.fbp.2012.09.009

# DATA AVAILABILITY STATEMENT

The original contributions presented in the study are included in the article/supplementary material, further inquiries can be directed to the corresponding author.

# **AUTHOR CONTRIBUTIONS**

GP performed research on CO<sub>2</sub> capture technologies, compiled information in **Tables 1**, **2**, and drafted the main body of the article. SS conceptualized the research, the facilities in **Figures 1**, **2**, and supervised the work. Both authors wrote and revised the manuscript.

# FUNDING

GP acknowledges the New York State Energy Research and Development Authority (NYSERDA) for their Clean Energy Internship Program. SS acknowledged the Ontario Centre of Innovation for Phase 1 and 2 awards under their Solutions 2030 Challenge (Nos. 29828 and 31826), and NASA Centennial Challenges for a Phase 1 award from their CO<sub>2</sub> Conversion Challenge.

# ACKNOWLEDGMENTS

We thank the Air Company operations team, Gregory Constantine, Jackson Constantine, Morgan Sparkes, Nicholas Steinke, Jodi Taylor, Joshua Anderson, Santiago Gonzalez Hernandez, Dr. Chi Chen, and Dean Pawulski, for their work on the facilities described in this article. We also acknowledge Dr. Marcius Extavour and the NRG COSIA Carbon XPrize team, Dr. John Sirman, and Dr. Aref Najafi for their discussions and support of CCUS technologies.

- Des Marais, D. J. (2000). When did photosynthesis emerge on Earth? *Science* 289, 1703–1705. doi: 10.1126/science.289.5485.1703
- Divekar, S., Dasgupta, S., Arya, A., Gupta, P., Singh, S., and Nanoti, A. (2020). Improved CO<sub>2</sub> recovery from flue gas by layered bed Vacuum Swing Adsorption (VSA). Sep. Purif. Technol. 234, 115594. doi: 10.1016/j.seppur.2019.05.036
- Etheridge, D. M., Steele, L. P., Langenfelds, R. L., Francey, R. J., Barnola, J. M., and Morgan, V. I. (1996). Natural and anthropogenic changes in atmospheric  $CO_2$  over the last 1000 years from air in Antarctic ice and firm. *J. Geophys. Res. Atmos.* 101, 4115–115528. doi: 10.1029/95JD 03410
- Fasihi, M., Efimova, O., and Breyer, C. (2019). Techno-economic assessment of CO<sub>2</sub> direct air capture plants. J. Clean. Prod. 224, 957–980. doi: 10.1016/j.jclepro.2019.03.086
- Fitzgerald, F. D., Hume, S. A., McGough, G., and Damen, K. (2014). Ferrybridge CCPilot100+ operating experience and final test results. *Energy Procedia* 63, 6239–6251. doi: 10.1016/j.egypro.2014.1 1.655
- Friedlingstein, P., O'Sullivan, M., Jones, M. W., Andrew, R. M., Hauck, J., Olsen, A., et al. (2020). Global carbon budget 2020. *Earth Syst. Sci. Data* 12, 3269–3340. doi: 10.5194/essd-12-3269-2020
- Gaffney, F., Deane, J. P., Drayton, G., Glynn, J., and Gallachóir, B. P. (2020). Comparing negative emissions and high renewable scenarios for the European power system. *BMC Energy* 2, 1–3. doi: 10.1186/s42500-020-00013-4

- Gielen, D., Boshell, F., Saygin, D., Bazilian, M. D., Wagner, N., and Gorini, R. (2019). The role of renewable energy in the global energy transformation. *Energy Strategy Rev.* 24, 38–50. doi: 10.1016/j.esr.2019.01.006
- Gills, B., and Morgan, J. (2020). Global climate emergency: after COP24, climate science, urgency, and the threat to humanity. *Globalizations* 17, 885–902. doi: 10.1080/14747731.2019.1669915
- Goeppert, A., Czaun, M., Prakash, G. S., and Olah, G. A. (2012). Air as the renewable carbon source of the future: an overview of CO<sub>2</sub> capture from the atmosphere. *Energy Environ. Sci.* 5, 7833–7853. doi: 10.1039/c2ee21586a
- Gonzalez Hernandez, S., and Sheehan, S. W. (2020). Comparison of carbon sequestration efficacy between artificial photosynthetic carbon dioxide conversion and timberland reforestation. *MRS Energy Sust.* 7:32. doi: 10.1557/mre.2020.32
- Goreau, T. J. (1990). Balancing atmospheric carbon dioxide. Ambio 19, 230-236.
- Grace, J. (2004). Understanding and managing the global carbon cycle. J. Ecol. 92, 189–202. doi: 10.1111/j.0022-0477.2004.00874.x
- Guo, H., Li, C., Shi, X., Li, H., and Shen, S. (2019). Nonaqueous amine-based absorbents for energy efficient CO<sub>2</sub> capture. *Appl. Energy* 239, 725–734. doi: 10.1016/j.apenergy.2019.02.019
- Hartmann, D. L., Tank, A. M., Rusticucci, M., Alexander, L. V., Brönnimann, S., Charabi, Y. A., et al. (2013). "Observations: atmosphere and surface," in *Climate Change 2013 the Physical Science Basis: Working Group I Contribution* to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change (Cambridge: Cambridge University Press), 159–254.
- Haszeldine, R. S., Flude, S., Johnson, G., and Scott, V. (2018). Negative emissions technologies and carbon capture and storage to achieve the Paris Agreement commitments. *Philos. Trans. R. Soc. A.* 376:20160447. doi: 10.1098/rsta.2016.0447
- Hirsch, E., and Foust, T. (2020). Policies and programs available in the United States in support of carbon capture and utilization. *Energy L. J.* 41:91. Available online at: https://heinonline.org/HOL/LandingPage?handle=hein. journals/energy41&div=13&id=&page=
- Holdren, J. P., Morris, G., and Mintzer, I. (1980). Environmental aspects of renewable energy sources. *Ann. Rev. Energy* 5, 241–291.
- Holmes, G., Nold, K., Walsh, T., Heidel, K., Henderson, M. A., Ritchie, J., et al. (2013). Outdoor prototype results for direct atmospheric capture of carbon dioxide. *Energy Procedia* 37, 6079–6095. doi: 10.1016/j.egypro.2013.06.537
- Honegger, M., and Reiner, D. (2018). The political economy of negative emissions technologies: consequences for international policy design. *Clim. Policy* 18, 306–321. doi: 10.1080/14693062.2017.1413322
- Idem, R., Supap, T., Shi, H., Gelowitz, D., Ball, M., Campbell, C., et al. (2015). Practical experience in post-combustion CO<sub>2</sub> capture using reactive solvents in large pilot and demonstration plants. *Int. J. Greenhouse Gas. Control.* 40, 6–25. doi: 10.1016/j.ijggc.2015.06.005
- Ishimoto, Y., Sugiyama, M., Kato, E., Moriyama, R., Tsuzuki, K., and Kurosawa, A. (2017). Putting costs of direct air capture in context. FCEA Working Paper Series: 002. doi: 10.2139/ssrn.2982422
- Jacobson, M. Z. (2019). The health and climate impacts of carbon capture and direct air capture. *Energy Environ. Sci.* 12, 3567–3574. doi: 10.1039/C9EE02709B
- Jacobson, M. Z. (2020). "Evaluation of coal and natural gas with carbon capture as proposed solutions to global warming, air pollution, and energy security," in 100% Clean, Renewable Energy and Storage for Everything (New York, NY: Cambridge University Press), 347–388. doi: 10.1017/97811087 86713
- Jiang, L., Gonzalez-Diaz, A., Ling-Chin, J., Roskilly, A. P., and Smallbone, A. J. (2019). Post-combustion CO<sub>2</sub> capture from a natural gas combined cycle power plant using activated carbon adsorption. *Appl. Energy* 245, 1–5. doi: 10.1016/j.apenergy.2019.04.006
- Johansson, D. J., Azar, C., Lehtveer, M., and Peters, G. P. (2020). The role of negative carbon emissions in reaching the Paris climate targets: the impact of target formulation in integrated assessment models. *Environ. Res. Lett.* 15:124024. doi: 10.1088/1748-9326/abc3f0
- Keith, D. W., Holmes, G., Angelo, D. S., and Heidel, K. (2018). A process for capturing CO<sub>2</sub> from the atmosphere. *Joule* 2, 1573–124094. doi: 10.1016/j.joule.2018.05.006
- Koelbl, B. S., van den Broek, M. A., Faaij, A. P., and van Vuuren, D. P. (2014). Uncertainty in carbon capture and storage (CCS) deployment

projections: a cross-model comparison exercise. Clim. Change 123, 461-476. doi: 10.1007/s10584-013-1050-7

- Lacis, A. A., Schmidt, G. A., Rind, D., and Ruedy, R. A. (2010). Atmospheric CO<sub>2</sub>: principal control knob governing earth's temperature. *Science* 330, 356–359. doi: 10.1126/science.1190653
- Lackner, K., Ziock, H. J., and Grimes, P. (1999). Carbon Dioxide Extraction From Air: Is It an Option? Santa Fe, NM: Los Alamos National Lab.
- Lackner, K. S. (2013). The thermodynamics of direct air capture of carbon dioxide. *Energy* 50, 38–46. doi: 10.1016/j.energy.2012.09.012
- Le Quéré, C., Andrew, R. M., Friedlingstein, P., Sitch, S., Hauck, J., Pongratz, J., et al. (2018). Global carbon budget 2018. *Earth Syst. Sci. Data* 10, 2141–2194. doi: 10.5194/essd-10-2141-2018
- Lee, W. R., Hwang, S. Y., Ryu, D. W., Lim, K. S., Han, S. S., et al. (2014). Diaminefunctionalized metal-organic framework: exceptionally high CO<sub>2</sub> capacities from ambient air and flue gas, ultrafast CO<sub>2</sub> uptake rate, and adsorption mechanism. *Energy Environ. Sci.* 7, 744–751. doi: 10.1039/C3EE42328J
- Li, H., Ditaranto, M., and Berstad, D. (2011). Technologies for increasing CO<sub>2</sub> concentration in exhaust gas from natural gas-fired power production with post-combustion, amine-based CO<sub>2</sub> capture. *Energy* 36, 1124–1133. doi: 10.1016/j.energy.2010.11.037
- Lim, J., Choi, W., Mok, J., and Seo, Y. (2018). Clathrate-based CO<sub>2</sub> capture from CO<sub>2</sub>-rich natural gas and biogas. ACS Sus. Chem. Eng. 6, 5627–5635. doi: 10.1021/acssuschemeng.8b00712
- Mangram, M. E. (2012). The globalization of Tesla Motors: a strategic marketing plan analysis. J. Strateg. Mark. 20, 289–312. doi: 10.1080/0965254X.2012.657224
- McLaren, D. (2012). A comparative global assessment of potential negative emissions technologies. *Process Saf. Environ. Prot.* 90, 489–500. doi: 10.1016/j.psep.2012.10.005
- Möllersten, K., Yan, J., and Moreira, J. R. (2003). Potential market niches for biomass energy with CO<sub>2</sub> capture and storage—opportunities for energy supply with negative CO<sub>2</sub> emissions. *Biomass Bioenerg.* 25, 273–285. doi: 10.1016/S0961-9534(03)00013-8
- Mora, C., Spirandelli, D., Franklin, E. C., Lynham, J., Kantar, M. B., Miles, W., et al. (2018). Broad threat to humanity from cumulative climate hazards intensified by greenhouse gas emissions. *Nat. Clim. Change* 8, 1062–1071. doi: 10.1038/s41558-018-0315-6
- Moriarty, P., and Honnery, D. (2012). What is the global potential for renewable energy? *Renew. Sust. Energy Rev.* 16, 244–252. doi: 10.1016/j.rser.2011. 07.151
- Müller, L. J., Kätelhön, A., Bringezu, S., McCoy, S., Suh, S., Edwards, R., et al. (2020). The carbon footprint of the carbon feedstock CO<sub>2</sub>. *Energy Environ. Sci.* 13, 2979–2992. doi,: 10.1039/D.0E. E.01530J.
- NEL Hydrogen (2020). H Series Hydrogen Generation Systems Specification Sheet, Revision G. Available online at: https://nelhydrogen.com/wp-content/uploads/ 2020/03/H-Series-Spec-Sheet-Rev-G.pdf (accessed March 29, 2021).
- Olfe-Kräutlein, B. (2020). Advancing CCU technologies pursuant to the SDGs: a challenge for policy making. *Front. Energy Res.* 8:198. doi: 10.3389/fenrg.2020.00198
- Olivier, J. G., Schure, K. M., and Peters, J. A. (2017). *Trends in Global CO*<sub>2</sub> and *Total Greenhouse Gas Emissions*. The Hague: PBL Netherlands Environmental Assessment Agency.
- Oreskes, N. (2004). The scientific consensus on climate change. *Science* 306, 1686. doi: 10.1126/science.1103618
- Park, J., Suh, B. L., and Kim, J. (2020). Computational design of a photoresponsive metal-organic framework for post combustion carbon capture. J. Phys. Chem. C 124, 13162–13167. doi: 10.1021/acs.jpcc.0c01878
- Peng, T. H., Broecker, W. S., Freyer, H. D., and Trumbore, S. (1983). A deconvolution of the tree ring based 813C record. J. Geophys. Res. Oceans 88, 3609–3620. doi: 10.1029/JC088iC06p03609
- Realmonte, G., Drouet, L., Gambhir, A., Glynn, J., Hawkes, A., Köberle, A. C., et al. (2019). An inter-model assessment of the role of direct air capture in deep mitigation pathways. *Nat. Commun.* 10, 1–2. doi: 10.1038/s41467-019-10842-5
- Ren, S., Aldahri, T., Liu, W., and Liang, B. (2021). CO<sub>2</sub> mineral sequestration by using blast furnace slag: from batch to continuous experiments. *Energy* 214:118975. doi: 10.1016/j.energy.2020.118975
- Sadiq, M. M., Batten, M. P., Mulet, X., Freeman, C., Konstas, K., Mardel, J. I., et al. (2020). A pilot-scale demonstration of mobile direct air capture

using metal-organic frameworks. Adv. Sust. Syst. Adv. Sust. Syst. 4:2000101. doi: 10.1002/adsu.202000101

- Sarp, S., Gonzalez Hernandez, S., Chen, C., and Sheehan, S. W. (2021). Alcohol production from carbon dioxide: methanol as a fuel and chemical feedstock. *Joule* 5, 59–76. doi: 10.1016/j.joule.2020.11.005
- Sheehan, S. W. (2021). Electrochemical methane production from CO<sub>2</sub> for orbital and interplanetary refueling. *iScience* 24:102230. doi: 10.1016/j.isci.2021.102230
- Shirmohammadi, R., Soltanieh, M., and Romeo, L. M. (2018). Thermoeconomic analysis and optimization of post-combustion CO<sub>2</sub> recovery unit utilizing absorption refrigeration system for a natural-gas-fired power plant. *Environ. Prog. Sust. Energy* 37, 1075–1084. doi: 10.1002/ep.12866
- Sims, R. E. (2004). Renewable energy: a response to climate change. *Sol. Energy* 76, 9–17. doi: 10.1016/S0038-092X(03)00101-4
- Sinha, A., Darunte, L. A., Jones, C. W., Realff, M. J., and Kawajiri, Y. (2017). Systems design and economic analysis of direct air capture of CO<sub>2</sub> through temperature vacuum swing adsorption using MIL-101 (Cr)-PEI-800 and mmen-Mg2 (dobpdc) MOF adsorbents. *Ind. Eng. Chem. Res.* 56, 750–764. doi: 10.1021/acs.iecr.6b03887
- Snæbjörnsdóttir, S. Ó., Sigfússon, B., Marieni, C., Goldberg, D., Gislason, S. R., and Oelkers, E. H. (2020). Carbon dioxide storage through mineral carbonation. *Nat. Rev. Earth Environ.* 1, 90–102. doi: 10.1038/s43017-019-0011-8
- Sovacool, B. K. (2008). Valuing the greenhouse gas emissions from nuclear power: a critical survey. *Energy Policy* 36, 2950–2963. doi: 10.1016/j.enpol.2008.04.017
- Turi, D. M., Ho, M., Ferrari, M. C., Chiesa, P., Wiley, D. E., and Romano, M. C. (2017). CO<sub>2</sub> capture from natural gas combined cycles

by CO<sub>2</sub> selective membranes. Int. J. Greenhouse Gas Control 61, 168–183. doi: 10.1016/j.ijggc.2017.03.022

- von Strandmann, P. A., Burton, K. W., Snæbjörnsdóttir, S. O., Sigfússon, B., Aradóttir, E. S., Gunnarsson, I., et al. (2019). Rapid CO<sub>2</sub> mineralisation into calcite at the CarbFix storage site quantified using calcium isotopes. *Nat. Commun.* 10, 1–7. doi: 10.1038/s41467-019-10003-8
- Voskian, S., and Hatton, T. A. (2019). Faradaic electro-swing reactive adsorption for CO<sub>2</sub> capture. *Energy Environ. Sci.* 12, 3530–3547. doi: 10.1039/C9EE0 2412C
- Wilcox, J., Psarras, P. C., and Liguori, S. (2017). Assessment of reasonable opportunities for direct air capture. *Environ. Res. Lett.* 12:065001. doi: 10.1088/1748-9326/aa6de5
- Witman, M., Ling, S., Gladysiak, A., Stylianou, K. C., Smit, B., Slater, B., et al. (2017). Rational design of a low-cost, high-performance metal-organic framework for hydrogen storage and carbon capture. *J. Phys. Chem. C* 121, 1171–1181. doi: 10.1021/acs.jpcc.6b10363

Conflict of Interest: All authors are employees of Air Company.

Copyright © 2021 Pace and Sheehan. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.