



A Novel Antimicrobial Coating Represses Biofilm and Virulence-Related Genes in Methicillin-Resistant *Staphylococcus aureus*

Ankita Vaishampayan¹, Anne de Jong², Darren J. Wight³, Jan Kok² and Elisabeth Grohmann^{1,4*}

¹ Life Sciences and Technology, Beuth University of Applied Sciences Berlin, Berlin, Germany, ² Department of Molecular Genetics, University of Groningen, Groningen, Netherlands, ³ Institute of Virology, Free University of Berlin, Berlin, Germany, ⁴ Division of Infectious Diseases, University Medical Center Freiburg, Freiburg, Germany

OPEN ACCESS

Edited by:

Manuel Espinosa, Centro de Investigaciones Biológicas (CSIC), Spain

Reviewed by:

Mirian Moscoso, Instituto de Investigación Biomédica de A Coruña (INIBIC), Spain Maria Victoria Francia, Marqués de Valdecilla University Hospital, Spain

*Correspondence:

Elisabeth Grohmann elisabeth.grohmann@ beuth-hochschule.de

Specialty section:

This article was submitted to Evolutionary and Genomic Microbiology, a section of the journal Frontiers in Microbiology

Received: 29 September 2017 Accepted: 30 January 2018 Published: 15 February 2018

Citation:

Vaishampayan A, de Jong A, Wight DJ, Kok J and Grohmann E (2018) A Novel Antimicrobial Coating Represses Biofilm and Virulence-Related Genes in Methicillin-Resistant Staphylococcus aureus. Front. Microbiol. 9:221. doi: 10.3389/fmicb.2018.00221 Methicillin-resistant Staphylococcus aureus (MRSA) has become an important cause of hospital-acquired infections worldwide. It is one of the most threatening pathogens due to its multi-drug resistance and strong biofilm-forming capacity. Thus, there is an urgent need for novel alternative strategies to combat bacterial infections. Recently, we demonstrated that a novel antimicrobial surface coating, AGXX®, consisting of microgalvanic elements of the two noble metals, silver and ruthenium, surface-conditioned with ascorbic acid, efficiently inhibits MRSA growth. In this study, we demonstrated that the antimicrobial coating caused a significant reduction in biofilm formation (46%) of the clinical MRSA isolate, S. aureus 04-02981. To understand the molecular mechanism of the antimicrobial coating, we exposed S. aureus 04-02981 for different timeperiods to the coating and investigated its molecular response via next-generation RNA-sequencing. A conventional antimicrobial silver coating served as a control. RNAsequencing demonstrated down-regulation of many biofilm-associated genes and of genes related to virulence of S. aureus. The antimicrobial substance also downregulated the two-component quorum-sensing system agr suggesting that it might interfere with quorum-sensing while diminishing biofilm formation in S. aureus 04-02981.

Keywords: antimicrobial surface, MRSA, virulence, biofilm, quorum-sensing, RNA sequencing

INTRODUCTION

Staphylococcus aureus is an opportunistic pathogen commonly found in the human respiratory tract, nasal areas and skin. It colonizes the anterior nares of approximately 20–25% of the healthy adult population, while 60% are intermittently colonized (Kluytmans et al., 1997; Ellis et al., 2014). Methicillin-resistant *Staphylococcus aureus* (MRSA) is a crucial human pathogen causing infections ranging from skin and soft tissue infections to fatal sepsis (Marathe et al., 2015). It is one of the leading pathogens that cause nosocomial infections (Paniagua-Contreras et al., 2012; Lister and Horswill, 2014); it is resistant to methicillin and many other antibiotics (Marathe et al., 2015), and it is also known to produce thick biofilm (Paniagua-Contreras et al., 2012; Qin et al., 2014). MRSA was shown to cause catheter-associated and other medical devices-related

infections (Arciola et al., 2001; Paniagua-Contreras et al., 2012). Eighty percent of prosthetic infections are caused by Staphylococci (Kirmusaoglu, 2016). Its firm attachment to medical devices and host tissues, and its ability to form robust biofilms makes it a cause of chronic infections (Yarwood et al., 2004). *S. aureus* biofilms cause numerous infections in which the accessory gene regulator (*agr*) quorum-sensing system (QS) plays an important role (Yarwood et al., 2004). Around 90% of the infections caused by the bacterium are skin and soft tissue infections, and the *agr*QS system is associated with these infections (Sully et al., 2014).

Multiple drug resistance combined with a thick biofilm makes the treatment and eradication of *S. aureus* infections even more difficult. This entails the urge of development of novel antimicrobials, which could also be potential biofilm inhibitors. Virulence factors of *S. aureus* serve as targets for the newly developed class of biological anti-staphylococcal agents. These targets include, surface bound adhesins, immunoglobulin-binding proteins, surface-associated and secreted proteases, a family of immune-stimulatory exotoxins called 'superantigens' (SAgs), and potent leukocidal toxins (Sause et al., 2015).

Metals like copper and silver have been used as antimicrobials since a long time. The use of copper in human civilization is known since the 5th and 6th millennia B.C. Silver was officially approved for use as an antimicrobial agent in the 20th century (Chopra, 2007; Grass et al., 2011; Schäberle and Hack, 2014; Guridi et al., 2015). Copper and copper alloys have also been used as antimicrobials (Warnes and Keevil, 2013). These metals are known to kill bacteria and fungi by a phenomenon called contact killing (Grass et al., 2011) and can be used to coat medical devices as they inhibit biofilm formation of pathogens (Baker et al., 2010). In the 17th century, silver was described as an essential multipurpose medicinal product and the first scientific documentation of its medical use dates from 1901 (Maillard and Hartemann, 2013). However, in 1975, several patients died from a silver resistant Salmonella Typhimurium isolate in the Massachusetts General Hospital; this was the first report of silver resistant bacteria (Gupta et al., 1999). Excessive use of silver is questioned due to its toxicity to the environment as well as to the human body (Landsdown, 2010). Silver resistance, like antibiotic resistance in bacteria, prompts us to develop new strategies to control bacterial infections. One such novel, broad-spectrum antimicrobial agent is AGXX®.

AGXX[®] (Largentec GmbH, Berlin, Germany) is a combination of two transition metals, silver and ruthenium which can be galvanically electroplated on various carriers like V2A steel, silver sheets, Polydimethylsiloxane (PDMS), fleece, etc. The coating is conditioned by ascorbic acid and is active against many Gram-positive and Gram-negative bacteria (Guridi et al., 2015). It is not only an efficient antibacterial but also kills yeasts, viruses, and fungi (Landau et al., 2017a,b). The coating was used successfully for the decontamination of industrial cooling and process water (Landau, 2013). As it is only slightly cytotoxic (Bouchard, 2011), it can be incorporated into various medical applications. Although, the exact mode of action of the antimicrobial activity of the coating is not fully understood, it is known that the generation of reactive oxygen species (ROS)

plays an important role in making it a potent antimicrobial. The formation of hydrogen peroxide and hydroxyl radicals has been detected by spectroscopic methods (Clauss-Lendzian et al., 2017). Putative formation of other ROS is under investigation. ROS can damage cellular components, including, DNA, lipids and proteins. Superoxide dismutase and catalase are involved in detoxification of ROS (Paraje, 2011).

In this study, we performed total RNA-sequencing of *S. aureus* 04-02981 (MRSA) to investigate differential gene expression after different times of exposure of the pathogen to the antimicrobials AGXX[®] or Ag. Our data demonstrate that AGXX[®] likely reduces biofilm formation and virulence in *S. aureus* 04-02981 by interfering with the QS, by down-regulating the expression of toxins like leukocidins (*lukE*) and gamma-hemolysins (*hlgA*), and of genes associated with surface adhesins and capsular polysaccharide.

MATERIALS AND METHODS

Preparation of Antimicrobial Metal Sheets

Silver sheets of 0.125 mm thickness were used as a base material to prepare the antimicrobial metal sheets. Both sides of the silver sheets were etched by immersing them in half-concentrated nitric acid, for 60 s. The silver sheets were cleaned with de-ionized water and galvanically plated with a 0.16 μ m ruthenium coating on both sides for 40 s. Then, the sheets were cleaned with de-ionized water, conditioned with ascorbic acid, rinsed with de-ionized water and dried with a paper towel. Prior to use, AGXX[®], and Ag sheets, used as reference material, were autoclaved at 121°C for 20 min.

Bacterial Strain and Culture Conditions

Staphylococcus aureus 04-02981 (Nuebel et al., 2010) was grown at 37°C in Tryptic Soy Broth [TSB] (Carl Roth GmbH & Co. KG, Karlsruhe, Germany) with constant agitation at 150 rpm or on Tryptic Soy Agar [TSA] (Carl Roth GmbH & Co. KG, Karlsruhe, Germany). Growth inhibition tests on agar surface were performed according to CLSI guidelines for disk diffusion test (Naas et al., 2006). For this assay, 0.25 cm² sheets of Ag and AGXX[®] were used.

For generation of growth curves, bacteria were pre-cultured overnight, diluted in TSB to an optical density at 600 nm (OD₆₀₀) of 0.05 and incubated for further 8 h either in presence of AGXX[®] or in the presence of silver (Ag), 24 cm² each in 30 mL medium to obtain a sheet surface to medium volume ratio (A: V) of 0.8. Cultures grown in the absence of a metal sheet served as controls. OD₆₀₀ of the cultures was measured using the Genesys 10S UV-Vis spectrophotometer (Thermo Scientific, China). Colony forming units (CFU) per mL were determined hourly from 0 to 8 h post inoculation. Growth experiments were performed in triplicate with independent biological replicates.

Biofilm Screening Assay

To study the effect of Ag, and AGXX[®] on biofilm formation of *S. aureus* 04-02981, the Crystal Violet Assay was performed

Repression of MRSA Biofilm and Virulence

without any metal sheet, in presence of Ag (24 cm² uncoated silver sheet) and in presence of AGXX® (24 cm² silver sheet coated with ruthenium for 40 s). The sheet surface: medium volume ratio (A: V) was 0.8 (24 cm² metal sheet: 30 mL medium). The overnight culture of S. aureus 04-02981was diluted to an initial OD_{600} of 0.05. The culture was incubated at 37°C and 150 rpm for 4 h (mid- exponential phase, $OD_{600} \sim 1.5$). Then, it was transferred to the transparent 96-well plate (Carl Roth GmbH & Co. KG, Karlsruhe, Germany) containing Ag, or AGXX[®]. The plate was incubated at 37°C for 24 h, then the antimicrobial metal sheets were carefully removed and OD₆₀₀ of the cultures was measured. In addition, at this stage, the CFU per mL of the planktonic cultures and the biofilms in presence as well as in absence of the metal sheets were determined. Means of five values each and two biological replicates are given. The biofilm assay was performed according to Schiwon et al. (2013). Enterococcus faecalis 12030, a strong biofilm former was used as a positive control (Huebner et al., 1999), and Tryptic Soy Broth (TSB) as a negative control (Schiwon et al., 2013). Biofilm formation was measured in EnSpire Multimode Plate Reader 2300-0000 (PerkinElmer, Turku, Finland) at 570 nm. Normalized biofilm formation was calculated by dividing the biofilm measure at OD_{570} by the bacterial growth at OD_{600} . Following criteria were used for the interpretation of the results, ODc = negative control; $OD \le ODc = non-adherent, ODc \le OD \le (2 \times ODc) = weakly$ adherent, $(2 \times ODc) < OD \le (4 \times ODc) = moderately adherent,$ $(4 \times ODc) < OD =$ strongly adherent, as described in Nyenje et al. (2013). Biofilm inhibitory rates of AGXX® and Ag were calculated using the following equation, as described by Qin et al. (2014).

Inhibitory rate (%) = $\frac{\text{OD}_{570} \text{ (Control)} - \text{OD}_{570} \text{ (Sample)}^* 100}{\text{OD}_{570} \text{ (Control)}}$

Student's *t*- test was used to check if biofilm inhibition was statistically significant, using SigmaPlot version 11.0 (Systat software, Inc., San Jose, CA, United States¹) (Wass, 2009).

Spinning Disk Confocal Microscopy

Staphylococcus aureus 04-02981 was grown in TSB overnight at 37° C, 150 rpm, then it was diluted to an OD₆₀₀ of 0.05 and further incubated at 37°C for 4 h (mid-exponential phase, $OD_{600} \sim 1.5$). Then, the culture was transferred to a μ -Dish (μ -Dish 35 mm, low, from ibidi GmbH, Martinsried, Germany) containing Ag, or AGXX[®] (sheet surface: medium volume ratio = 0.8) and incubated at 37°C for 24 h. The culture was removed from the μ -Dish, and the biofilm on the μ -Dish was washed three times with phosphate buffered saline (PBS). The biofilm was stained for 10 min in the dark with Hoechst 33342 (5 µg/mL) and propidium iodide (1 µg/mL) (Thermo Fisher, Eugene, OR, United States). The staining solution was then replaced with 50% glycerol to prevent movement of bacteria during imaging. Imaging was performed with a Nikon TiE-based Visitron spinning disk confocal microscope using a 100× NA1.45 objective. Fluorescent dyes were excited using 405 nm (Hoechst 33342) and 561 nm

Metal Stress and RNA Extraction

Overnight cultures of S. aureus 04-02981 were diluted as described above and grown until mid-exponential growth phase (4 h post dilution, $OD_{600} \sim 1.5$). The cultures were then subjected to metal stress by exposure to AGXX® or Ag sheets (sheet-surface to medium-volume ratio of 0.8) followed by further incubation for 6, 12, 24, 80, and 120 min at 37°C with constant agitation at 150 rpm. As a control, no metal sheet was added to the culture. Cells from 30 mL culture were harvested by centrifugation for 1 min at 10,000 rpm and 4°C in a Heraeus Multifuge X3R Centrifuge (Thermo Electron LED GmbH, Osterode am Harz, Germany). Cell pellets were immediately frozen in liquid nitrogen and stored at -80° C or directly used for RNA extraction using the ZR Fungal/Bacterial RNA MiniPrepTM Kit (ZymoResearch, Freiburg, Germany) following the manufacturer's instructions. To recover total RNA including small RNAs, 1.5 volumes of absolute ethanol were added in step 5. Finally, total RNA was eluted with 50 µl DNase- and RNase-free water and stored at -80°C. RNA quantity and quality were assessed with a NanoDrop 2000c UV-Vis Spectrophotometer (Thermo Scientific, Osterode am Harz, Germany) as well as on bleach agarose gels. Residual contaminating DNA was eliminated with TURBO DNA-freeTM Kit Ambion (Life Technologies, Darmstadt, Germany).

RNA Sequencing

Total RNA sequencing was done by PrimBio Research Institute, Exton, PA, United States. The protocol was performed in five steps; rRNA removal was done using the Ribo-Zero rRNA Removal Kit (Bacteria) (Illumina, Cat# MRZMB126), followed by library preparation, and templating, enrichment and sequencing.

RNA-Sequencing Data Analysis

Raw sequencing reads were aligned to the reference genome of S. aureus 04-02981, using Bowtie2 (Langmead and Salzberg, 2012) version 2.2.3 with optimal settings for the IonProtonTM Sequence. Post-processing of the SAM files into sorted BAM files was carried out with SAMtools (Li et al., 2009, version 1.2-207). The samples AGXX®, and Ag were normalized (AGXX®-Control, Ag-Control) against the control of the respective time-points. Length normalized confidence interval RPKM (=Reads per Kilobase of transcript per Million mapped reads) values were obtained with Cufflinks (Trapnell et al., 2010). Finally, statistical analysis was carried out using the T-REx RNA-Seq analysis pipeline (de Jong et al., 2015). A gene was considered significantly differentially expressed when the fold change was >|2.0| and the false discovery rate (FDR) adjusted *p*-value \leq 0.05. The data presented in this paper have been deposited at NCBI, and are accessible through GSE103064².

⁽propidium iodide) laser lines and fluorescent emission captured through appropriate filters onto an iXon888 EMCCD detector (Andor, Belfast, United Kingdom). Images were subsequently analyzed using Fiji (ImageJ) version 3.2.0.2.

¹http://www.systatsoftware.com

²https://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE103064

Reverse Transcription Quantitative PCR (RT-qPCR)

To verify the results obtained from RNA-sequencing, RT-qPCR was performed on five genes detected as highly differentially expressed via RNA-seq. To this end, RNA extracted from *S. aureus* 04-02981 cultures exposed to Ag or AGXX[®] for 24, and 80 min, was used. First strand cDNA was synthesized with RevertAidTM First Strand cDNA Synthesis kit (Thermo Fisher Scientific Inc., Walham, Germany) as per the manufacturer's instructions using 120 ng total RNA as template and random hexamer primers. cDNA was diluted with DNase- and RNase-free water and amplified in a LightCycler[®]480 II (Roche Diagnostics GmbH, Mannheim, Germany).

The agrC, lukE, sdrC, srrA, and cap5A genes were selected to verify the data obtained through RNA-seq. The gene gyrB was used as a control. These genes were amplified using TaqMan chemistry according to the instructions provided in LightCycler® 480 Probes Master Kit (Roche Diagnostics). All RTqPCR reactions were carried out in a total volume of 20 μL. The amplification step was performed with 'Quantification' analysis mode at 95°C for 10 s, with a ramp rate of 4.4°C/s, followed by annealing at the respective annealing temperature for 50 s, with a ramp rate of 2.2°C/s and finally an extension at 72°C for 1 s, with a ramp rate of 4.4°C/s. The amplification step was performed 45 times. All primers and probes used in the study are listed in Supplementary Table S1. All RT-qPCR experiments were done in triplicate and each experiment was repeated at least twice. Data were analyzed by LightCycler® 480 Software release 1.5.0 by using the 'Relative Standard Curve' method; the standard curves were constructed using genomic DNA from S. aureus 04-02981. Data represent expression ratios, calculated by normalizing to the gyrB gene and relative to the untreated culture of S. aureus 04-02981 which served as the calibrator, as described in 'Guide to performing Relative Quantitation of Gene expression using real time-quantitative PCR' by Applied Biosystems. Means of five Cp values each were used to calculate the relative expression ratio.

Statistical Analysis

Statistical tests were performed to analyze the significance of the obtained data. Student's *t*-test was applied to the normalized target, and normalized control values (normalized concentration). The tests were performed and analyzed using SigmaPlot version 11.0 (Systat software, Inc., San Jose, CA, United States³) (Wass, 2009).

RESULTS

AGXX[®] Inhibits the Growth of *S. aureus* 04-02981

To analyze the effect of Ag, and AGXX[®] on the growth of *S. aureus* 04-02981, disk diffusion tests with Ag, and AGXX[®] were performed in accordance with NCCLS-CLSI guidelines (Naas et al., 2006). The agar plates were monitored at 24 h intervals for

³www.systatsoftware.com

5 days to check if Ag or AGXX[®] exhibited an inhibitory effect on the pathogen, in the form of a zone of inhibition on the agar plate. The diameter of the inhibition zones was measured in 'cm.' The mean diameter of the inhibition zone was calculated to be 1.2 cm for AGXX[®] while no zone of inhibition was observed for Ag.

To verify the inhibitory effect of AGXX® on S. aureus 04-02981 as demonstrated in the agar diffusion tests, experiments in TSB medium were performed measuring the CFU/mL every hour for a period of 8 h, using the A: V ratio (metal mesh: medium volume) of 0.8, as described in Section "Materials and Methods." As observed in the disk diffusion assay, Ag did not show a significant inhibitory effect on the growth of S. aureus 04-02981 in liquid cultures. In contrast, AGXX® had a profound inhibitory effect on this strain. The OD₆₀₀ of S. aureus 04-02981 in presence of AGXX[®] was very low, (OD₆₀₀ AGXX[®] at t8 = 0.149) as compared to Ag (OD₆₀₀ Ag at t8 = 3.086) and the control (OD₆₀₀ Control at t8 = 3.173) (Supplementary Table S2). The CFU/mL of S. aureus 04-02981 grown in the batch culture with AGXX® increased from 2.77 \times 10⁶ in the 1st hour to 3.99 \times 10¹⁰ in the 4th hour, but then decreased to 1.08×10^7 in the 8th hour. The colony counts of S. aureus 04-02981 + AGXX[®] (after 8 h of growth) were much lower than that of the same strain with Ag (1.27×10^{11}) or without metal amendment (1.73×10^{11}) (Table 1). These data confirm the antimicrobial effect of AGXX® on S. aureus 04-02981.

AGXX[®] Strongly Reduces Biofilm Formation of *S. aureus* 04-02981

The effect of AGXX[®], and Ag on biofilm formation of *S. aureus* 04-02981 was analyzed using the Crystal Violet assay. *E. faecalis* 12030, a strong biofilm former served as a positive control (Huebner et al., 1999), and TSB as the negative control (**Figure 1**). **Figure 1A** shows the biofilm formation by *S. aureus* 04-02981, measured at 570 nm, **Figure 1B** shows the biofilm formation (OD₅₇₀) normalized to the bacterial growth (OD₆₀₀) to take the antimicrobial effect of AGXX[®] into account.

To determine the bacterial killing activity of AGXX[®] under these conditions (after 24 h of growth, prior to adding crystal violet), we measured the CFU per mL of the planktonic cultures and the biofilms in the presence as well as in absence of the two different metal sheets.

The following values were obtained for the biofilms: For *S. aureus* 04-02981 without metal sheet (control), $2.34 \times 10^9 \pm 8.49 \times 10^7$ CFU per mL, for the strain in presence of Ag, $2.13 \times 10^9 \pm 2.40 \times 10^8$, and in presence of AGXX[®], $1.80 \times 10^4 \pm 1.41 \times 10^3$. When we measured the CFU per mL in the respective planktonic cultures, for the control, $2.55 \times 10^8 \pm 2.12 \times 10^7$, and for the strain in presence of Ag, $2.00 \times 10^8 \pm 1.41 \times 10^7$ CFU per mL were obtained. However, no colonies were observed in presence of AGXX[®]. Thus, we conclude that in contrast to Ag, all planktonic bacteria were killed by AGXX[®] and after exposure to AGXX[®], only a drastically reduced number of bacteria (1.80×10^4 CFU per mL) survived in the biofilm in comparison to Ag (2.13×10^9 CFU per mL).

In summary, the biofilm formation measures normalized to the bacterial growth show that AGXX® reduced biofilm

Sample	0 h	1 h	2 h	
Control	$1.27 \times 10^6 \pm 2.0 \times 10^5$	$7.63 \times 10^7 \pm 1.5 \times 10^6$	$8.71 \times 10^9 \pm 1.0 \times 10^9$	
Ag	$1.23 \times 10^{6} \pm 4.7 \times 10^{5}$	$6.80 \times 10^6 \pm 1.1 \times 10^6$	$6.23 \times 10^9 \pm 1.2 \times 10^9$	
AGXX®	$7.67 \times 10^5 \pm 4.1 \times 10^5$	$2.77 \times 10^6 \pm 1.4 \times 10^6$	$4.93 \times 10^7 \pm 3.4 \times 10^7$	
	3 h	4h	5 h	
Control	$1.11 \times 10^{10} \pm 1.1 \times 10^{9}$	$1.26 \times 10^{11} \pm 7.5 \times 10^{9}$	$\textbf{1.73}\times\textbf{10^{11}} \pm \textbf{3.3}\times\textbf{10^{9}}$	
Ag	$1.02 \times 10^{10} \pm 1.2 \times 10^{9}$	$1.25 \times 10^{11} \pm 1.0 \times 10^{10}$	$\textbf{1.27}\times\textbf{10^{11}} \pm \textbf{6.2}\times\textbf{10^{8}}$	
AGXX®	$2.06 \times 10^8 \pm 4.7 \times 10^7$	$3.99 \times 10^{10} \pm 1.1 \times 10^{9}$	1.71×10^8 \pm 1.6×10^7	
	6 h	7 h	8 h	
Control	$1.66 \times 10^{11} \pm 5.7 \times 10^{9}$	$1.26 \times 10^{11} \pm 3.5 \times 10^{9}$	1.17×10^{11} \pm 4.4 \times 10^{9}	
Ag	$1.22 \times 10^{10} \pm 4.6 \times 10^{8}$	$1.12 \times 10^{10} \pm 1.4 \times 10^{9}$	$\textbf{1.02}\times\textbf{10^{10}} \pm \textbf{1.4}\times\textbf{10^{9}}$	
AGXX®	$1.99 \times 10^8 \pm 7.1 \times 10^8$	$1.34 \times 10^7 \pm 1.4 \times 10^6$	$\textbf{1.08}\times\textbf{10^7} \pm \textbf{1.8}\times\textbf{10^6}$	

TABLE 1 | Colony forming units (CFU)/mL of Staphylococcus aureus 04-02981 (without sheet = control), in the presence of AGXX® or Ag.

The values for 5th hour and 8th hour are bolded because after t = 5h, the CFU values of MRSA + Ag decreased. And until t = 8h, the CFU values for all the three samples (MRSA, MRSA + Ag, and MRSA + AGXX) decreased.



formation of *S. aureus* 04-02981 by 46%, whereas the inhibitory effect of Ag on biofilm formation was less pronounced (41%).

The strong reduction of biofilm formation by AGXX[®] was confirmed by Hoechst 33342/propidium iodide staining of biofilms grown for 24 h in presence of AGXX[®], Ag and without antimicrobial sheet (**Figure 2**). The inhibitory effect of Ag was also clearly visible, although it was less distinct.

AGXX[®] Strongly Induces Stress Response and Represses Pathogenesis in *S. aureus* 04-02981

The raw RNA sequence data obtained were aligned to the S. *aureus* 04-02981 genome. High sequencing depth was achieved as a mean value of \sim 12.4 million reads was obtained. The numbers of reads per sample ranged from \sim 8.4 million reads (Ag_24) to 175 million reads (Control_120) (**Supplementary Table S3** and **Supplementary Figure S1**). From the data, it

is clear that the antimicrobial coating has a strong impact on the transcriptome of *S. aureus* 04-02981. In total, 2864 genes were differentially expressed in *S. aureus* 04-02981 on exposure to AGXX[®] and Ag (**Supplementary Table S4**). The number of differentially expressed genes in presence of AGXX[®] or Ag at different time-points is presented in **Figure 3**.

From **Figure 3A**, it can be seen that the number of differentially expressed genes at t24, t80, and t120 was quite similar. The maximum impact of AGXX[®] on the transcriptome of *S. aureus* 04-02981 was reached already after exposure for 24 min (723 genes up-regulated and 823 genes down-regulated) and remained nearly the same after exposure for 80 min (716 genes up- and 822 genes down-regulated), and 120 min (726 genes up- and 836 genes down-regulated). The lowest number of genes was differentially expressed at t6.

The differentially expressed genes were categorized as per Gene Ontology (GO) using the GSEA_Pro option in the RNA-Seq analysis section in the T-REx RNA-Seq analysis pipeline (de Jong et al., 2015). Several GOs were obtained via



shown alone in the in bars = $10 \,\mu m$

GSEA_Pro, namely, oxidoreductase process, lipopolysaccharide synthesis, ATP binding, membrane transport, metabolism, metal binding, pathogenesis, transcription regulation, response to heat shock, iron-siderophore transporter activity, serine protease activity, etc. (**Supplementary Table S5**). In the GO "lipopolysaccharide synthesis," the *cap* genes mediating capsular polysaccharide synthesis (*cap5A*, *capA*, and *cap8C*) were all down- regulated. Genes (*clpB*, *ctsR*, *clpC*, and *groES*) involved in response to heat shock were up-regulated. Among the genes related to virulence (pathogenesis), 10 out of 11 genes were down-regulated, while only one gene was up-regulated at t120 (staphylokinase, a plasminogen activator). Among the responding transcriptional regulator genes, nine were up-regulated and 25 were down-regulated. **Figure 4** shows the differential expression of these GOs in *S. aureus* 04-02981 exposed to AGXX[®].

hlgA (SA2981_RS09385) was the most differentially expressed gene associated with virulence, it was down-regulated at t24 (378 fold), at t80 (192 fold), and at t120 (16 fold). The protein encoded by hlgA functions as a two-component toxin along with leukocidins in the lysis of erythrocytes (Gouaux et al., 1997). Among the transcriptional regulators, the gene of the LysR family transcriptional regulator, lysR was the most significantly influenced one by AGXX®, being down-regulated about 4700 fold at t80, and about 11,000 fold at t120. One of the LysR family transcriptional regulators, HutR is involved in metabolic processes of S. aureus (Ibarra et al., 2013). AGXX® had the highest impact on the expression of capA, of all the genes mediating capsular polysaccharide synthesis. capA was down-regulated by 329 fold at t80. Among the most differentially expressed genes in response to heat shock was *clpB*. It is a member of the stress-induced multi-chaperone system and works with DnaK, DnaJ, and GrpE in the recovery of the cell from heat-shock damage (Frees et al., 2005). Among the genes in the GO families influenced by AGXX®, only those involved in enterotoxin (SA2981_RS09440), and staphylokinase production were also influenced by Ag, by -533 fold, and -2 fold, respectively, at t80 (Supplementary Table S6). In addition to the GO families, the effect of AGXX®, and Ag on the expression of operons in the pathogen was analyzed using the GSEA_Pro option on the T-REx pipeline. The results are presented in Supplementary Tables S7, S8, respectively.



FIGURE 3 | (A,B) Show the number of differentially expressed genes in *S. aureus* 04-02981 on exposure to AGXX[®] (A) and Ag (B) for the indicated time-period, compared to control (*S. aureus* 04-02981 grown without a metal sheet).



(XRE) and RNA polymerase sigma factor SigS (sigS) are shown.

AGXX[®] Represses the Expression of Biofilm and Virulence-Associated Genes

We checked the effect of AGXX[®], and Ag on the expression of genes associated with biofilm formation and virulence in *S. aureus* 04-02981. Many genes that are known to be crucial for biofilm formation and virulence were differentially expressed on exposure to AGXX[®] while Ag had an effect on just a few of them. The genes affected by AGXX[®] encode virulence factors, methicillin resistance, surface adhesins, capsular polysaccharide, two-component systems, and other biofilm- associated genes, as well as toxins (**Table 2**).

Upon exposure to AGXX[®], the QS system genes *agrA*, *agrB*, *agrC*, and *agrD* of *S*. *aureus* 04-02981 were all down-regulated. Genes involved in the synthesis of capsular polysaccharide were also down-regulated. In general, the response of *S*. *aureus* 04-02981 to AGXX[®] was clearly visible after 24 min of exposure time. Genes encoding adhesins, *isdC*, *srtB*, and *sdrC* were also down-regulated. The *mecA* gene was down-regulated at t24. The up-regulation of genes inducing biofilm formation in *S*. *aureus*, such as *saeR* (2.3 fold at t120), *icaA* (36 fold at t24, 29 fold at t80 and 27 fold at t120), *icaB* (8 fold at t120) and *icaD* (55 fold at t12,

and 6 fold at t120) was intriguing. The genes *icaB*, *icaA*, and *icaD* are involved in *ica*-dependent biofilm formation. In addition, other key genes associated with biofilm formation and virulence, such as, *codY*, *srrA*, *luxS*, and genes for toxins like leukocidins, enterotoxins, hemolysins, were all differentially expressed at least at one of the time-points (**Figure 5**). Description of all locus tags and Gene IDs shown to the right of the heatmap is given in **Table 2**.

In general, it was observed that AGXX[®] had a huge impact on the transcriptome of *S. aureus* 04-02981, in particular at the later time-points 24, 80, and 120 min. In contrast, the effect of Ag was much less pronounced as already visible in the growth kinetics and to a lesser extent in the biofilm assays. Although, quite a number of *S. aureus* 04-02981 genes were differentially expressed upon exposure to Ag, only very few belong to the group of biofilm or virulence-associated genes. Among those, which were significantly differentially expressed in the presence of Ag, were *fmtC*, which is associated with methicillin resistance (approximately 3 fold up-regulated at t80; in the presence of AGXX[®] it was 2 fold up-regulated at t24), transcriptional regulator *sarR* (approximately 3 fold down-regulated at t24; TABLE 2 Differential expression of biofilm, and virulence-associated genes in S. aureus 04-02981 on exposure to AGXX[®].

Locus tag	Abbreviation	Description	6 min	12 min	24 min	80 min	120 min
SA2981_RS10640	agrD	Accessory gene regulator D			-8.9	-11.9	-17.5
SA2981_RS10645	*agrC	Histidine kinase of the competence regulon ComD			-9.9	-7.7	-7
SA2981_RS10635	agrB	Accessory gene regulator B		-5.7	-18.3	-40.7	-40.8
SA2981_RS10650	agrA	Two-component system, LytR family, response regulator AgrA			-2.2		
SA2981_RS05970	PSM- β	Phenol-soluble modulin Beta				-10.5	-22.7
SA2981_RS05965	PSM- β	Phenol-soluble modulin Beta				-10.2	-12.4
SA2981_RS10825	sigB	RNA polymerase Sigma-B factor			-2.3	-4	-4.9
SA2981_RS07680	*srrA	DNA-binding response regulator SrrA		-4.6	-9.1	-4.6	-5.3
SA2981_RS00190	mecA	mecA-Penicillin- binding Protein 2		-2.3	-5.5		
SA2981_RS12040	sarR	Transcriptional regulator SarR					
SA2981_RS06390	codY	GTP-sensing transcriptional pleiotropic repressor CodY			-2.3	2.4	3.2
SA2981_RS00550	sarH1	Staphylococcal accessory regulator A			-2.4		
SA2981_RS05325	FmtA	FmtA protein involved in methicillin resistance				-2.6	
SA2981_RS05940	arcD	Arginine/ornithine antiporter ArcD					2.4
SA2981_RS00770	capF	Capsular polysaccharide synthesis enzyme Cap8F			-4.8	-3.1	-2
SA2981_RS05275	sspb	Staphopain B precursor				-2.3	
SA2981_RS13390	cidA	Holin-like protein				2.8	8.2
SA2981_RS13925	arcA	Arginine deiminase	-2.6	-11.8	-114.7	-20	-4.6
SA2981_RS03620	saeR	two-component system, OmpR family, response regulator SaeR					2.3
SA2981_RS06960	FmtC	Protein involved in methicillin resistance/L-lysine modification of phosphatidylglycerol			2.3		
SA2981_RS05900	hemolysin II	Alpha-hemolysin precursor				3.8	3.7
SA2981_RS01335	IrgA	Antiholin-like protein		-2.6	-3.1		-3.7
SA2981_RS00745	*capA	Capsular polysaccharide synthesis enzyme Cap5A			-34.9	-76.9	-61.9
SA2981_RS00750	capB	Tyrosine-protein kinase EpsD/capsular polysaccharide synthesis enzyme		2.4	-4.9	-29	-38.1
SA2981_RS00755	capC	protein-tyrosine phosphatase/capsular polysaccharide synthesis enzyme		2.8	-15	-20205	-52.9
SA2981_RS13940	aur	Zinc metalloproteinase precursor/aureolysin			-12.4		
SA2981_RS02875	*sdrC	Serine-aspartate repeat-containing protein C			-13.4		-9.8
SA2981_RS02035	Exotoxin 6	Superantigen-like protein			-8.7	4	-12.6
SA2981_RS13920	arcB	Ornithine carbamoyltransferase			-16.3	-26.1	-8.6
SA2981_RS05715	isdC	NPQTN cell wall anchored protein IsdC				-5	-9.1
SA2981_RS05735	srtB	Sortase B				-8.3	-22.4
SA2981_RS14090	icaD	Polysaccharide intercellular adhesin (PIA) biosynthesis protein		54.7			5.6
SA2981_RS14085	icaA	Polysaccharide intercellular adhesin (PIA) biosynthesis N-glycosyltransferase			35.7	29.9	26.5
SA2981_RS14095	icaB	Polysaccharide intercellular adhesin (PIA) biosynthesis deacetylase				-102.4	7.8
SA2981_RS09385	*lukE	Leukotoxin/leukocidin			-378.9	-192.2	

*Genes selected for validation via RT-qPCR.

not differentially expressed in the presence of AGXX[®]), the gene of the holin-like protein CidA (approximately 4 fold down-regulated at t24; \sim 2 and \sim 8 fold up-regulated at t80 and t120, respectively, with AGXX[®]), the arginine deaminase gene *arcA* (approximately 6 fold down-regulated at t120 and 4.6 fold down-regulated with AGXX[®]), the hemolysin II gene (approximately 2 fold down-regulated at t24 and approximately 3 fold down-regulated at t120; \sim 3.7 fold up-regulated with AGXX[®] at t80 and t120) and the gene of the antiholin-like protein lrgA

(approximately 6 fold up-regulated at t6 with Ag, in the presence of AGXX[®], it was \sim 3- to 3.7 fold down-regulated at t24, t80, and t120).

Validation of RNA-Sequencing Data Using RT-qPCR

From the RNA-seq data, we observed that AGXX[®] affected genes encoding two-component systems, surface adhesins, capsular polysaccharides, and toxins. In total, five, highly



FIGURE 5 Heatmap of differential expression of biofilm, and virulence-associated genes in *S. aureus* 04-02981. The genes are clustered as indicated by the dendrograms on the left side of the heatmap. Yellow represents genes *agrD*, **agrC*, *agrB*, *agrA*, and *PSM*-β, red represents genes *sigB*, **srrA*, *mecA*, *sarR*, *codY*, and *sarH*1. Green color is for genes *fmtA*, *arcD*, *capF*, *sspb*, *cidA*, pink represents *arcA* while purple is for *saeR*, *fmtC*, hemolysin II, and *IrgA* genes. Blue represents genes mediating capsular polysaccharide synthesis, namely, **capA*, *capB*, *capC*. *aur*, **sdrC*, exotoxin 6, *arcB*, *isdC*, and *srtB* are shown in orange. Gray represents *icaD*, and *icaA* and brown color represents *icaB*, and **lukE* genes. *Indicates genes selected for RT-qPCR.



FIGURE 6 Differential expression of *agrC*, *lukE*, *sdrC*, *srrA*, and *cap5A* in *S*. *aureus* 04-02981 on 24-min exposure to Ag or AGXX®, obtained via RT-qPCR (A). Expression ratio of the genes of interest in *S*. *aureus* 04-02981 on exposure relative to control (untreated culture of *S*. *aureus* 04-02981) normalized to *gyrB*. (B) Shows differential expression of *agrC*, *lukE*, *sdrC*, *srrA*, and *cap5A* in *S*. *aureus* 04-02981 on 24-min exposure to Ag or AGXX®, obtained via RT-qPCR (A). (B) Shows differential expression of *agrC*, *lukE*, *sdrC*, *srrA*, and *cap5A* in *S*. *aureus* 04-02981 on 24-min exposure to Ag or AGXX®, obtained via RNA-seq as fold change. Error bars indicate standard deviation. Asterisks indicate *p*-values showing statistical significance. They were obtained from *t*-test using SigmaPlot 11.0 (*****p* < 0.0001, ****p* < 0.001, ***p* < 0.05; n.s, not significant).

differentially expressed genes encoding these functions were selected to validate the RNA-seq derived transcriptional response of *S. aureus* 04-02981 to exposure to Ag or AGXX[®]. The validation experiment was performed on RNA extracted from *S. aureus* 04-02981 cultures exposed for 24, and 80 min to Ag or AGXX[®] since the selected genes were most differentially

expressed at these time-points. The five selected genes were, *agrC*, and *srrA* which are part of the two-component systems AgrCA and SrrAB, respectively (Baker et al., 2010; Wu et al., 2015), *lukE* which encodes a toxin (Liu et al., 2016), *sdrC* specifying a surface adhesin (Barbu et al., 2014), and *cap5A* mediating the synthesis of capsular polysaccharides

(Qin et al., 2014). *gyrB* was used as the house-keeping gene (Smith et al., 2010; Cheung et al., 2011). Figures 6, 7 show the results of these experiments.

After exposure to AGXX[®] for 24 min, all five genes were down-regulated both in RNA-seq analysis and in RT-qPCR studies as can be seen in **Table 2**, and **Figure 6**. However, after exposure to AGXX[®] for 80 min, *sdrC* was down-regulated in RT-qPCR assays but it was not differentially expressed in RNAseq. All the other genes were down-regulated in both approaches as seen in **Table 2** and **Figure 7**, respectively. On exposure to AGXX[®] for 24 min, *sdrC* was the most down-regulated gene followed by *cap5A*, *lukE*, *srrA*, and *agrC*, whereas after 80 min, *agrC* was the most down-regulated gene followed by *srrA*, *lukE*, *cap5A*, and *sdrC*. On exposure to Ag for 24 min, *srrA* was the most down-regulated gene, whereas *agrC* was the most up-regulated gene, and after 80 min, *cap5A* was the most down-regulated gene while *sdrC* was the only up-regulated gene, as observed in the RT-qPCR experiments.

DISCUSSION

Multiple drug resistant, biofilm forming nosocomial pathogens such as MRSA pose a severe threat to public health demanding the development of novel antimicrobials as well as potent biofilm inhibitors. AGXX[®] is an effective antimicrobial that is active against many Gram-positive and Gram-negative bacteria (Guridi et al., 2015). AGXX[®] has been demonstrated to kill *S. aureus* 04-02981 as shown here by disk diffusion assay and growth kinetics experiments. In addition, AGXX[®] inhibited biofilm formation of *S. aureus* 04-02981 by ~46%. Moreover, for all time-points examined, the number of differentially expressed *S. aureus* 04-02981 genes was much higher upon exposure to AGXX[®] (in total 2391) than to Ag (317). For t120, the time-point showing the highest number of differentially expressed *S. aureus* 04-02981 genes, 1562 genes were differentially expressed in presence of AGXX[®], while only 96 genes were affected by Ag.

Up-regulation of genes of Gene Ontology (GOs) groups "response to heat shock" and "oxidoreductases" involved in oxidative stress response, and down-regulation of genes of GOs "pathogenesis" and "lipopolysaccharide synthesis" involving genes mediating capsular polysaccharide synthesis important for biofilm formation, point to a role of AGXX® as an antimicrobial and potent biofilm inhibitor. Together with results of a recent study where we have shown that the QS system of S. aureus 04-02981, agr was completely repressed after 4 h of exposure to AGXX® (Probst et al., 2016), we propose that AGXX® acts as a potential biofilm inhibitor. In S. aureus, two main mechanisms of biofilm formation are known, namely ica-dependent biofilm formation, which involves the production of polysaccharide intercellular adhesin (PIA), and ica-independent biofilm formation (Kirmusaoglu, 2016). Here we show that, in the presence of AGXX®, icaA, icaD were up-regulated and *icaB* was down-regulated. *icaA* and icaD contribute to the production of PIA (polymer). icaD transfers PIA to the cell surface of the bacteria while icaB deacylates PIA by fixing PIA to the outer surface of the

bacteria (Kirmusaoglu, 2016). In our study, intercellular adhesion biosynthesis *N*-deacetylase, *icaB* gene was down-regulated at t80 by \sim 100 fold. The structural development of exopolysaccharidebased biofilm requires deacetylation of PIA (Arciola et al., 2015). Since *icaB* was strongly down-regulated at t80, deacetylation of PIA probably does not occur which would obstruct the development of an exopolysaccharide-based biofilm. Fitzpatrick et al. (2005) showed that biofilm formation was unaffected in an *icaADBC* operon-deleted MRSA strain, while the same mutation in a methicillin sensitive strain of *S. aureus* (MSSA) impaired biofilm formation, suggesting strain-specificity in *ica*-dependent biofilm formation.

A two-component system associated with *ica*-dependent biofilm formation is SrrAB that acts as an autoregulator of biofilm formation. Deletion of *srrAB* inhibited *S. aureus* biofilm formation under oxic as well as microaerobic conditions (Wu et al., 2015). In our study, *srrA* was down-regulated 4 to 5 fold after 24, 80, and 120 min of exposure to AGXX[®].

Global regulatory systems such as the agr QS system are among the best-studied factors involved in ica-(PIA) independent biofilm formation. Other proteins involved in such biofilms are SasG, SasC, Protein A, FnbB, FnbA, ATLA or ATLE, SdrG, SdrC, SdrD, biofilm associated protein (Bap) and lipoteichoic acid (Kirmusaoglu, 2016). We observed that two of these genes were down-regulated when AGXX® was present, namely sdrD and sdrC, sdrC was down-regulated 13- to 10 fold at t24 and t120, while sdrD was down-regulated 2 to 3 fold at t24 and t80. Moreover, the expression of lipoteichoic acid synthase, an enzyme responsible for the synthesis of lipoteichoic acid (Karatsa-Dodgson et al., 2010) was down-regulated approximately 4 fold after 24, 80, or 120 min of AGXX® presence. These data suggest that AGXX® might be working in an *ica*-independent manner to inhibit biofilm formation.

The agr locus contains five genes, agrA, agrB, agrC, agrD, and hld. On exposing S. aureus 04-02981 to AGXX®, only hld was not differentially expressed at any time-point, while all the other four genes were significantly down-regulated. The agr gene cluster regulates the expression of virulence factors such as phenol soluble modulins (PSMs), proteins that are closely associated with human skin and soft tissue infections (SSTIs) (Sully et al., 2014). "AgrD is a precursor peptide of autoinducer peptide (AIP)" (Quave and Horswill, 2014), AgrB is a membrane protease, which is involved in proteolytic processing and export of AgrD. It is also involved in AIP production (Njoroge and Sperandio, 2009; Quave and Horswill, 2014). AgrBD produce and secrete AIPs. AgrC, a sensor histidine kinase is activated when AIPs bind to AgrC. As a consequence, AgrC undergoes phosphorylation to activate AgrA, which is a DNA-binding response regulator (Njoroge and Sperandio, 2009). In our study, the *agrB* gene was the most down-regulated, at t80, and t120 (approximately 41 fold in both cases), while agrA was differentially expressed only at t24 (2 fold down-regulated). At t12, only agrB was differentially expressed, approximately 6 fold down-regulated. None of the agr genes was differentially expressed at t6. PSMs are staphylococcal toxins playing a role in acute infection (Kirmusaoglu, 2016); they are required for maturation and detachment of biofilm (Ma



et al., 2012). PSMs were also down-regulated in presence of AGXX[®] by ~10 fold at t80, and by 12 and 23 fold at t120. *agr* also regulates the expression of *sspB* which encodes a cysteine protease. *sspB* is positively associated with biofilm formation (Ma et al., 2012). It was down-regulated by 2.3 fold at t80. Inactivation of the alternative sigma factor SigB decreases biofilm formation in *S. aureus* (Ma et al., 2012). In presence of AGXX[®], *sigB* was down-regulated 2–5 fold at the longer exposure times (t24, t80, and t120). In summary, down-regulation of all of the genes mentioned in this paragraph will likely reduce biofilm formation by *S. aureus*.

The two component systems, AgrCA and SaeRS influence biofilm formation in S. aureus, by the production of PSMs and by suppressing the synthesis of extracellular proteases, respectively (Baldry et al., 2016). The extracellular proteases degrade proteins that are important for biofilm formation (Baldry et al., 2016). In S. aureus, the saeRS system regulates the production of many virulence factors such as leukocidins, superantigens, proteases, surface proteins, and hemolysins (Liu et al., 2016). The gene for LukE, which enables S. aureus evasion from phagocytic cells by damaging the phagocytes was strongly down-regulated at t24 (379 fold) and t80 (192 fold). SplA is a serine protease, which is directly controlled by the saeRS system. splA was down-regulated 135 fold after 80 min of AGXX® presence. Mutations in genes for extracellular proteases (splABCDEF) in S. aureus SH1000 induced an increase in extracellular protease activity, which was associated with a reduction in biofilm formation (Chen et al., 2013). These facts taken together with saeRS not being differentially expressed at any time-point in the presence of AGXX[®], except for a slight 2.3 fold up-regulation of *saeR* at t120, might suggest that saeR is not expressed in the mid exponential phase of growth of S. aureus 04-02981.

Capsular polysaccharides are also possible targets of the *saeRS* system (Liu et al., 2016). They play an important role in the virulence of the organism (Tuchscherr et al., 2010). The synthesis

of capsular polysaccharides is mediated by the *cap5ABCFG* genes (Qin et al., 2014). Among these genes, only *capG* was not differentially expressed, all other genes were significantly down-regulated, especially at t24, t80, and t120, suggesting a role of AGXX[®] in repression of virulence in *S. aureus* 04-02981.

Another QS system, which significantly influences biofilm formation and virulence in Staphylococci is the *luxS* system. *luxS* impacts biofilm formation in a similar way as *agr* does, but by regulating different factors. *luxS* negatively regulates biofilm formation via cell-cell interactions based on autoinducer 2 secretion (Xu et al., 2006). The gene was 2.9 fold up-regulated at t24 in the presence of AGXX[®].

In addition, the genes *isdC*, *srtB*, *sdrC*, encoding adhesins, were all down-regulated in the pathogen exposed to AGXX®. Iron regulated surface determinant IsdC is necessary for the primary attachment of S. aureus to surfaces such as polystyrene, as well as for the accumulation phase of biofilm formation; as such, it induces biofilm formation (Missineo et al., 2014). IsdC is anchored to the cell wall by sortase B (Hammer and Skaar, 2011). Serine-aspartate repeat containing protein C precursor (SdrC) assists bacteria in adhering to surfaces and promotes biofilm formation (Barbu et al., 2014). In S. aureus 04-02981 exposed to AGXX[®], isdC was down-regulated by 5 and 9 fold at t80 and t120, respectively. The sortase B gene srtB was also down-regulated in cells treated with AGXX®, at t80 (8 fold) and t120 (22 fold). sdrC, too, was down-regulated some 10 to 13 fold at t24 and t120. Thus, we suggest that AGXX® inhibits biofilm formation in S. aureus 04-02981, also by repressing the expression of adhesins.

Reverse transcription quantitative PCR assays were performed on RNA extracted from *S. aureus* 04-02981 cultures exposed to Ag or AGXX[®] for 24 min, and 80 min to validate the RNA-seq data. In RT-qPCR, on exposure to AGXX[®] for 24 min, *agrC*, *sdrC*, *srrA*, and *cap5A* were statistically significantly down-regulated, whereas the down-regulation of *lukE* was not statistically significant. In agreement with these data, the five genes were also significantly down-regulated in RNA-seq. By contrast, none of the five genes was significantly differentially expressed after 24 min in presence of Ag, as determined by RNA-seq, whereas RT-qPCR revealed a statistically significant down-regulation of *srrA* and a statistically significant up-regulation of *agrC*. The difference in expression of the other three genes *lukE*, *sdrC*, and *cap5A* was statistically not significant. When *S. aureus* 04-02981 was exposed to AGXX[®] for 80 min, all the five genes were down-regulated in RT-qPCR. The effect was statistically significant while in RNAseq all genes were significantly down-regulated except *sdrC*. On exposure to Ag for 80 min, only *sdrC* was non-statistically significantly up-regulated. Thus, the trends in gene expression of *S. aureus* 04-02981 on exposure to AGXX[®] observed in RNA-seq and in RT-qPCR were similar.

In previous studies by others, differential gene expression of S. aureus in planktonic and biofilm mode has been examined. Resch et al. (2005) observed that in biofilms, genes encoding polysaccharide intercellular adhesin, and enzymes associated with cell envelope synthesis were significantly up-regulated (Resch et al., 2005). To combat biofilms, many metals have been tested for their capacity to inhibit bacterial biofilm formation. Specifically, silver nanoparticles have received much attention with respect to their antimicrobial nature. However, the minimum concentration of silver nanoparticles (AgNPs) required to eliminate biofilm formation is considered to have toxic effects on mammalian cells (Loo et al., 2016). They studied the effect of AgNPs and curcumin nanoparticles (Cur-NPs) on S. aureus and discovered that the combination of both nanoparticles was more effective than the individual AgNPs or Cur-NPs. Curcumin interferes with the QS system as was observed by the down-regulation of genes involved in QS, upon exposure to the substance (Loo et al., 2016). Ma et al. (2012) investigated the effect of two novel anti-virulence compounds on growth and biofilm formation of S. aureus. The compounds inhibited biofilm formation by repressing genes associated with biofilm formation such as *lrgA*, *sdrD*, *sspB*, *sigB*, *codY*, which were also down-regulated in our studies at least at one of the five time-points (Ma et al., 2012).

In summary, based on our findings, we conclude that AGXX[®] is an effective antimicrobial substance which might also act as a biofilm inhibitor based on our molecular data. The mechanism of inhibition is likely *ica*-independent without the production of PIA, by interfering with the QS system and by repressing genes associated with surface adhesin and lipopolysaccharide synthesis. In addition, the antimicrobial might also reduce pathogenesis of *S. aureus* 04-02981 by down-regulating the synthesis of toxins and virulence factors.

AUTHOR CONTRIBUTIONS

AV performed all the microbiological and molecular experiments, drafted the manuscript, and designed the figures. AdJ supervised and discussed bioinformatics analyses of

RNA-seq, and prepared and deposited the RNA-seq data at NCBI. DW performed the confocal microscopy and analyzed the data. JK drafted part of the discussion and gave insightful suggestions on molecular biology of Gram-positive pathogens. EG designed the project and supervised all the experiments. All authors discussed and corrected the manuscript.

FUNDING

This research was funded by DLR, German Aerospace Center (Grant No. 50WB1466 to EG).

ACKNOWLEDGMENTS

We thank U. Landau and C. Meyer from Largentec GmbH, Berlin, for providing us with the antimicrobial AGXX[®] and for the helpful discussions and G. Werner and J. Bender from Robert Koch Institute, Wernigerode Branch, for the gift of *S. aureus* 04-02981.

SUPPLEMENTARY MATERIAL

The Supplementary Material for this article can be found online at: https://www.frontiersin.org/articles/10.3389/fmicb. 2018.00221/full#supplementary-material

FIGURE S1 | Library sizes of all the RNA samples (*S. aureus* 04-02981, *S. aureus* 04-02981 + Ag, and *S. aureus* 04-02981 + AGXX), at different time periods. The image indicates the read depth of each sample. The *X*-axis represents the experiment names as used in the factors file, and gene counts file during RNA-seq analysis via T-REx. The sample names comprise the metal sheet used, followed by the time of exposure. For example, sample 'AGXX_06' represents *S. aureus* 04-02981 exposed to AGXX for 6 minutes. The *Y*-axis represents the total number of mapped reads.

TABLE S1 | Primer and probe sequences used for RT-qPCR.

TABLE S2 | $AGXX^{\oplus}$ -mediated growth inhibition of *S. aureus* 04-02981 in batch cultures.

TABLE S3 | Alignment rates of the RNA-sequences of S. aureus 04-02981.

TABLE S4 Differentially expressed genes in *S. aureus* 04-02981 on exposure to Ag, and AGXX[®].

 TABLE S5 | Gene Ontology assignments on exposing S. aureus 04-02981 to

 AGXX® for 6 minutes. Rate = The rating values (1 to 5) reflect binned values based

 on: (TopHits/ClassSize) * -log2(adj-pvalue).

TABLE S6 | Gene Ontology assignments on exposing S. aureus 04-02981 to Ag for 80 minutes. Rate = The rating values (1 to 5) reflect binned values based on:

 (TopHits/ClassSize) * $-\log2(adj-pvalue)$.

 TABLE S7 | Expression of operons in S. aureus 04-02981 on exposure to AGXX®

 for 6 minutes. Rate = The rating values (1 to 5) reflect binned values based on:

 (TopHits/ClassSize) * -log2(adj-pvalue).

TABLE S8 | Expression of operons in *S. aureus* 04-02981 on exposure to Ag for

 80 minutes. Rate = The rating values (1 to 5) reflect binned values based on:

 (TopHits/ClassSize) * -log2(adj-pvalue).

REFERENCES

- Arciola, C. R., Baldassarri, L., and Montanaro, L. (2001). Presence of *icaA* and *icaD* genes and slime production in a collection of staphylococcal strains from catheter-associated infections. *J. Clin. Microbiol.* 39, 2151–2156.
- Arciola, C. R., Campoccia, D., Ravaioli, S., and Montanaro, L. (2015). Polysaccharide intercellular adhesin in biofilm: structural and regulatory aspects. Front. Cell. Infect. Microbiol. 5:7. doi: 10.3389/fcimb.2015.00007
- Baker, J., Sitthisak, S., Sengupta, S., Johnson, M., Jayaswal, R. K., and Morrissey, J. A. (2010). Copper stress induces a global stress response in *Staphylococcus aureus* and represses *sae* and *agr* expression and biofilm formation. *Appl. Environ. Microbiol.* 76, 150–160. doi: 10.1128/AEM. 02268-09
- Baldry, M., Nielsen, A., Bojer, M. S., Zhao, Y., Friberg, C., Ifrah, D., et al. (2016). Norlichexanthone reduces virulence gene expression and biofilm formation in *Staphylococcus aureus*. *PLOS ONE* 11:e0168305. doi: 10.1371/journal.pone. 0168305
- Barbu, E. M., Mackenzie, C., Foster, T. J., and Höök, M. (2014). SdrC induces staphylococcal biofilm formation through a hemophilic interaction. *Mol. Microbiol.* 94, 172–185. doi: 10.1111/mmi.12750
- Bouchard, A. (2011). AgXX Glass Microspheres. In Vitro Evaluation of Cytotoxicity by Neutral Red Assay Using MRC-5 Cell Line with a Direct Contact Procedure. Report 20100326STP. Dresden: APOGEPHA Arzneimittel GmbH.
- Chen, C., Krishnan, V., Macon, K., Manne, K., and Schneewind, O. (2013). Secreted proteases control autolysin-mediated biofilm growth of *Staphylococcus aureus*. *J. Biol. Chem.* 288, 29440–29452. doi: 10.1074/jbc.M113.502039
- Cheung, G. Y. C., Wang, R., Khan, B. A., Sturdevant, D. E., and Otto, M. (2011). Role of the accessory gene regulator *agr* in community- associated methicillinresistant *Staphylococcus aureus* pathogenesis. *Infect. Immun.* 79, 1927–1935. doi: 10.1128/IAI.00046-11
- Chopra, I. (2007). The increasing use of silver-based products as antimicrobial agents: a useful development or a cause for concern? J. Antimicrob. Chemother. 59, 587–590. doi: 10.1093/jac/dkm006
- Clauss-Lendzian, E., Vaishampayan, A., de Jong, A., Landau, U., Meyer, C., Kok, J., et al. (2017). Stress response of a clinical *Enterococcus faecalis* isolate subjected to a novel antimicrobial surface coating. *Microbiol. Res.* doi: 10.1016/j.micres. 2017.11.006
- de Jong, A., van der Meulen, S., Kuipers, O. P., and Kok, J. (2015). T-REx: transcriptome analysis webserver for RNA-seq expression data. *BMC Genomics* 16:663. doi: 10.1186/s12864-015-1834-4
- Ellis, M. W., Schlett, C. D., Millar, E. V., Crawford, K. B., Cui, T., Lanier, J. B., et al. (2014). Prevalence of nasal colonization and strain concordance in patients with community-associated *Staphylococcus aureus* skin and soft- tissue infections. *Infect. Control Hosp. Epidemiol.* 35, 1251–1256. doi: 10.1086/67 8060
- Fitzpatrick, F., Humphreys, H., and O'Gara, J. P. (2005). Evidence for *icaADBC*independent biofilm development mechanism in methicillin-resistant *Staphylococcus aureus* clinical isolates. *J. Clin. Microbiol.* 43, 1973–1976.
- Frees, D., Chastanet, A., Qazi, S., Sorensen, K., Hill, P., Msadek, T., et al. (2005). Clp ATPases are required for stress tolerance, intracellular replication and biofilm formation in *Staphylococcus aureus. Mol. Microbiol.* 54, 1445–1462. doi: 10.1111/j.1365-2958.2004.04368.x
- Gouaux, A., Hobaugh, M., and Song, L. (1997). α-hemolysin, γ-hemolysin, and leukocidin from *Staphylococcus aureus*: distant in sequence but similar in structure. *Protein Sci.* 6, 2631–2635. doi: 10.1002/pro.5560061216
- Grass, G., Rensing, C., and Solioz, M. (2011). Metallic copper as an antimicrobial surface. Appl. Environ. Microbiol. 77, 1541–1547. doi: 10.1128/AEM.02766-10
- Gupta, A., Matsui, K., Lo, J.-F., and Silver, S. (1999). Molecular basis for resistance to silver cations in *Salmonella*. *Nat. Med.* 5, 183–188. doi: 10.1038/ 5545
- Guridi, A., Diederich, A. K., Aguila-Arcos, S., Garcia-Moreno, M., Blasi, R., Broszat, M., et al. (2015). New antimicrobial contact catalyst killing antibiotic resistant clinical and water borne pathogens. *Mater. Sci. Eng. C Mater. Biol. Appl.* 50, 1–11. doi: 10.1016/j.msec.2015.01.080
- Hammer, N. D., and Skaar, E. P. (2011). Molecular mechanisms of Staphylococcus aureus iron acquisition. Annu. Rev. Microbiol. 65, 129–147. doi: 10.1146/ annurev-micro-090110-102851

- Huebner, J., Wang, Y., Krueger, W. A., Madoff, L. C., Martirosian, G., Boisot, S., et al. (1999). Isolation and chemical characterization of a capsular polysaccharide antigen shared by clinical isolates of *Enterococcus faecalis* and vancomycin-resistant *Enterococcus faecium*. *Infect. Immun.* 67, 1213–1219.
- Ibarra, J. A., Pérez-Rueda, E., Carroll, R. K., and Shaw, L. N. (2013). Global analysis of transcriptional regulators in *Staphylococcus aureus*. *BMC Genomics* 14:126. doi: 10.1186/1471-2164-14-126
- Karatsa-Dodgson, M., Woermann, M. E., and Gruendling, A. (2010). In vitro analysis of the Staphylococcus aureus lipoteichoic acid synthase enzyme using fluorescently labeled lipids. J. Bacteriol. 192, 5341–5349. doi: 10.1128/JB. 00453-10
- Kirmusaoglu, S. (2016). "Staphylococcal biofilms: pathogenicity, mechanism and regulation of biofilm formation by Quorum-Sensing system and antibiotic resistance mechanisms of biofilm-embedded microorganisms," in *Microbial Biofilms - Importance and Applications*, ed. D. Dhanasekaran (Rijeka: In Tech).
- Kluytmans, J., van Belkum, A., and Verbrugh, H. (1997). Nasal carriage of *Staphylococcus aureus*: epidemiology, underlying mechanisms, and associated risks. *Clin. Microbiol. Rev.* 10, 505–520.
- Landau, U. (2013). AGXX Eine nachhaltige lösung für die Entkeimung wässriger Lösungen. *Galvanotechnik* 11, 2169–2184.
- Landau, U., Meyer, C., and Grohmann, E. (2017a). AGXX Beitrag der Oberflächentechnik zur Vermeidung von Biofilmen (Teil 1). Galvanotechnik 108, 885–890.
- Landau, U., Meyer, C., and Grohmann, E. (2017b). AGXX Beitrag der Oberflächentechnik zur Vermeidung von Biofilmen (Teil 2). Galvanotechnik 108, 1110–1121.
- Landsdown, A. B. G. (2010). A pharmacological and toxicological profile of silver as an antimicrobial agent in medical devices. *Adv. Pharmacol. Sci.* 2010:910686. doi: 10.1155/2010/910686
- Langmead, B., and Salzberg, S. (2012). Fast gapped-read alignment with Bowtie 2. *Nat. Methods* 9, 357–359. doi: 10.1038/nmeth.1923
- Li, H., Handsaker, B., Wysoker, A., Fennell, T., Ruan, J., Homer, N., et al. (2009). The sequence alignment/map (SAM) format and SAMtools. *Bioinformatics* 25, 2078–2079. doi: 10.1093/bioinformatics/btp352
- Lister, J. L., and Horswill, A. R. (2014). Staphylococcus aureus biofilms: recent developments in biofilm dispersal. Front. Cell. Infect. Microbiol. 4:178. doi: 10.3389/fcimb.2014.00178
- Liu, Q., Yo, W.-S., and Bae, T. (2016). The SaeRS two-component system of Staphylococcus aureus. Genes 7:81. doi: 10.3390/genes7100081
- Loo, C.-Y., Rohanizadeh, R., Young, P. M., Traini, D., Cavaliere, R., Whitchurch, C. B., et al. (2016). Combination of silver nanoparticles and curcumin nanoparticles for enhanced anti-biofilm activities. J. Agric. Food Chem. 64, 2513–2522. doi: 10.1021/acs.jafc.5b04559
- Ma, Y., Xu, Y., Yestrepsky, B. D., Sorenson, R. J., Chen, M., Larsen, S. D., et al. (2012). Novel inhibitors of *Staphylococcus aureus* virulence gene expression and biofilm formation. *PLOS ONE* 7:e47255. doi: 10.1371/journal.pone.0047255
- Maillard, J., and Hartemann, P. (2013). Silver as an antimicrobial: facts and gap in knowledge. Crit. Rev. Microbiol. 39, 373–383. doi: 10.3109/1040841X.2012. 713323
- Marathe, N. P., Nagarkar, S. S., Vaishampayan, A. A., Rasane, M. H., Samant, S. A., Dohe, V., et al. (2015). High prevalence of class 1 integrons in clinical isolates of methicillin-resistant *Staphylococcus aureus* from India. *Indian J. Med. Microbiol.* 33, 231–236. doi: 10.4103/0255-0857.154905
- Missineo, A., Poto, D. A., Geoghegan, J. A., Rindi, S., Heilbronner, S., Gianotti, V., et al. (2014). IsdC from *Staphylococcus lugdunensis* induces biofilm formation under low-iron growth conditions. *Infect. Immun.* 82, 2448–2459. doi: 10.1128/ IAI.01542-14
- Naas, T., Coignard, B., Carbonne, A., Blanckaert, K., Bajolet, O., Bernet, C., et al. (2006). VEB-1 Extended-spectrum beta-lactamase-producing Acinetobacter baumannii, France. Emerg. Infect. Dis. 12, 1214–1222. doi: 10.3201/eid1208. 051547
- Njoroge, J., and Sperandio, V. (2009). Jamming bacterial communication: new approaches for the treatment of infectious diseases. *EMBO Mol. Med.* 1, 201–210. doi: 10.1002/emmm.200900032
- Nuebel, U., Dordel, J., Kurt, K., Strommenger, B., Westh, H., Shukla, S. K., et al. (2010). A timescale for evolution, population expansion, and spatial spread of an emerging clone of methicillin resistant *Staphylococcus aureus*. *PLOS Pathog.* 6:e1000855. doi: 10.1371/journal.ppat.1000855

- Nyenje, M. E., Green, E., and Ndip, R. N. (2013). Evaluation of the effect of different growth media and temperature on the suitability of biofilm formation by *Enterobacter cloacae* strains isolated from food samples in South Africa. *Molecules* 18, 9582–9593. doi: 10.3390/molecules18089582
- Paniagua-Contreras, G., Sáinz- Espuñes, T., Monroy-Pérez, E., Rodríguez-Moctezuma, J. R., Arenas-Aranda, D., Negrete-Abascal, E., et al. (2012). Virulence markers in *Staphylococcus aureus* strains isolated from hemodialysis catheters of Mexican patients. *Adv. Microbiol.* 2, 476–487. doi: 10.4236/aim. 2012.24061
- Paraje, M. G. (2011). "Antimicrobial resistance in biofilms," in Science against Microbial Pathogens: Communicating Current Research and Technological Advances, Vol. 2, ed. A. Mendez-Vilas (Badajoz: Formatex Research Center), 736–744.
- Probst, I., Vaishampayan, A., Kuechler, V., and Grohmann, E. (2016). Antimikrobielle Oberflächenbeschichtung tötet multiresistente Krankheitserreger. *Flug Reisemed.* 23, 14–17.
- Qin, N., Tan, X., Jiao, Y., Liu, L., Zhao, W., Yang, S., et al. (2014). RNA-Seqbased transcriptome analysis of methicillin-resistant *Staphylococcus aureus* biofilm inhibition by ursolic acid and resveratrol. *Sci. Rep.* 4:5467. doi: 10.1038/ srep05467
- Quave, C. L., and Horswill, A. R. (2014). Flipping the switch: tools for detecting small molecule inhibitors of staphylococcal virulence. *Front. Microbiol.* 5:706. doi: 10.3389/fmicb.2014.00706
- Resch, A., Rosenstein, R., Nerz, C., and Goetz, F. (2005). Differential gene expression profiling of *Staphylococcus aureus* cultivated under biofilm and planktonic conditions. *Appl. Environ. Microbiol.* 71, 2663–2676.
- Sause, W. E., Buckley, P. T., Strohl, W. R., Lynch, A. S., and Torres, V. J. (2015). Antibody-based biologics and their promise to combat *Staphylococcus aureus* infections. *Trends Pharmacol. Sci.* 37, 231–241. doi: 10.1016/j.tips.2015.11.008
- Schäberle, T. F., and Hack, I. M. (2014). Overcoming the current deadlock in antibiotic resistance. *Trends Microbiol.* 22, 165–167. doi: 10.1016/j.tim.2013. 12.007
- Schiwon, K., Arends, K., Rogowski, K. M., Fuerch, S., Prescha, K., Sakinc, T., et al. (2013). Comparison of antibiotic resistance, biofilm formation and conjugative transfer of *Staphylococcus* and *Enterococcus* isolates from International Space Station and Antarctic research station Concordia. *Microb. Ecol.* 65, 638–651. doi: 10.1007/s00248-013-0193-4
- Smith, K., Gould, K. A., Gordon, R., Gemmell, C. G., Hinds, J., and Lang, S. (2010). Influence of tigecycline on expression of virulence factors in biofilmassociated cells of methicillin- resistant *Staphylococcus aureus*. *Antimicrob. Agents Chemother*. 54, 380–387. doi: 10.1128/AAC.00155-09

- Sully, E. K., Malachowa, N., Elmore, B. O., Alexander, S. M., Femling, J. K., Gray, B. M., et al. (2014). Selective chemical inhibition of *agr* Quorum Sensing in *Staphylococcus aureus* promotes host defense with minimal impact on resistance. *PLOS Pathog.* 10:e1004174. doi: 10.1371/journal.ppat. 1004174
- Trapnell, C., Williams, B. A., Pertea, G., Mortazavi, A., Kwan, G., van Baren, M. J., et al. (2010). Transcript assembly and quantification by RNA-Seq reveals unannotated transcripts and isoform switching during cell differentiation. *Nat. Biotechnol.* 28, 511–515. doi: 10.1038/nbt. 1621
- Tuchscherr, L., Loeffler, B., Buzzola, F. R., and Sordelli, D. O. (2010). Staphylococcus aureus adaptation to the host and persistence: role of loss of capsular polysaccharide expression. Future Microbiol. 5, 1823–1832. doi: 10.2217/fmb. 10.147
- Warnes, S. L., and Keevil, C. W. (2013). Inactivation of norovirus on dry copper alloy surfaces. PLOS ONE 8:e75017. doi: 10.1371/journal.pone.007 5017
- Wass, Y. A. (2009). SigmaPlot 11: Now with total sigmaStat integration. Sci. Comput. 26, 21.
- Wu, Y., Wu, Y., Zhu, T., Han, H., Liu, H., Xu, T., et al. (2015). Staphylococcus epidermidis SrrAB regulates bacterial growth and biofilm formation differently under oxic and microaerobic conditions. J. Bacteriol. 197, 459–476. doi: 10.1128/JB.02231-14
- Xu, L., Li, H., Vuong, C., Vadyvaloo, V., Wang, J., Yao, Y., et al. (2006). Role of the *luxS* Quorum-Sensing system in biofilm formation and virulence of *Staphylococcus epidermidis. Infect. Immun.* 74, 488–496.
- Yarwood, J. M., Bartels, D. J., Volper, E. M., and Greenberg, E. P. (2004). Quorum Sensing in *Staphylococcus aureus* biofilms. *J. Bacteriol.* 186, 1838–1850. doi: 10.1128/JB.186.6.1838-1850.2004

Conflict of Interest Statement: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Copyright © 2018 Vaishampayan, de Jong, Wight, Kok and Grohmann. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.