



Erratum: Standards in Pupillography

*Frontiers Production Office**

Frontiers Production Office, Frontiers Media SA, Lausanne, Switzerland

OPEN ACCESS

Approved by:
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

***Correspondence:**
Frontiers Production Office
production.office@frontiersin.org

Specialty section:
This article was submitted to
Neuro-Ophthalmology,
a section of the journal
Frontiers in Neurology

Received: 22 March 2019

Accepted: 25 March 2019

Published: 27 March 2019

Citation:
Frontiers Production Office (2019)
Erratum: Standards in Pupillography.
Front. Neurol. 10:371.
doi: 10.3389/fneur.2019.00371

Keywords: clinical standards, pupillography, application of pupillography, stimulus characteristics, parameters of evaluation, analysis, pupillometry

An Erratum on

Standards in Pupillography

by Kelbsch, C., Strasser, T., Chen, Y., Feigl, B., Gamlin, P. D., Kardon, R., et al. (2019). *Front. Neurol.* 10:129. doi: 10.3389/fneur.2019.00129

Due to a production error, the funder “Egon Schumacher-Stiftung, Barnstorf, Germany”, a private foundation without commercial interest (CK, TS, TP, BW, HW), was incorrectly omitted from the funding statement.

The publisher apologizes for this mistake. The original article has been updated.

Copyright © 2019 Frontiers Production Office. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.