



Addendum: Protocol for Counterfactually Transporting an Unknown Qubit

Hatim Salih *

Independent Researcher, York, UK

Keywords: interaction-free measurement, Zeno effect, counterfactual communication, entanglement generation, quantum teleportation

An addendum on

Protocol for Counterfactually Transporting an Unknown Qubit

by Salih, H. (2016). Front. Phys. 3:94. doi: 10.3389/fphy.2015.00094

We give a simpler, more precise formulation for Equations (1–3) in Salih [1], and consequently for transport fidelity, Equation (15). This does not affect the validity of the protocol nor the scientific conclusions of the paper. The fidelity of counterfactual transport for finite inner and outer cycles is re-evaluated and plotted in **Figure 1** below.

First, the revised Equations (1-3) from Salih [1],

OPEN ACCESS

Edited and reviewed by:

Lorenzo Pavesi, University of Trento, Italy

*Correspondence:

Hatim Salih salih.hatim@gmail.com

Specialty section:

This article was submitted to Optics and Photonics, a section of the journal Frontiers in Physics

Received: 17 February 2016 Accepted: 16 May 2016 Published: 05 July 2016

Citation:

Salih H (2016) Addendum: Protocol for Counterfactually Transporting an Unknown Qubit. Front. Phys. 4:23. doi: 10.3389/fphy.2016.00023

$$(\alpha \mid \text{pass}\rangle + \beta \mid \text{block}\rangle) \otimes |10\rangle \rightarrow \alpha \mid \text{pass}\rangle \otimes (\cos n\theta \mid 10\rangle + \sin n\theta \mid 01\rangle) + \beta \mid \text{block}\rangle \otimes \cos^{n-1}\theta(\cos \theta \mid 10\rangle + \sin \theta \mid 01\rangle).$$
 (1)

$$(\alpha | \text{pass}) + \beta | \text{block}) \otimes |010\rangle \rightarrow$$

$$\alpha | \text{pass}) \otimes (\cos n\theta_N | 010\rangle + \sin n\theta_N | 001\rangle) +$$

$$\beta | \text{block}) \otimes \cos^{n-1}\theta_N (\cos \theta_N | 010\rangle + \sin \theta_N | 001\rangle). \tag{2}$$

$$(\alpha | \text{pass} \rangle + \beta | \text{block} \rangle) \otimes |100\rangle \rightarrow$$

$$\alpha | \text{pass} \rangle \otimes \cos^{m-1}\theta_{M}(\cos\theta_{M} | 100\rangle + \sin\theta_{M} | 010\rangle) +$$

$$\beta | \text{block} \rangle \otimes (\cos m\theta_{M} | 100\rangle + \sin m\theta_{M} | 010\rangle). \tag{3}$$

Second, the revised Equation (15) from Salih [1] for the approximate fidelity of counterfactual transport, which gets more precise the larger the number of inner cycles, *N*, gets,

Fidelity =
$$\left(\cos^{M}\theta_{M} + \eta[M, N]\right)^{2} \left(\frac{|\alpha|^{2}}{2}\cos^{M}\theta_{M} + \frac{|\beta|^{2}}{2}\eta[M, N]\right)^{2}$$
 (4)

Note that while a smaller number of outer cycles, M, does not lead to output errors in our counterfactual CNOT gate (the key step in our protocol) for either the case of Bob blocking

1




FIGURE 1 | Ideal case fidelity of counterfactual transport. Fidelity is plotted against the number of outer and inner cycles, M and N, for M up to 15 and N up to 300, with $\alpha=\beta=\frac{1}{\sqrt{2}}$. For M=15 and N=300 fidelity is already above 80%. The fidelity of our protocol for counterfactual transport approaches unity for $N\gg M\gg 1$. Implementation imperfections are ignored.

the channel or the case of Bob not blocking the channel, it does lead to reduced fidelity for the case of Bob effecting a superposition of blocking and not blocking the channel. The reason is that for the component of the superposition where Bob does not block, the probability amplitude of Alice's photon is multiplied by a factor of $\cos\theta_M$ after each outer cycle. This can be ignored, however, for large M. Given ideal implementation, the fidelity of our protocol for counterfactual transport approaches unity for $N\gg M\gg 1$, where N and M are the number of inner and outer cycles respectively.

We draw the reader's attention to the fact that the posting of our protocol on the arXiv in 2014 [2] has triggered a number of related papers including, Guo et al. [3], Li et al. [4], Vaidman [5], and Shenoy-Hejamadi and Srikanth [6]. We plan a separate reply to Vaidman's Comment [5].

We finally cite Hosten et al. [7], who first introduced the chained quantum Zeno effect in the context of counterfactual computation, a second time.

AUTHOR CONTRIBUTIONS

The author confirms being the sole contributor of this work and approved it for publication.

REFERENCES

- Salih H. Protocol for counterfactually transporting an unknown qubit. Front Phys. (2016) 3:94. doi: 10.3389/FPHY.2015.00094
- Salih H. Protocol for counterfactually transporting an unknown qubit. arXiv:1404.2200 (2014)
- Guo Q, Cheng LY, Chen L, Wang HF, Zhang S. Counterfactual quantuminformation transfer without transmitting any physical particles. Sci Rep. (2015) 5:8416. doi: 10.1038/srep08416
- Li ZH, Al-Amri M, Zubairy MS. Direct counterfactual transmission of a quantum state. Phys Rev A (2015) 92:052315. doi: 10.1103/PhysRevA.92.052315
- Vaidman L. Comment on "Direct counterfactual transmission of a quantum state". Phys. Rev. A (2015) 93:066301. doi: 10.1103/PhysRevA.93.066301
- Shenoy-Hejamadi A, Srikanth R. Counterfactual distribution of Schrdinger cat states. *Phys. Rev. A* (2015) 92:062308. doi: 10.1103/PhysRevA.92.062308

 Hosten O, Rakher MT, Barreiro JT, Peters NA, Kwiat PG. Counterfactual quantum computation through quantum interrogation. *Nature* (2006) 439:949–52. doi: 10.1038/nature04523

Conflict of Interest Statement: The author declares that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Copyright © 2016 Salih. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) or licensor are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms