



# Corrigendum: Increased Permeability of the Aquaporin SoPIP2;1 by Mercury and Mutations in Loop A

Andreas Kirscht<sup>†</sup>, Sabeen Survery<sup>†</sup>, Per Kjellbom and Urban Johanson<sup>\*</sup>

Department of Biochemistry and Structural Biology, Center for Molecular Protein Science, Lund University, Lund, Sweden

Keywords: aquaporin, water channel, major intrinsic protein, Spinacia oleracea, tryptophan fluorescence

### A corrigendum on

# **OPEN ACCESS**

# Edited and reviewed by:

Rupesh Kailasrao Deshmukh, Laval University, Canada

#### \*Correspondence:

Urban Johanson urban.johanson@biochemistry.lu.se

<sup>†</sup>Shared first authors.

#### Specialty section:

This article was submitted to Plant Physiology, a section of the journal Frontiers in Plant Science

Received: 21 November 2016 Accepted: 30 November 2016 Published: 19 December 2016

#### Citation

Kirscht A, Survery S, Kjellbom P and Johanson U (2016) Corrigendum: Increased Permeability of the Aquaporin SoPIP2;1 by Mercury and Mutations in Loop A. Front. Plant Sci. 7:1888. doi: 10.3389/fpls.2016.01888 Increased Permeability of the Aquaporin SoPIP2;1 by Mercury and Mutations in Loop A

by Kirscht A., Survery S., Kjellbom P., and Johanson U. (2016) Front. Plant Sci. 7:1249. doi: 10.3389/fpls.2016.01249

In our Original Research article it was incorrectly stated that cadmium and mercury have a similar preference for hexagonal coordination. Although both cadmium and mercury can bind at octahedral (not hexagonal) coordination sites their coordination preferences are not similar (Rulisek and Vondrasek, 1998). Hence, the fourth sentence under the subheading "Mercury Binding Site" in the Discussion should read: "It is described as a second binding site for cadmium, but given the comparable size of the cations and that both are capable of forming an octahedral coordination geometry (Rulisek and Vondrasek, 1998), one could imagine that also mercury has a potential to bind." The authors apologize for the mistake. This error does not change the scientific conclusions of the article in any way.

## REFERENCES

Rulisek, L., and Vondrasek, J. (1998) Coordination geometries of selected transition metal ions ( $Co^{2+}$ ,  $Ni^{2+}$ ,  $Cu^{2+}$ ,  $Zn^{2+}$ ,  $Cd^{2+}$ , and  $Hg^{2+}$ ) in metalloproteins. *J. Inorg. Biochem.* 71, 115–127.

**Conflict of Interest Statement:** The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Copyright © 2016 Kirscht, Survery, Kjellbom and Johanson. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) or licensor are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

1