



OPEN ACCESS

EDITED BY

Oleksandr Kyriienko,
University of Exeter, United Kingdom

REVIEWED BY

Prasanta Panigrahi,
Indian Institute of Science Education and
Research Kolkata, India

*CORRESPONDENCE

Rhonda Au-Yeung,
✉ rhonda.au-yeung@strath.ac.uk
Pascal Halffmann,
✉ pascal.halffmann@itwm.fraunhofer.de

[†]These authors have contributed equally
to this work and share first authorship

SPECIALTY SECTION

This article was submitted
to Quantum Engineering,
a section of the journal
Frontiers in Quantum
Science and Technology

RECEIVED 20 December 2022

ACCEPTED 09 February 2023

PUBLISHED 23 February 2023

CITATION

Au-Yeung R, Chancellor N and
Halffmann P (2023), NP-hard but no
longer hard to solve? Using quantum
computing to tackle
optimization problems.
Front. Quantum Sci. Technol. 2:1128576.
doi: 10.3389/frqst.2023.1128576

COPYRIGHT

© 2023 Au-Yeung, Chancellor and
Halffmann. This is an open-access article
distributed under the terms of the
[Creative Commons Attribution License
\(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or
reproduction in other forums is
permitted, provided the original author(s)
and the copyright owner(s) are credited
and that the original publication in this
journal is cited, in accordance with
accepted academic practice. No use,
distribution or reproduction is permitted
which does not comply with these terms.

NP-hard but no longer hard to solve? Using quantum computing to tackle optimization problems

Rhonda Au-Yeung^{1*†}, Nicholas Chancellor^{2†} and
Pascal Halffmann^{3*†}

¹Department of Physics, University of Strathclyde, Glasgow, United Kingdom, ²Department of Physics, Durham University, Durham, United Kingdom, ³Department of Financial Mathematics, Fraunhofer Institute for Industrial Mathematics, Kaiserslautern, Germany

In the last decade, public and industrial research funding has moved quantum computing from the early promises of Shor's algorithm through experiments to the era of noisy intermediate scale quantum devices (NISQ) for solving real-world problems. It is likely that quantum methods can efficiently solve certain (NP-) hard optimization problems where classical approaches fail. In our perspective, we examine the field of *quantum optimization*, that is, solving optimization problems using quantum computers. We provide an entry point to quantum optimization for researchers from each topic, optimization or quantum computing, by demonstrating advances and obstacles with a suitable use case. We give an overview on problem formulation, available algorithms, and benchmarking. Although we show a proof-of-concept rather than a full benchmark between classical and quantum methods, this gives an idea of the current quality and capabilities of quantum computers for optimization problems. All observations are incorporated in a discussion on some recent quantum optimization breakthroughs, current status, and future directions.

KEYWORDS

quantum computing, quantum optimization, perspectives, optimization algorithms, problem modeling

1 Introduction

In November 1994, Peter Shor presented his pioneering algorithm at the IEEE Symposium on Foundations of Computer Science in Santa Fe, NM (Shor, 1994). Without a doubt, Shor's algorithm threatened the underpinnings of public key cryptography, putting quantum computing on the proverbial map and forcing people outside the academic community to pay attention (Witt, 2022). Decades later, it remains the standard-bearer of quantum algorithms. Almost as important, Shor's algorithm has currently led to investments of billions of (US) dollars worldwide into quantum computing technologies¹. This drastic increase of funding has seen a spike in quantum computing research at public and private research institutes, R&D departments in the commercial sector, as well as the founding of new startups (Brooks, 2019; Gibney, 2019; MacQuarrie et al., 2020). As of 15 Dec 2022, 10,416 quantum physics articles have been published on the arXiv preprint server where nearly half these papers involve quantum computing. In tandem with the volume of publications, quantum computers have evolved from experiments to an era of noisy intermediate scale quantum (NISQ) devices (Preskill, 2018; Callison and Chancellor, 2022) where they play an increasingly popular role in real-world problems (Bova et al., 2021).

One exciting application area is optimization. In business, time is money. Everything can be reduced to an optimization problem. Every company decision is weighed against resources, financial cost, and opportunity cost. The longer it takes to make a decision, the greater the cost. Optimization problems exist across every industry (Yarkoni et al., 2022). They are difficult to solve due to incomplete or uncertain data, difficulties in stating the problem or examining the value of proposed solutions, or because they are *NP-hard* problems. Stemming from the P-versus-NP-problem (Fortnow, 2013), the time required to solve NP-hard problems is suspected to grow exponentially with the size of the problem. The problems are *hard* because of the large and exponentially growing solution space (combinatorial explosion). As a result, automotive companies such as BMW (BMW Group, 2018) and Volkswagen (Yarkoni et al., 2019; Yarkoni et al., 2021) are already (Zaman et al., 2021) exploring the possibility of quantum-based optimization for manufacturing. Additionally, quantum methods have been applied to portfolio optimization (Orús et al., 2019; Egger et al., 2020; Yalovetzky et al., 2021), logistics (Bentley et al., 2022), supply chain management (Weinberg et al., 2022), and energy economy (Mastroianni et al., 2022).

The aim of this perspective is to critically examine the status and future of quantum computing for optimization, which we define as *quantum optimization*, including some possible weaknesses. We intend to complement the *Royal Society's* recent special edition on quantum annealing (Chakrabarti et al., 2023) and *Applied Quantum Computing's* excellent review which provides accessible explanations for the technicalities of quantum computing and their practical uses (Cumming and Thomas, 2022). We also recommend Ref (Guenin et al., 2014) as an introduction to optimization. The outline of this paper is as follows. We identify suitable optimization problems that can benefit from quantum methods (Section 2). Then we address the challenges in formulating problems for quantum computers and algorithms (Section 3) before surveying the available algorithms (Section 4). In Section 5, we assess the current quantum computing hardware and determine possible weaknesses using a demonstration benchmark. Finally we present our perspective on quantum optimization, focusing on its present and future status.

2 Finding suitable use cases

Compared to classical computers, quantum computers cope well with large search spaces, complex problem structures and objective functions. For example, quantum annealing is used to solve optimization problems which can take many forms: unconstrained *versus* constrained; using differential equations as constraints; combinatorial and graph problems; supposedly simple linear problems. (For an overview of real-world applications, see (Hauke et al., 2020; Yarkoni et al., 2022).) Many publications in quantum optimization focus on science and engineering such as the use of quantum annealing in the drug discovery and development process (Paul et al., 2010; Langione et al., 2019a; Evers et al., 2021). Due to significant investment in R&D (Wouters et al., 2020; Evers et al., 2021; Brown et al., 2022), there are strong incentives to try new computational methods like Google DeepMind's breakthrough

AlphaFold platform (Senior et al., 2020; AlQuraishi, 2021) for the pharmaceutical industry. Quantum computing can overcome AlphaFold's shortcomings (Mulligan et al., 2019; Wong et al., 2022) and dramatically change both landscape and revenue in the next few decades (Bobier et al., 2021).

While there have been substantial efforts in applying quantum methods to specific problems, less work has been done on finding systematic approaches to determine which problems are most promising (Chancellor et al., 2020). Use cases for quantum optimization are generally NP-hard or worse and difficult to approximate (with a constant factor). However, some NP-hard problems are solvable or heuristics/approximation algorithms provide acceptable results, e.g., the knapsack problem. A good example of an NP-hard problem is the *Maximum Weighted Independent Set (MWIS)* problem: Given a topology graph, we want to find a set of vertices with maximum weight such that no vertices of that set are connected by an edge (Lovász, 1994; Pardalos and Xue, 1994). The problem cannot be approximated to a constant factor unless P = NP (Arora and Barak, 2009) and approximation to a polynomial factor is NP-hard itself (Bazgan et al., 2005). MWIS has practical applications, for example in DNA sequencing (Joseph et al., 1992) and quantum computing (Ebadi et al., 2022). We use MWIS as our example problem for the rest of this paper.

3 Modeling

Solving real-world problems typically requires reformulating into a mathematical problem. Given a graph $G = G(V, E)$ with m vertices, weight a_i for each vertex V and set of edges E , the classical formulation of the MWIS problem is

$$\begin{aligned} \max \quad & \sum_{i=1}^m a_i x_i \\ \text{s.t.} \quad & x_i + x_j \leq 1, \quad \forall (i, j) \in E, \\ & x \in \{0, 1\}^m. \end{aligned} \tag{1}$$

For the quantum computing algorithms that we discuss in Section 4, the optimization problem must be in the form of a *quadratic unconstrained binary optimization problem (QUBO)*, $\min_{x \in \{0,1\}^m} x^T Q x$. In quantum physics, the *Hamiltonian* is used to calculate the system's minimum energy state. QUBOs are related to the *Ising Hamiltonian* describing the energy of a solid in a ferromagnetic field using n spins $s_i = \pm 1$

$$H(s_1, \dots, s_n) = - \sum_{i < j} J_{ij} s_i s_j - \sum_{i=1}^n h_i s_i \tag{2}$$

with interaction strength J_{ij} between two adjacent spins i, j and spin-external magnetic field interaction h_i . Spins can be transformed to binary variables via $x_i = (s_i + 1)/2$. The general method for transforming problems to QUBO involves:

1. Introducing slack variables (Boyd and Vandenberghe, 2004) to transform inequality constraints to equality constraints.
2. Transforming equality constraints to quadratic penalty terms.
3. For integer and continuous variables, defining a discrete set of possible values and applying a binary encoding of these values.

3.1 Modelling constraints

While the procedure above works to transform any linear or quadratic problem, it has its flaws. In MWIS for example, we must introduce a binary slack variable y_e and add penalty term $(x_i + x_j - y_e - 1)^2$ to the objective function for every edge $e \in E$. As each quadratic term in the QUBO's objective function requires a connection between the qubits corresponding to the variables, the number of connections quickly exceeds what is available in current NISQ devices. For problems with integer and/or continuous variables the problem is exacerbated due to binary encoding. More sophisticated techniques have been presented by Glover et al. (Glover et al., 2019; Glover et al., 2020) and Lucas (Lucas, 2014) including QUBO formulations for Karp's 21 NP-hard problems (Karp et al., 1972). Advanced modeling has been applied to real-world problems (Halffmann et al., 2022).

A better formulation for the MWIS is

$$\begin{aligned} \max \quad & \sum_{i=1}^m a_i x_i - p \sum_{(i,j) \in E} x_i x_j \\ \text{s.t.} \quad & x \in \{0, 1\}^m \end{aligned} \quad (3)$$

where we add no additional variables³ and have less connectivity. The challenging task of choosing the right scalar penalty factor p relies on domain knowledge and experience. We can also obtain decent estimates from the constraints (e.g. setting $p := \max_i a_i \cdot \max_{deg(i)} + 1$, where $deg(i)$ is the number of edges vertex i is connected with). High penalty factors cause the original objective function to lose its significance, making it hard to distinguish between optimal and feasible solutions, particularly on NISQ devices. Feasible solutions are disregarded when penalties are too small. To our knowledge, no formal techniques exist although simple machine learning approaches could improve the formulation quality.

3.2 Modelling variables

Binary encoding (Lucas, 2014) is widely used for higher-than-binary model variables. The number of possible values a variable can attain is reduced to M which then can be encoded using $\lceil \log(M) \rceil + 1$ qubits. It is resource intensive, thus we highlight two alternative approaches.

Domain-wall is a (Palacios-Berraquero et al., 2019) recently proposed method for encoding discrete variables (Chancellor, 2019), dramatically improving both gate-model variational algorithms (Plewa et al., 2021) and annealers (Abel et al., 2021; Chen et al., 2021). In this method, arbitrary two-variable interactions between discrete variables of size m can be represented in an encoding which requires $m - 1$ qubits per variable, one less than the more traditional one-hot encoding method. Importantly, arbitrary pairwise interactions between discrete variables can be mapped to quadratic interactions between qubits. It is suitable for devices with limited connectivity (Chancellor, 2019) and uses the minimum number of qubits where such a guarantee is possible (Berwald et al., 2023). It has been explored for networking applications (Chen et al., 2022).

A recent work (Bermejo and Orus, 2022) deviates from the standard QUBO approach by considering continuous variables without binary encoding. The qubit state can be given as a position on or in the Bloch sphere for pure and mixed states respectively, so they make use of the 3D coordinates given by two angles and the radius. They can encode two (three) continuous variables into each pure- (mixed-)state qubit.

4 Algorithms

Here we present two popular methods for solving optimization problems: Variational quantum algorithms and quantum annealing. Further methods exist like Grover adaptive search (Gilliam et al., 2021) and hybrid algorithms (Ajagekar et al., 2020; Callison and Chancellor, 2022) but these are beyond the scope of our work. For an exhaustive list of quantum algorithms, we recommend the Quantum Algorithm Zoo (Jordan, 2021).

4.1 Variational quantum algorithms

Variational quantum algorithms (VQAs) provide a general framework for solving many problems such as big data analysis and simulations for quantum chemistry and materials science (Kandala et al., 2017; Kokail et al., 2019). Their adaptive nature is due to the variational process: the optimization procedure varies the algorithm on-the-fly, similar to machine learning (Cerezo et al., 2021). The problem is encoded into a parametrized cost function that defines a hypersurface. The quantum circuit navigates this surface to estimate the global minima which correspond to solutions of the problem. The result is passed back to the classical computer to adjust the VQA parameters. Then this is returned to the quantum computer to repeat the process.

VQAs require an ansatz whose form dictates what the variational parameters are and how they can be trained to minimize the cost function. The ansatz structure depends on the problem at hand. One major bottleneck is the barren plateau phenomenon, where changes in the classical parameters have little effect on the optimality of the variational state. The presence of barren plateaus is tied to the expressivity of the variational ansatz (Holmes et al., 2022). Highly expressive ansatzes tend to cause the algorithms to become effectively lost in a vast space of highly sub-optimal solutions. This leads to a tradeoff: if the ansatz is not expressive enough, it may not be able to effectively solve the problem; if too expressive, then the algorithm cannot be efficiently trained (Cerezo et al., 2021; Callison and Chancellor, 2022).

There are two major VQAs:

1. The computationally universal quantum approximate optimization algorithm (QAOA) (Lloyd, 2018; Hadfield et al., 2019; Morales et al., 2020; Zhou et al., 2020), originally introduced to solve combinatorial optimization problems (Farhi et al., 2014a; Farhi et al., 2014b).
2. Variational quantum eigensolvers (VQEs) (Cerezo et al., 2021; Tilly et al., 2022) are the best-known application of VQAs and were originally used to find the ground state energy of molecules




FIGURE 1 Quantum annealing process, including time evolution from $H(0) = H_0$ to $H(T) = H_p$.

(Aspuru-Guzik et al., 2005; Wecker et al., 2015; McClean et al., 2016).

Further developments have, for example resulted in more sophisticated versions of QAOA (Egger et al., 2021) and more efficient use of quantum hardware for VQE (Amaro et al., 2022).

4.2 Quantum annealing and D-Wave

Quantum annealing (Kadowaki and Nishimori, 1998; Hauke et al., 2020; Yarkoni et al., 2022) is a form of quantum computing based on continuous time evolution. Typically it operates outside the

regime of adiabatic quantum computing which gives theoretical guarantees of performance (Farhi et al., 2000; Albash and Lidar, 2018). The Hamiltonian takes the general form.

$$H(t) = H_0(t) + H_p(t) = \left(1 - \frac{t}{T}\right)H_0 + \frac{t}{T}H_p. \tag{4}$$

Initially ($t = 0$), quantum annealing begins in a prepared state of Hamiltonian H_0 with uniform probability (Figure 1). During the system evolution ($0 < t < T$), probabilities are gradually driven toward the global minimum (near-optimal solution) by final time T and the system is in the eigenstate of problem’s Hamiltonian H_p .

Quantum annealing can be done on D-Wave computers. Evolution is governed by the transverse field Ising Hamiltonian,




FIGURE 2
Quantum computing commercial landscape (selected companies only). Academic institutions and government organizations not shown. Details taken from press releases and publicly disclosed interactions with end users.

randomly generated graphs with different numbers of vertices (size k) and randomly selected vertex weights between 1 and $2k + 1$. We briefly discuss the results here (see [Supplementary Material](#) for more details). We compare D-Wave Quantum Annealer’s results to Gurobi 10.0 ([Gurobi Optimization and LLC, 2022](#)) on classical hardware ([Figure 3](#)). Gurobi outperforms D-Wave, but the results up to size 25 are promising because D-Wave’s QPU embedding time is a similar order of magnitude to a state-of-the-art classical commercial solver. Increasing the number of vertices decreases solution quality and probability for D-Wave. Additionally, the embedding time dominates the total time required to solve the problem. ([German Draft Budgetary Plan, 2020](#)).

Instances up to size 25 have also been tested on IBM *via* QAOA. Using QASM with Qiskit’s statevector simulator, IBM Qiskit can calculate optimal solutions up to size 10 but fails for size 25 and above. Using real quantum hardware (Falcon r6 QPU with 27 qubits), only a graph of size five occasionally gave the correct solution. We discuss the IBM results in the [Supplementary Material](#). Note that Gurobi can certify the solution correctness by using (for example) duality. Gurobi confirmed optimality for all results. D-Wave and IBM do not certify their results.

To summarize, these results suggest that currently the classical approach is more efficient and that there is no practical quantum advantage for small numbers of graph vertices. Hence we may ask whether this is the best benchmarking strategy. Better and fairer strategies exist ([Katzgraber et al., 2014](#)), especially for D-Wave, and for analyzing how results will scale ([Weinberg et al., 2020](#)). However this is beyond the scope of this work where our benchmark is intended as a proof-of-concept. Only with more thorough benchmarking can we accurately assess the capabilities and speed-ups of quantum computers ([Rønnow et al., 2014](#)).

$$H(t) = A(t) \underbrace{\sum_n \sigma_n^x}_{H_0} + B(t) \underbrace{\sum_{n,m} (h_n \sigma_n^z + J_{nm} \sigma_n^z \sigma_m^z)}_{H_p} \quad (5)$$

with Pauli- x and $-z$ matrices $\sigma^{x,z}$, symmetric interaction strength $J_{nm} = J_{mn}$ of qubits n and m , and on-site energy h_n .

5 Hardware and benchmarking

There are numerous quantum computer manufacturing companies ranging from small startups to large well-established companies ([MacQuarrie et al., 2020](#)). We show examples of collaborations in [Figure 2](#). A leading platform for solving optimization problems is D-Wave Systems which are based on a superconducting flux-qubit design ([Bunyk et al., 2014](#)). Other platforms such as IBM Q use superconducting electronics (transmons). For brevity, we focus on the most mature platforms with over 100 qubits: D-Wave and IBM. While D-Wave only applies quantum annealing ([Section 4.2](#)), IBM’s gate-based universal quantum computer allows various algorithms. D-Wave has been selling quantum computers since 2011 ([Nimbe et al., 2021](#)) and has become an important player in the quantum computer industry ([Gerbert and Ruess, 2018](#)). Both D-Wave and IBM’s methods involve time-evolving quantum systems ([Crosson and Lidar, 2021](#)), and the companies themselves have ambitious plans to shape the future of quantum computing⁴.

To compare quantum and classical methods, we perform a demonstration benchmark for the MWIS problem. We consider

6 Discussion and outlook

In this work, we surveyed quantum methods for solving optimization problems. Our demonstration benchmarking compared quantum and classical methods for solving the MWIS problem. Now we discuss several key points and our perspectives on quantum optimization.

Finding a good problem formulation has a key impact on the solution quality. Historically, optimization practitioners have preferred constrained linear representations of problems. Quantum computing presents a different paradigm where the fundamental objects for optimization are quadratic expressions. Here we should minimize the number of qubits and connections. Mapping the Hamiltonian onto quantum hardware architecture is challenging but can be significantly improved *via* applying specialized graph optimization algorithms and machine learning methods. We stress that the transformation to QUBO is not inevitable. For example, Grover’s adaptive search ([Bulger et al., 2003](#); [Gilliam et al., 2021](#)) can take any function at the cost of deeper circuits. While this is promising, practical advantage (compared to say, quantum annealers) is not definitive.

Practical application of quantum computing requires further progress in hardware. Measuring hardware quality and that of formulations and algorithms likewise is a research task on its own. Here, we need better evaluation and benchmarking




FIGURE 3

Benchmarking results for MWIS problem. For Gurobi, we show the optimal objective function value and total running time in seconds. For D-Wave, we show the embedding time and QPU access time required to solve the problem (both in seconds), plus the best solution found and its frequency in 1,000 shots. See data table in [Supplementary Information](#).

methods, particularly for practical use cases where contested assertions like quantum supremacy⁵ do not play a role. For example, Tang proposed that we should “dequantize” quantum machine learning algorithms to check whether any quantum speedup exists (Tang, 2022).

Quantum computing R&D is a highly interdisciplinary process. Some parts of the research community believe that quantum hardware must be built first before we develop algorithms for applications. However to leverage the expertise of all participants, we should approach the entire quantum computing stack simultaneously, allowing cross-pollination of ideas across the stack (van Meter and Horsman, 2013; Fu et al., 2016). Engineers can build appropriate quantum devices when they know the problem statement and how best to solve it, whereas theorists can design algorithms or software once they understand the hardware capabilities and limitations.

Similarly, quantum optimization algorithms will benefit from classical approaches. Quantum algorithms often borrow ideas from classical methods (cf. quantum annealing and classical simulated annealing (Kirkpatrick et al., 1983; Bertsimas and Tsitsiklis, 1993)). However, few established optimization techniques other than, say branch-and-bound (Montanaro, 2020), have been adapted for quantum computation. We are confident that combining with classical methods can improve the performance of quantum optimization algorithms. For example, decomposition techniques implemented in mixed-integer solvers can split the problem in two and assign each part to classical and quantum hardware (Zhao et al., 2022).

Not every hard problem will benefit from quantum algorithms. For many hard problems, classical solvers are so efficient that quantum methods do not provide appreciable

speed-ups, e.g., for the knapsack problem and our MWIS example. For example it is naive to assume that quantum optimization can speed up problems in P, e.g., linear continuous problems. An exception may be that particular subroutines could be improved with quantum algorithms. Hence despite the excitement over quantum speed-up, quantum computing itself is not a revolution but more like a new numerical toolbox that uses different processing units. It is likely that many future high performance computers (or computer centers) will contain a stack of CPUs, GPUs and QPUs similar to the JUNIQ program at the Jülich Supercomputing Centre (JUNIQ, 2019). Such a platform could involve one control unit that uses the CPUs, GPUs, and QPUs interchangeably for each part of the computation. We believe this is where quantum computing has the most potential for impact.

Quantum computing and optimization are forecast to be competitive in under a decade (Langione et al., 2019b). Now is the time to start planning for the future and hence maximize quantum computing’s commercial impact (Gerbert and Ruess, 2018). The best way to turn potential obstacles into opportunities is through collaboration between quantum theorists, computer scientists, engineers, end-users, and beyond. Then we can truly benefit from quantum optimization.

Data availability statement

The raw data supporting the conclusions of this article will be made available by the authors, without undue reservation.

Author contributions

All authors listed have made a substantial, direct, and intellectual contribution to the work and approved it for publication.

Funding

RA acknowledges support from UK Quantum Technology Hub in Computing and Simulation (grant EP/T001062/1) and UKRI (grant EP/W00772X/2). NC was supported by UKRI grants EP/W00772X/1 and EP/T026715/1. PH is funded by the German Federal Ministry for Economic Affairs and Climate Action (grant no. 03EI1025A).

Conflict of interest

RA and PH declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest. Although they did not directly fund this work NC was employed part time as a consultant

References

- Abel, S., Chancellor, N., and Spannowsky, M. (2021). Quantum computing for quantum tunneling. *Phys. Rev. D*, 103, 016008. doi:10.1103/PhysRevD.103.016008
- Jagekar, A., Humble, T., and You, F. (2020). Quantum computing based hybrid solution strategies for large-scale discrete-continuous optimization problems. *Comput. Chem. Eng.* 132, 106630. doi:10.1016/j.compchemeng.2019.106630
- Albath, T., and Lidar, D. A. (2018). Adiabatic quantum computation. *Rev. Mod. Phys.* 90, 015002. doi:10.1103/RevModPhys.90.015002
- AlQuraishi, M. (2021). Protein-structure prediction revolutionized. *Nature* 596, 487–488. doi:10.1038/d41586-021-02265-4
- Amaro, D., Modica, C., Rosenkranz, M., Fiorentini, M., Benedetti, M., and Lubasch, M. (2022). Filtering variational quantum algorithms for combinatorial optimization. *Quantum Sci. Technol.* 7, 015021. doi:10.1088/2058-9565/ac3e54
- Arora, S., and Barak, B. (2009). *Computational complexity*. Cambridge, United Kingdom: Cambridge University Press. doi:10.1017/cbo9780511804090
- Aspuru-Guzik, A., Dutoi, A. D., Love, P. J., and Head-Gordon, M. (2005). Simulated quantum computation of molecular energies. *Science* 309, 1704–1707. doi:10.1126/science.1113479
- Bazgan, C., Escoffier, B., and Paschos, V. T. (2005). Completeness in standard and differential approximation classes: Poly-(d)APX- and (d)PTAS-completeness. *Theor. Comput. Sci.* 339, 272–292. doi:10.1016/j.tcs.2005.03.007
- Bentley, C. D. B., Marsh, S., Carvalho, A. R. R., Kilby, P., and Biercuk, M. J. (2022). Quantum computing for transport optimization. *arXiv*. doi:10.48550/arXiv.2206.07313
- Bermejo, P., and Orus, R. (2022). Variational quantum continuous optimization: A cornerstone of quantum mathematical analysis. *arXiv*. doi:10.48550/arXiv.2210.03136
- Bertsimas, D., and Tsitsiklis, J. (1993). Simulated annealing. *Stat. Sci.* 8, 10–15. doi:10.1214/ss/1177011077
- Berwald, J., Chancellor, N., and Dridi, R. (2023). Understanding domain-wall encoding theoretically and experimentally. *Philos. Trans. R. Soc. A* 381, 20210410. doi:10.1098/rsta.2021.0410
- BMW Group (2018). BMW Group corporate communications: BMW Group quantum computing challenge: The winners have been decided. Available at: <https://www.press.bmwgroup.com/global/article/attachment/T0362463EN/515563>.
- Bobier, J. F., Langione, M., Tao, E., and Gourévitch, A. (2021). *What happens when 'if Turns to 'when' in quantum computing?* Boston Consulting Group.
- Bova, F., Goldfarb, A., and Melko, R. G. (2021). Commercial applications of quantum computing. *EPI Quantum Technol.* 8, 2. doi:10.1140/epjqt/s40507-021-00091-1
- Boyd, S., and Vandenberghe, L. (2004). *Convex optimization*. Cambridge, United Kingdom: Cambridge University Press. doi:10.1017/CBO9780511804441
- Brooks, M. (2019). Beyond quantum supremacy: The hunt for useful quantum computers. *Nature* 574, 19–21. doi:10.1038/d41586-019-02936-3
- Brown, D. G., Wobst, H. J., Kapoor, A., Kenna, L. A., and Southall, N. (2022). Clinical development times for innovative drugs. *Nat. Rev. Drug Discov.* 21, 793–794. doi:10.1038/d41573-021-00190-9
- Bulger, D., Baritomp, W. P., and Wood, G. R. (2003). Implementing pure adaptive search with Grover's quantum algorithm. *J. Optim. Theory Appl.* 116, 517–529. doi:10.1023/A:1023061218864
- Bunyk, P. I., Hoskinson, E. M., Johnson, M. W., Tolkacheva, E., Altomare, F., Berkley, A. J., et al. (2014). Architectural considerations in the design of a superconducting quantum annealing processor. *IEEE Trans. Appl. Supercond.* 24, 1–10. doi:10.1109/TASC.2014.2318294
- Callison, A., and Chancellor, N. (2022). Hybrid quantum-classical algorithms in the noisy intermediate-scale quantum era and beyond. *Phys. Rev. A* 106, 010101. doi:10.1103/PhysRevA.106.010101
- Cerezo, M., Arrasmith, A., Babbush, R., Benjamin, S. C., Endo, S., Fujii, K., et al. (2021). Variational quantum algorithms. *Nat. Rev. Phys.* 3, 625–644. doi:10.1038/s42254-021-00348-9
- Chakrabarti, B. K., Leschke, H., Ray, P., Shirai, T., and Tanaka, S. (2023). Quantum annealing and computation: Challenges and perspectives. *Philos. Trans. R. Soc. A* 381, 20210419. doi:10.1098/rsta.2021.0419
- Chancellor, N., Cumming, R., and Thomas, T. (2020). Toward a standardized methodology for constructing quantum computing use cases. *arXiv*. doi:10.48550/arXiv.2006.05846
- Chancellor, N. (2019). Domain wall encoding of discrete variables for quantum annealing and QAOA. *Quantum Sci. Technol.* 4, 045004. doi:10.1088/2058-9565/ab33c2
- Chen, J., Date, P., Chancellor, N., Atiquzzaman, M., and Sreenan, C. (2022). Controller-based energy-aware wireless sensor network routing using quantum algorithms. *IEEE Trans. Quantum Eng.* 3, 1–12. doi:10.1109/TQE.2022.3217297
- Chen, J., Stollenwerk, T., and Chancellor, N. (2021). Performance of domain-wall encoding for quantum annealing. *IEEE Trans. Quantum Eng.* 2, 1–14. doi:10.1109/TQE.2021.3094280
- Crosson, E. J., and Lidar, D. A. (2021). Prospects for quantum enhancement with diabatic quantum annealing. *Nat. Rev. Phys.* 3, 466–489. doi:10.1038/s42254-021-00313-6
- Cumming, R., and Thomas, T. (2022). Using a quantum computer to solve a real-world problem – what can be achieved today? *arXiv*. doi:10.48550/arXiv.2211.13080
- Ebadi, S., Keesling, A., Cain, M., Wang, T. T., Levine, H., Bluvstein, D., et al. (2022). Quantum optimization of maximum independent set using Rydberg atom arrays. *Science* 376, 1209–1215. doi:10.1126/science.abo6587
- Egger, D. J., Gambella, C., Mareček, J., McFaddin, S., Mevissen, M., Raymond, R., et al. (2020). Quantum computing for finance: State-of-the-art and future prospects. *IEEE Trans. Quantum Eng.* 1, 1–24. doi:10.1109/TQE.2020.3030314
- Egger, D. J., Mareček, J., and Woerner, S. (2021). Warm-starting quantum optimization. *Quantum* 5, 479. doi:10.22331/q-2021-06-17-479

by Quantum Computing Inc. At the time this manuscript was written.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Supplementary material

The Supplementary Material for this article can be found online at: <https://www.frontiersin.org/articles/10.3389/frqst.2023.1128576/full#supplementary-material>

- Evers, M., Heid, A., and Ostojic, I. (2021). *Pharma's digital Rx: Quantum computing in drug research and development*. McKinsey.
- Farhi, E., Goldstone, J., and Gutmann, S. (2014). A quantum approximate optimization algorithm. *arXiv*. doi:10.48550/arXiv.1411.4028
- Farhi, E., Goldstone, J., and Gutmann, S. (2014). A quantum approximate optimization algorithm applied to a bounded occurrence constraint problem. *arXiv*. doi:10.48550/arXiv.1412.6062
- Farhi, E., Goldstone, J., Gutmann, S., and Sipser, M. (2000). Quantum computation by adiabatic evolution. *arXiv*. doi:10.48550/arXiv.quant-ph/0001106
- Fortnow, L. (2013). *The golden ticket: P, NP, and the search for the impossible*. Princeton, NJ: Princeton University Press.
- Fu, X., Riesebois, L., Lao, L., Almudever, C. G., Sebastiano, F., Versluis, R., et al. (2016). "A heterogeneous quantum computer architecture," in *Proc. ACM ICCF* (New York, NY: ACM), 323–330. doi:10.1145/2903150.2906827
- Gerbert, P., and Ruess, F. (2018). *The next Decade in quantum computing - and How to play*. Boston Consulting Group.
- German Draft Budgetary Plan (2020). *German Draft budgetary plan 2021*. Federal Ministry of Finance, Public Relations Division.
- Gibney, E. (2019). Quantum gold rush: The private funding pouring into quantum start-ups. *Nature* 574, 22–24. doi:10.1038/d41586-019-02935-4
- Gilliam, A., Woerner, S., and Gonciulea, C. (2021). Grover adaptive search for constrained polynomial binary optimization. *Quantum* 5, 428. doi:10.22331/q-2021-04-08-428
- Glover, F., Kochenberger, G., and Du, Y. (2019). Quantum bridge analytics I: A tutorial on formulating and using QUBO models. *4OR* 17, 335–371. doi:10.1007/s10288-019-00424-y
- Glover, F., Kochenberger, G., Ma, M., and Du, Y. (2020). Quantum bridge analytics II: QUBO-plus, network optimization and combinatorial chaining for asset exchange. *4OR* 18, 387–417. doi:10.1007/s10288-020-00464-9
- Guenin, B., Könemann, J., and Tuncel, L. (2014). *A gentle introduction to optimization*. Cambridge, United Kingdom: Cambridge University Press.
- Gurobi Optimization, LLC (2022). *Gurobi optimizer reference manual*. Gurobi Optimization, Inc.
- Hadfield, S., Wang, Z., O'Gorman, B., Rieffel, E. G., Venturelli, D., and Biswas, R. (2019). From the quantum approximate optimization algorithm to a quantum alternating operator ansatz. *Algorithms* 12, 34. doi:10.3390/a12020034
- Halfmann, P., Holzer, P., Plociennik, K., and Trebing, M. (2022). A quantum computing approach for the unit commitment problem. *Proc. Int. Conf. Operations Res.* 745, 012008. doi:10.1088/1757-899X/745/1/012008
- Hauke, P., Katzgraber, H. G., Lechner, W., Nishimori, H., and Oliver, W. D. (2020). Perspectives of quantum annealing: Methods and implementations. *Rep. Prog. Phys.* 83, 054401. doi:10.1088/1361-6633/ab85b8
- Holmes, Z., Sharma, K., Cerezo, M., and Coles, P. J. (2022). Connecting ansatz expressibility to gradient magnitudes and barren plateaus. *PRX Quantum* 3, 010313. doi:10.1103/PRXQuantum.3.010313
- Jordan, S. (2021). Quantum algorithm Zoo. Available at: <https://quantumalgorithmzoo.org>.
- Joseph, D., Meidanis, J., and Tiwari, P. (1992). "Determining DNA sequence similarity using maximum independent set algorithms for interval graphs," in *Algorithm theory — SWAT* (Berlin Heidelberg: Springer), 326–337. doi:10.1007/3-540-55706-7_29
- JUNIQ (2019). Launch of JUNIQ. Available at: <https://www.fz-juelich.de/SharedDocs/Pressemitteilungen/UK/EN/2019/2019-10-25-juniqu.html>. Cached: <https://web.archive.org/web/20220304012457/https://www.fz-juelich.de/SharedDocs/Pressemitteilungen/UK/EN/2019/2019-10-25-juniqu.html>.
- Kadowaki, T., and Nishimori, H. (1998). Quantum annealing in the transverse Ising model. *Phys. Rev. E* 58, 5355–5363. doi:10.1103/PhysRevE.58.5355
- Kandala, A., Mezzacapo, A., Temme, K., Takita, M., Brink, M., Chow, J. M., et al. (2017). Hardware-efficient variational quantum eigensolver for small molecules and quantum magnets. *Nature* 549, 242–246. doi:10.1038/nature23879
- Karp, R. M. (1972). "Reducibility among combinatorial problems," in *Complexity of computer computations*. Editors R. E. Miller, J. W. Thatcher, and J. D. Bohlinger (New York, NY: Plenum).
- Katzgraber, H. G., Hamze, F., and Andrist, R. S. (2014). Glassy chimeras could be blind to quantum speedup: Designing better benchmarks for quantum annealing machines. *Phys. Rev. X* 4, 021008. doi:10.1103/PhysRevX.4.021008
- Kirkpatrick, S., Gelatt, C. D., and Vecchi, M. P. (1983). Optimization by simulated annealing. *Science* 220, 671–680. doi:10.1126/science.220.4598.671
- Kokail, C., Maier, C., van Bijnen, R., Brydges, T., Joshi, M. K., Jurcevic, P., et al. (2019). Self-verifying variational quantum simulation of lattice models. *Nature* 569, 355–360. doi:10.1038/s41586-019-1177-4
- Langione, M., Bobier, J. F., Meier, C., Hasenfuss, S., and Schulze, U. (2019). *Will quantum computing transform biopharma R&D?* Boston Consulting Group.
- Langione, M., Tillemann-Dick, C., Kumar, A., and Taneja, V. (2019). *Where will quantum computers create value – and when*. Boston Consulting Group.
- Lloyd, S. (2018). Quantum approximate optimization is computationally universal. *arXiv*. doi:10.48550/arXiv.1812.11075
- Lovász, L. (1994). Stable sets and polynomials. *Discrete Math.* 124, 137–153. doi:10.1016/0012-365X(92)00057-X
- Lucas, A. (2014). Ising formulations of many NP problems. *Front. Phys.* 2. doi:10.3389/fphys.2014.00005
- MacQuarrie, E. R., Simon, C., Simmons, S., and Maine, E. (2020). The emerging commercial landscape of quantum computing. *Nat. Rev. Phys.* 2, 596–598. doi:10.1038/s42254-020-00247-5
- Mastroianni, C., Scarcello, L., and Settino, J. (2022). Quantum computing approach for energy optimization in a prosumer community. *arXiv*. doi:10.48550/arXiv.2209.04411
- McClellan, J. R., Romero, J., Babbush, R., and Aspuru-Guzik, A. (2016). The theory of variational hybrid quantum-classical algorithms. *New J. Phys.* 18, 023023. doi:10.1088/1367-2630/18/2/023023
- Montanaro, A. (2020). Quantum speedup of branch-and-bound algorithms. *Phys. Rev. Res.* 2, 013056. doi:10.1103/physrevresearch.2.013056
- Morales, M. E. S., Biamonte, J. D., and Zimborás, Z. (2020). On the universality of the quantum approximate optimization algorithm. *Quantum Inf. process.* 19, 291. doi:10.1007/s11128-020-02748-9
- Mulligan, V. K., Melo, H., Merritt, H. I., Slocum, S., Weitzner, B. D., Watkins, A. M., et al. (2019). Designing peptides on a quantum computer. *arXiv*.
- Nimbe, P., Weyori, B. A., and Adekoya, A. F. (2021). Models in quantum computing: A systematic review. *Quantum Inf. process.* 20, 80. doi:10.1007/s11128-021-03021-3
- Orús, R., Mugel, S., and Lizaso, E. (2019). Quantum computing for finance: Overview and prospects. *Rev. Phys.* 4, 100028. doi:10.1016/j.revphys.2019.100028
- Palacios-Berraquero, C., Mueck, L., and Persaud, D. (2019). Instead of 'supremacy' use 'quantum advantage'. *Nature* 576, 213. doi:10.1038/d41586-019-03781-0
- Pardalos, P. M., and Xue, J. (1994). The maximum clique problem. *J. Glob. Optim.* 4, 301–328. doi:10.1007/BF01098364
- Paul, S. M., Mytelka, D. S., Dunwiddie, C. T., Persinger, C. C., Munos, B. H., Lindborg, S. R., et al. (2010). How to improve R&D productivity: The pharmaceutical industry's grand challenge. *Nat. Rev. Drug Discov.* 9, 203–214. doi:10.1038/nrd3078
- Plewa, J., Sienko, J., and Rycerz, K. (2021). Variational algorithms for workflow scheduling problem in gate-based quantum devices. *Comput. Inf.* 40, 897–929. doi:10.31577/cai_2021_4_897
- Preskill, J. (2018). Quantum computing in the NISQ era and beyond. *Quantum* 2, 79. doi:10.22331/q-2018-08-06-79
- Rønnow, T. F., Wang, Z., Job, J., Boixo, S., Isakov, S. V., Wecker, D., et al. (2014). Defining and detecting quantum speedup. *Science* 345, 420–424. doi:10.1126/science.1252319
- Senior, A. W., Evans, R., Jumper, J., Kirkpatrick, J., Sifre, L., Green, T., et al. (2020). Improved protein structure prediction using potentials from deep learning. *Nature* 577, 706–710. doi:10.1038/s41586-019-1923-7
- Shor, P. W. (1994). "Algorithms for quantum computation: Discrete logarithms and factoring," in *Proc. 35th SFCS (IEEE)*, Santa Fe, NM, USA, 20–22 November 1994 (IEEE). doi:10.1109/SFCS.1994.365700
- Tang, E. (2022). Dequantizing algorithms to understand quantum advantage in machine learning. *Nat. Rev. Phys.* 4, 692–693. doi:10.1038/s42254-022-00511-w
- Tilly, J., Chen, H., Cao, S., Picozzi, D., Setia, K., Li, Y., et al. (2022). The variational quantum eigensolver: A review of methods and best practices. *Phys. Rep.* 986, 1–128. doi:10.1016/j.physrep.2022.08.003
- van Meter, R., and Horsman, D. (2013). A blueprint for building a quantum computer. *Commun. ACM* 56, 84–93. doi:10.1145/2494568
- Wecker, D., Hastings, M. B., and Troyer, M. (2015). Progress towards practical quantum variational algorithms. *Phys. Rev. A* 92, 042303. doi:10.1103/PhysRevA.92.042303
- Weinberg, P., Tylutki, M., Rönkkö, J. M., Westerholm, J., Åström, J. A., Manninen, P., et al. (2020). Scaling and diabatic effects in quantum annealing with a D-Wave device. *Phys. Rev. Lett.* 124, 090502. doi:10.1103/PhysRevLett.124.090502
- Weinberg, S. J., Sanches, F., Ide, T., Kamiya, K., and Correll, R. (2022). Supply chain logistics with quantum and classical annealing algorithms. *arXiv*. doi:10.48550/arXiv.2205.04435
- Witt, S. (2022). The world-changing race to develop the quantum computer. Available at: <https://www.newyorker.com/magazine/2022/12/19/the-world-changing-race-to-develop-the-quantum-computer>.
- Wong, F., Krishnan, A., Zheng, E. J., Stärk, H., Manson, A. L., Earl, A. M., et al. (2022). Benchmarking AlphaFold-enabled molecular docking predictions for antibiotic discovery. *Mol. Syst. Biol.* 18, e11081. doi:10.15252/msb.202211081

- Wouters, O. J., McKee, M., and Luyten, J. (2020). Estimated research and development investment needed to bring a new medicine to market, 2009-2018. *JAMA* 323, 844–853. doi:10.1001/jama.2020.1166
- Yalovetzky, R., Minssen, P., Herman, D., and Pistoia, M. (2021). NISQ-HHL: Portfolio optimization for near-term quantum hardware. *arXiv*. doi:10.48550/arXiv.2110.15958
- Yarkoni, S., Alekseyenko, A., Streif, M., Dollen, D. V., Neukart, F., and Bäck, T. (2021). "Multi-car paint shop optimization with quantum annealing," in 2021 IEEE Int. Conf. QCE (IEEE), October 17–22, 2021, Broomfield, CO (IEEE). doi:10.1109/QCE52317.2021.00019
- Yarkoni, S., Leib, M., Skolik, A., Streif, M., Neukart, F., and von Dollen, D. (2019). Volkswagen and quantum computing: An industrial perspective. *Digit. Welt* 3, 34–37. doi:10.1007/s42354-019-0166-y
- Yarkoni, S., Raponi, E., Bäck, T., and Schmitt, S. (2022). Quantum annealing for industry applications: Introduction and review. *Rep. Prog. Phys.* 85, 104001. doi:10.1088/1361-6633/ac8c54
- Zaman, M., Tanahashi, K., and Tanaka, S. (2021). Pyqubo: Python library for mapping combinatorial optimization problems to QUBO form. *arXiv*. doi:10.48550/arXiv.2103.01708
- Zhao, Z., Fan, L., and Han, Z. (2022). "Hybrid quantum benders' decomposition for mixed-integer linear programming," in 2022 IEEE wireless communications and networking conference, April 10–13, 2022, Austin, TX (WCNC), 2536–2540. doi:10.1109/WCNC51071.2022.9771632
- Zhou, L., Wang, S. T., Choi, S., Pichler, H., and Lukin, M. D. (2020). Quantum approximate optimization algorithm: Performance, mechanism, and implementation on near-term devices. *Phys. Rev. X* 10, 021067. doi:10.1103/PhysRevX.10.021067