

# Corrigendum to: Swept-sine noise-induced damage as a hearing loss model for preclinical assays

## OPEN ACCESS

### Edited by:

P. Hemachandra Reddy,  
Texas Tech University, USA

### Reviewed by:

P. Hemachandra Reddy,  
Texas Tech University, USA

Ramesh Kandimalla,  
Texas Tech University, USA

### \*Correspondence:

Silvia Murillo-Cuesta,  
smurillo@iib.uam.es

<sup>†</sup>These authors have contributed  
equally to this work.

<sup>‡</sup>Equal senior contribution.

**Received:** 16 April 2015

**Accepted:** 26 April 2015

**Published:** 12 May 2015

### Citation:

Sanz L, Murillo-Cuesta S, Cobo P,  
Cediel R, Contreras J, Rivera T,  
Varela-Nieto I and Avendaño C (2015)

Corrigendum to: Swept-sine noise-induced damage as a hearing loss model for preclinical assays.

Front. Aging Neurosci. 7:79.  
doi: 10.3389/fnagi.2015.00079

Lorena Sanz<sup>1,2,3†</sup>, Silvia Murillo-Cuesta<sup>2,3,4†\*</sup>, Pedro Cobo<sup>5†</sup>, Rafael Cediel<sup>2,3,6</sup>,  
Julio Contreras<sup>2,3,6</sup>, Teresa Rivera<sup>1,2,3</sup>, Isabel Varela-Nieto<sup>2,3,4‡</sup> and Carlos Avendaño<sup>7‡</sup>

<sup>1</sup> Príncipe de Asturias University Hospital, University of Alcalá, Alcalá de Henares, Madrid, Spain, <sup>2</sup> Centre for Biomedical Network Research on Rare Diseases (CIBERER), Institute of Health Carlos III (ISCIII), Madrid, Spain, <sup>3</sup> Institute for Biomedical Research "Alberto Sols" (IIBM), Spanish National Research Council–Autonomous University of Madrid (CSIC-UAM), Madrid, Spain, <sup>4</sup> Hospital La Paz Institute for Health Research (IdIPAZ), Madrid, Spain, <sup>5</sup> Instituto de Tecnologías Físicas y de la Información (ITEFI), Spanish National Research Council (CSIC), Madrid, Spain, <sup>6</sup> Veterinary Faculty, Universidad Complutense de Madrid, Madrid, Spain, <sup>7</sup> Department of Anatomy, Histology and Neuroscience, Medical School, Autónoma University of Madrid, Madrid, Spain

**Keywords:** cytocochleogram, hair cells, hearing loss, transtympanic, TGF- $\beta$  inhibition, violet noise

## A corrigendum on

### Swept-sine noise-induced damage as a hearing loss model for preclinical assays

Sanz, L., Murillo-Cuesta, S., Cobo, P., Cediel-Algovia, R., Contreras, J., Rivera, T., Varela-Nieto, I., and Avendaño, C. (2015). *Front. Aging Neurosci.* 7:7. doi: 10.3389/fnagi.2015.00007

Unfortunately, one of the affiliations included in the online published article is wrong. The complete and correct author's affiliation list is given here.

**Conflict of Interest Statement:** The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Copyright © 2015 Sanz, Murillo-Cuesta, Cobo, Cediel, Contreras, Rivera, Varela-Nieto and Avendaño. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) or licensor are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.