



## OPEN ACCESS

EDITED AND REVIEWED BY  
Yann Joly,  
McGill University, Canada

## \*CORRESPONDENCE

Hae-Jin Hu,  
haejinhu@goendomics.com  
Jung-Hwan Park,  
pa90201@gachon.ac.kr

## SPECIALTY SECTION

This article was submitted to  
Nanobiotechnology,  
a section of the journal  
Frontiers in Bioengineering and  
Biotechnology

RECEIVED 25 August 2022

ACCEPTED 09 September 2022

PUBLISHED 06 October 2022

## CITATION

Kim Y-S, Kim JH, Na W, Sung G-H,  
Baek S-K, Kim YK, Kim GR, Hu H-J and  
Park J-H (2022), Corrigendum:  
Development of a microneedle swab for  
acquisition of genomic DNA from  
buccal cells.  
*Front. Bioeng. Biotechnol.* 10:1027776.  
doi: 10.3389/fbioe.2022.1027776

## COPYRIGHT

© 2022 Kim, Kim, Na, Sung, Baek, Kim,  
Kim, Hu and Park. This is an open-  
access article distributed under the  
terms of the [Creative Commons  
Attribution License \(CC BY\)](#). The use,  
distribution or reproduction in other  
forums is permitted, provided the  
original author(s) and the copyright  
owner(s) are credited and that the  
original publication in this journal is  
cited, in accordance with accepted  
academic practice. No use, distribution  
or reproduction is permitted which does  
not comply with these terms.

# Corrigendum: Development of a microneedle swab for acquisition of genomic DNA from buccal cells

Yun-Seo Kim<sup>1</sup>, Jeong Hyeon Kim<sup>1</sup>, Woonsung Na<sup>2</sup>,  
Gil-Hwan Sung<sup>3</sup>, Seung-Ki Baek<sup>3</sup>, Yun Kyoung Kim<sup>4</sup>,  
Gyeong Ryeong Kim<sup>4</sup>, Hae-Jin Hu<sup>4\*</sup> and Jung-Hwan Park<sup>1\*</sup>

<sup>1</sup>Department of Bionano Technology and Gachon BioNano Research Institute, Gachon University, Seongnam, South Korea, <sup>2</sup>Laboratory of Veterinary Virology, College of Veterinary Medicine, Chonnam National University, Gwangju, South Korea, <sup>3</sup>QuadMedicine R and D Centre, QuadMedicine Co, Ltd., Seongnam, South Korea, <sup>4</sup>Endomics, Inc., Seongnam, South Korea

## KEYWORDS

microneedles, swab, DNA yield, buccal mucosa, DNA purity

## A Corrigendum on

### Development of a microneedle swab for acquisition of genomic DNA from buccal cells

by Kim, Y.-S., Kim, J., Na, W., Sung, G.-H., Baek, S.-K., Kim, Y. K., Kim, G. R., Hu, H.-J., and Park, J.-H., (2022). *Front. Bioeng. Biotechnol.* 10:829648. doi: 10.3389/fbioe.2022.829648

In the published article, there was an error in author's affiliation information. Instead of "Jung-Hwan Park<sup>1,3,\*</sup>", it should be "Jung-Hwan Park<sup>1,\*</sup>".

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

## Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.