



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Guangyao Zhang,
gyzhang@qdu.edu.cn
Huining Chai,
chaihuning@qut.edu.cn
Lijun Qu,
lijunqu@qdu.edu.cn

[†]These authors have contributed equally
to this work

SPECIALTY SECTION
This article was submitted to Biosensors
and Biomolecular Electronics,
a section of the journal
Frontiers in Bioengineering and
Biotechnology

RECEIVED 02 November 2022
ACCEPTED 03 November 2022
PUBLISHED 16 November 2022

CITATION
Li M, Zhang G, Boakye A, Chai H, Qu L
and Zhang X (2022), Corrigendum:
Recent advances in metal-organic
framework- based electrochemical
biosensing applications.
Front. Bioeng. Biotechnol. 10:1087798.
doi: 10.3389/fbioe.2022.1087798

COPYRIGHT
© 2022 Li, Zhang, Boakye, Chai, Qu and
Zhang. This is an open-access article
distributed under the terms of the
[Creative Commons Attribution License
\(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or
reproduction in other forums is
permitted, provided the original
author(s) and the copyright owner(s) are
credited and that the original
publication in this journal is cited, in
accordance with accepted academic
practice. No use, distribution or
reproduction is permitted which does
not comply with these terms.

Corrigendum: Recent advances in metal-organic framework- based electrochemical biosensing applications

Mengjie Li^{1†}, Guangyao Zhang^{1*†}, Andrews Boakye¹,
Huining Chai^{2,3*}, Lijun Qu^{1*} and Xueji Zhang⁴

¹State Key Laboratory of Bio-Fibers and Eco-Textiles, Intelligent Wearable Engineering Research Center of Qingdao, Research Center for Intelligent and Wearable Technology, College of Textiles and Clothing, Qingdao University, Qingdao, China, ²School of Environmental and Municipal Engineering, Qingdao University of Technology, Qingdao, China, ³Institute of Materia Medica, Shandong First Medical University and Shandong Academy of Medical Sciences, Jinan, China, ⁴School of Biomedical Engineering, Health Science Center, Shenzhen University, Shenzhen, China

KEYWORDS

metal-organic framework, electrochemical biosensing, small biomolecules, biomacromolecules, pathogenic cells

A Corrigendum on Recent advances in metal-organic framework-based electrochemical biosensing applications

by Li M, Zhang G, Boakye A, Chai H, Qu L and Zhang X (2021). *Front. Bioeng. Biotechnol.* 9: 797067. doi: 10.3389/fbioe.2021.797067

In the published article, there was an error in Affiliation 1. Instead of “State Key Laboratory of Bio-Fibers and Eco-Textiles, Intelligent Wearable Engineering Research Center of Qingdao, Research Center for Intelligent and Wearable Technology, College of Textiles and Clothing, Qingdao, China,” it should be “State Key Laboratory of Bio-Fibers and Eco-Textiles, Intelligent Wearable Engineering Research Center of Qingdao, Research Center for Intelligent and Wearable Technology, College of Textiles and Clothing, Qingdao University, Qingdao, China.”

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.