



Corrigendum: Reducing Organic Load From Industrial MDA Residual Process Brine With a Novel Halophilic Mixed Culture: Scale-Up and Long-Term Piloting of an Integrated Bioprocess

Thomas Mainka¹, Christoph Herwig^{1,2} and Stefan Pflügl^{1*}

¹Institute for Chemical, Environmental and Bioscience Engineering, TU Wien, Vienna, Austria, ²Competence Center CHASE GmbH, Linz, Austria

OPEN ACCESS

Approved by:

Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*Correspondence:

Stefan Pflügl
stefan.pfluegl@tuwien.ac.at

Specialty section:

This article was submitted to
Industrial Biotechnology,
a section of the journal
Frontiers in Bioengineering and
Biotechnology

Received: 22 April 2022

Accepted: 25 April 2022

Published: 13 May 2022

Citation:

Mainka T, Herwig C and Pflügl S (2022)
Corrigendum: Reducing Organic Load
From Industrial MDA Residual Process
Brine With a Novel Halophilic Mixed
Culture: Scale-Up and Long-Term
Piloting of an Integrated Bioprocess.
Front. Bioeng. Biotechnol. 10:926194.
doi: 10.3389/fbioe.2022.926194

Keywords: bioprocess scale-up, halophilic microbial community, industrial residual process brine treatment, aromatic degradation, long-term bioprocessing

A Corrigendum on

Reducing Organic Load From Industrial Residual Process Brine With a Novel Halophilic Mixed Culture: Scale-Up and Long-Term Piloting of an Integrated Bioprocess
by Mainka T, Herwig C and Pflügl S (2022). *Front. Bioeng. Biotechnol.* 10:896576. doi: 10.3389/fbioe.2022.896576

In the original article, “we neglected to acknowledge TU Wien Bibliothek for financial support through its Open Access Funding Programme.”

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher’s Note: All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2022 Mainka, Herwig and Pflügl. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.