



# **Corrigendum: Comparative Evaluation** of Stress Acting on Abutment, Bone, and Connector of Different Designs of **Acid-Etched Resin-Bonded Fixed Partial Dentures: Finite Element Analysis**

Saquib Ahmed Shaikh<sup>1</sup>, Punith Rai<sup>2</sup>, Sami Aldhuwayhi<sup>1</sup>, Sreekanth Kumar Mallineni<sup>3,4</sup>\*, Krishnapalli Lekha<sup>2</sup>, Angel Mary Joseph<sup>1</sup>, Vardharaj Vinutha Kumari<sup>1</sup> and Roseline Meshramkar<sup>2</sup>

<sup>1</sup>Department of Prosthodontics, College of Dentistry, Majmaah University, Riyadh, Saudi Arabia, <sup>2</sup>Department of Prosthodontics, SDM Dental College, Dharwad, India, 3Department of Preventive Dental Science, College of Dentistry, Majmaah University, Riyadh, Saudi Arabia, <sup>4</sup>Center for Transdisciplinary Research (CFTR), Saveetha Institute of Medical and Technical Sciences, Saveetha Dental College, Saveetha University, Chennai, India

Keywords: finite element analysis, resin-bonded, partial denture, stresses, prosthodontic

## **OPEN ACCESS**

# Approved by:

Frontiers Editorial Office, Frontiers Media SA, Switzerland

#### \*Correspondence:

Sreekanth Kumar Mallineni s.mallineni@mu.edu.sa drmallineni@gmail.com

## Specialty section:

This article was submitted to **Biomaterials** a section of the journal Frontiers in Bioengineering and Biotechnology

> Received: 25 June 2022 Accepted: 27 June 2022 Published: 18 July 2022

### Citation:

Shaikh SA, Rai P, Aldhuwayhi S, Mallineni SK, Lekha K, Joseph AM, Kumari W and Meshramkar R (2022) Corrigendum: Comparative Evaluation of Stress Acting on Abutment, Bone, and Connector of Different Designs of Acid-Etched Resin-Bonded Fixed Partial Dentures: Finite Element Analysis. Front. Bioeng. Biotechnol. 10:978067. doi: 10.3389/fbioe.2022.978067

## A Corrigendum on

Comparative Evaluation of Stress Acting on Abutment, Bone, and Connector of Different Designs of Acid-Etched Resin-Bonded Fixed Partial Dentures: Finite Element Analysis by Shaikh SA, Rai P, Aldhuwayhi S, Mallineni SK, Lekha K, Joseph AM, Kumari VV and Meshramkar R (2022). Front. Bioeng. Biotechnol. 10:798988. doi: 10.3389/fbioe.2022.798988

In the published article, there was an error in affiliations 1 and 3. Instead of "1Department of Prosthodontics, College of Dentistry, Majmaah University, Riyadh, Saudi Arabia; <sup>3</sup>Department of Preventive Dental Science, College of Dentistry, Majmaah University, Riyadh, Saudi Arabia," it should be "1Department of Prosthodontics, College of Dentistry, Majmaah University, Majmaah, Saudi Arabia; <sup>3</sup>Department of Preventive Dental Science, College of Dentistry, Majmaah University, Majmaah, Saudi Arabia."

Furthermore, there was an error in the Funding statement. The correct Funding statement appears below:

## **FUNDING**

This research received funding from the Deanship of Scientific Research at Majmaah University, Al-Majmaah, Kingdom of Saudi Arabia under project No 1439-84.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's Note: All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2022 Shaikh, Rai, Aldhuwayhi, Mallineni, Lekha, Joseph, Kumari and Meshramkar. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

1