



OPEN ACCESS

EDITED BY

Maria Gazouli,
National and Kapodistrian University of Athens,
Greece

REVIEWED BY

Sandrine Cammas-Marion,
Centre National de la Recherche Scientifique
(CNRS), France

*CORRESPONDENCE

Qiusha Tang,
✉ panyixi-tqs@163.com

RECEIVED 19 February 2025

ACCEPTED 09 April 2025

PUBLISHED 06 May 2025

CITATION

An Y, Yang R, Wang X, Han Y, Jia G, Hu C,
Zhang Z, Liu D and Tang Q (2025) Corrigendum:
Facile assembly of thermosensitive liposomes
for active targeting imaging and synergetic
chemo-/magnetic hyperthermia therapy.
Front. Bioeng. Biotechnol. 13:1579340.
doi: 10.3389/fbioe.2025.1579340

COPYRIGHT

© 2025 An, Yang, Wang, Han, Jia, Hu, Zhang, Liu
and Tang. This is an open-access article
distributed under the terms of the [Creative
Commons Attribution License \(CC BY\)](#). The use,
distribution or reproduction in other forums is
permitted, provided the original author(s) and
the copyright owner(s) are credited and that the
original publication in this journal is cited, in
accordance with accepted academic practice.
No use, distribution or reproduction is
permitted which does not comply with these
terms.

Corrigendum: Facile assembly of thermosensitive liposomes for active targeting imaging and synergetic chemo-/magnetic hyperthermia therapy

Yanli An¹, Rui Yang², Xihui Wang³, Yong Han³, Gang Jia³,
Chunmei Hu⁴, Zhiyuan Zhang⁵, Dongfang Liu³ and
Qiusha Tang^{3*}

¹Jiangsu Key Laboratory of Molecular and Functional Imaging, Department of Radiology, Zhongda Hospital, Medical School of Southeast University, Nanjing, China, ²Research Institute for Reproductive Health and Genetic Diseases, The Affiliated Wuxi Maternity and Child Health Care Hospital of Nanjing Medical University, Wuxi, China, ³School of Medicine, Southeast University, Nanjing, China, ⁴Department of Tuberculosis, The Second Affiliated Hospital of Southeast University (The Second Hospital of Nanjing), Nanjing, China, ⁵Department of Neurosurgery, Nanjing Jinling Hospital, School of Medicine, Nanjing University, Nanjing, China

KEYWORDS

CD90, combined therapy, imaging, LCSCs, hyperthermia therapy

A Corrigendum on

Facile assembly of thermosensitive liposomes for active targeting imaging and synergetic chemo-/magnetic hyperthermia therapy

by An Y, Yang R, Wang X, Han Y, Jia G, Hu C, Zhang Z, Liu D and Tang Q (2021). *Front. Bioeng. Biotechnol.* 9:691091. doi: 10.3389/fbioe.2021.691091

In the published article, there was an error in [Figure 4](#) as published. The IHC staining images of [Figure 4B](#) for “5” does not correspond to the correct groups. The corrected [Figure 4](#) and its caption [FIGURE 4 Targeted therapy of CD90@17-AAG/TMs in different groups](#). (A) H&E staining of the tumor tissues in different groups ($\times 20$, black arrows represent Fe_3O_4 nanoparticles, red arrows represent tumor tissues, and blue arrows represent necrotic tissue). (B) CD90 IHC staining of the tumor tissues in different groups ($\times 40$, green arrows represent the CD90-positive cells). 1. NS, 2. NS + AMF, 3. TMs, 4. TMs + AMF, 5. TSLs, 6. 17-AAG/TSLs, 7. 17-AAG/TMs + AMF, and 8. CD90@17-AAG/TMs + AMF. appear below.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.




FIGURE 4

Targeted therapy of CD90@17-AAG/TMs in different groups. **(A)** H&E staining of the tumor tissues in different groups (x20, black arrows represent Fe₃O₄ nanoparticles, red arrows represent tumor tissues, and blue arrows represent necrotic tissue). **(B)** CD90 IHC staining of the tumor tissues in different groups (x40, green arrows represent the CD90-positive cells). 1. NS, 2. NS + AMF, 3. TMs, 4. TMs + AMF, 5. TSLs, 6. 17-AAG/TSLs, 7. 17-AAG/TMs + AMF, and 8. CD90@17-AAG/TMs + AMF.