



Corrigendum: Racial and Sex Differences in the Response to First-Line Antihypertensive Therapy

OPEN ACCESS

Edited and reviewed by:

Michel Burnier,
Centre Hospitalier Universitaire
Vaudois (CHUV), Switzerland

*Correspondence:

John S. Clemmer
jclemmer@umc.edu

Specialty section:

This article was submitted to
Hypertension,
a section of the journal
Frontiers in Cardiovascular Medicine

Received: 17 December 2020

Accepted: 22 December 2020

Published: 21 January 2021

Citation:

Clemmer JS, Pruett WA and Lirette ST
(2021) Corrigendum: Racial and Sex
Differences in the Response to
First-Line Antihypertensive Therapy.
Front. Cardiovasc. Med. 7:643289.
doi: 10.3389/fcvm.2020.643289

John S. Clemmer^{1*}, W. Andrew Pruett¹ and Seth T. Lirette²

¹ Department of Physiology and Biophysics, Center for Computational Medicine, University of Mississippi Medical Center, Jackson, MS, United States, ² Department of Data Science, John D. Bower School of Population Health, University of Mississippi Medical Center, Jackson, MS, United States

Keywords: hypertension, black, race, antihypertensive therapy, first line treatment

A Corrigendum on



Racial and Sex Differences in the Response to First-Line Antihypertensive Therapy

by Clemmer, J. S., Pruett, W. A., and Lirette, S. T. (2020). *Front. Cardiovasc. Med.* 7:608037.
doi: 10.3389/fcvm.2020.608037

In the original article, there was a mistake in **Figures 1, 2 and 3** as published. **These figures did not have any statistical markers or correct headings.** The corrected **Figures 1, 2 and 3** appear below.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Copyright © 2021 Clemmer, Pruett and Lirette. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.






FIGURE 3 | Estimated change in systolic (A) and diastolic (B) blood pressure at 6 months after each drug in white and black males and females with means and 95% CI shown adjusted for age, BMI, dosage, and baseline blood pressure. * $p < 0.05$ vs. Untreated, + $p < 0.05$ vs. THZ, # $p < 0.05$ vs. White, % $p < 0.05$ vs. Male.