



## OPEN ACCESS

APPROVED BY  
Frontiers Editorial Office,  
Frontiers Media SA, Switzerland

\*CORRESPONDENCE  
Man-Xi Jiang,  
✉ manxijiang@yahoo.com

RECEIVED 28 November 2024  
ACCEPTED 14 July 2025  
PUBLISHED 23 July 2025

CITATION  
Zhu Y, Zhang Q-J, Feng HL, Luo J, Miao S and  
Jiang M-X (2025) Correction: Automation in  
vitrification and thawing of mouse oocytes  
and embryos.  
*Front. Cell Dev. Biol.* 13:1535951.  
doi: 10.3389/fcell.2025.1535951

COPYRIGHT  
© 2025 Zhu, Zhang, Feng, Luo, Miao and  
Jiang. This is an open-access article  
distributed under the terms of the [Creative  
Commons Attribution License \(CC BY\)](#). The  
use, distribution or reproduction in other  
forums is permitted, provided the original  
author(s) and the copyright owner(s) are  
credited and that the original publication in  
this journal is cited, in accordance with  
accepted academic practice. No use,  
distribution or reproduction is permitted  
which does not comply with these terms.

# Correction: Automation in vitrification and thawing of mouse oocytes and embryos

Yan Zhu<sup>1</sup>, Quan-Jun Zhang<sup>2</sup>, Huai L. Feng<sup>3</sup>, Jin Luo<sup>4</sup>, Shu Miao<sup>5</sup>  
and Man-Xi Jiang<sup>1\*</sup>

<sup>1</sup>Guangdong Second Provincial General Hospital, Guangzhou, China, <sup>2</sup>Institutes of Biomedicine and Health, Chinese Academy of Sciences, Guangzhou, China, <sup>3</sup>New York Fertility Center, New York–Presbyterian Healthcare System Affiliate Weill Cornell Medical College, New York, NY, United States, <sup>4</sup>T Stone Robotics Institute, Department of Mechanical and Automation Engineering, The Chinese University of Hong Kong, Shenzhen, China, <sup>5</sup>Department of Automation, Tsinghua University, Beijing, China

## KEYWORDS

cryo-handle, automated vitrification and thawing, oocytes, embryos, mice

## A Correction on Automation in vitrification and thawing of mouse oocytes and embryos

by Zhu Y, Zhang Q-J, Feng HL, Luo J, Miao S and Jiang M-X (2023). *Front. Cell Dev. Biol.* 11:1330684. doi: 10.3389/fcell.2023.1330684

In the published article, there was an error in the approval number of the ethical committee of Guangdong Second Provincial General Hospital for animal experiments.

A correction has been made to **Materials and Methods**, *Humane Care and Use of Animals*, Paragraph 1. This sentence previously stated:

“All experimental protocols were performed after obtaining the approval from the ethical committee of Guangdong Second Provincial General Hospital for animal experiments (No. 2014-KYLLM-065) and all the used methods are reported in accordance with the Animal Research Reporting of *in vivo* Experiments (ARRIVE) guidelines.”

The corrected sentence appears below:

“All experimental protocols were performed after obtaining the approval from the ethical committee of Guangdong Second Provincial General Hospital for animal experiments (No. 2014-KYLL-015) and all the used methods are reported in accordance with the Animal Research Reporting of *in vivo* Experiments (ARRIVE) guidelines.”

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

## Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.