



Corrigendum: Antagonistic Coevolution Limits the Range of Host Defense in *C. elegans* Populations

Jordan A. Lewis^{1,2*}, McKenna J. Penley¹, Hannan Sylla¹, Sebastián Durán Ahumada^{2,3} and Levi T. Morran¹

¹ Department of Biology, Emory University, Atlanta, GA, United States, ² Population Biology, Ecology, and Evolution Graduate Program, Emory University, Atlanta, GA, United States, ³ Department of Environmental Sciences, Emory University, Atlanta, GA, United States

Keywords: coevolution, experimental evolution, host defense, *Caenorhabditis elegans*, *Serratia marcescens*, antagonistic coevolution

A Corrigendum on:

Antagonistic Coevolution Limits the Range of Host Defense in *C. elegans* Populations

By Lewis JA, Penley MJ, Sylla H, Duran S and Morran LT (2022). *Front. Cell. Infect. Microbiol.* 12:758745. doi: 10.3389/fcimb.2022.758745

OPEN ACCESS

Approved by:

Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*Correspondence:

Jordan A. Lewis
Jordan.alexander.lewis@emory.edu

Specialty section:

This article was submitted to
Microbiome in Health and Disease,
a section of the journal
*Frontiers in Cellular and
Infection Microbiology*

Received: 22 March 2022

Accepted: 23 March 2022

Published: 11 May 2022

Citation:

Lewis JA, Penley MKJ, Sylla H, Ahumada SD and Morran LT (2022)

Corrigendum: Antagonistic

Coevolution Limits the Range of Host Defense in *C. elegans* Populations.

Front. Cell. Infect. Microbiol. 12:902233.
doi: 10.3389/fcimb.2022.902233

TEXT CORRECTION

In the original article, there was an error. In the keywords both *Caenorhabditis elegans*, *Serratia marcescens* were misspelled as “Ceanorhabditis elegans” and “Serratia macrescens”.

A correction has been made to *The Keywords*:

Keywords: coevolution, experimental evolution, host defense, *Caenorhabditis elegans*, *Serratia marcescens*, antagonistic coevolution

Error in Figure/Table

In the original article, there was a mistake in **Figure 2** and **Figure 3** as published. The figures were of low pixel quality and were difficult to read. The corrected **Figure 2** and **Figure 3** appears below.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's Note: All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2022 Lewis, Penley, Sylla, Ahumada and Morran. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.




FIGURE 2 | Host Mortality across related parasites. For each mortality assay 200 Worms were exposed to *S. marcescens* for a period of 48 hours using *Serratia* Selection Plates. Surviving worms were counted and the mortality is expressed as (worms plated – worms counted)/worms plated). Black circles represent the average mortality rate across all host populations for each bacterial treatment group. White circles represent the average mortality rate across all replicates for one host population. Points which share letters are statistically indistinguishable from each other, and only apply within their respective column. Error bars represent standard error. Letters are differentiated by $\alpha=0.05$.




FIGURE 3 | Host Mortality across unrelated parasites. For each mortality assay 200 Worms were exposed to *S. marcescens* for a period of 48 hours using Serratia Selection Plates. Surviving worms were counted and the mortality is expressed as (worms plated – worms counted)/worms plated). Black circles represent the average mortality rate across all host populations for each bacterial treatment group. White circles represent the average mortality rate across all replicates for one host population. Points which share letters are statistically indistinguishable from each other, and only apply within their respective column. Error bars represent standard error. Letters are differentiated by $\alpha = 0.05$.