



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
M.-Pilar Marco
✉ pilar.marco@cid.csic.es

RECEIVED 25 May 2025

ACCEPTED 27 May 2025

PUBLISHED 11 June 2025

CITATION

Raya J, Montagut E-J and Marco M-P (2025)
Correction: Analysing the integrated quorum
sensing (iqs) system and its potential role in
Pseudomonas aeruginosa pathogenesis.
Front. Cell. Infect. Microbiol. 15:1634997.
doi: 10.3389/fcimb.2025.1634997

COPYRIGHT

© 2025 Raya, Montagut and Marco. This is an
open-access article distributed under the terms
of the [Creative Commons Attribution License](#)
(CC BY). The use, distribution or reproduction
in other forums is permitted, provided the
original author(s) and the copyright owner(s)
are credited and that the original publication
in this journal is cited, in accordance with
accepted academic practice. No use,
distribution or reproduction is permitted
which does not comply with these terms.

Correction: Analysing the integrated quorum sensing (iqs) system and its potential role in *Pseudomonas aeruginosa* pathogenesis

Juan Raya^{1,2}, Enrique-J. Montagut^{1,2} and M.-Pilar Marco^{1,2*}

¹Department of Chemical and Biomolecular Nanotechnology, Nanobiotechnology for Diagnostics (Nb4D), Institute for Advanced Chemistry of Catalonia (IQAC) of the Spanish Council for Scientific Research (CSIC), Barcelona, Spain, ²CIBER de Bioingeniería, Biomateriales y Nanomedicina (CIBER-BBN), Barcelona, Spain

KEYWORDS

P. aeruginosa, quorum sensing, IQS, autoinducers, aeruginaldehyde

A Correction on

Analysing the integrated quorum sensing (iqs) system its potential role in *Pseudomonas aeruginosa* pathogenesis

by Raya J, Montagut E-J and Marco M-P (2025). *Front. Cell. Infect. Microbiol.* 15:1575421.
doi: 10.3389/fcimb.2025.1575421

In the published article, there was an error in the article title. Instead of “Analysing the integrated quorum sensing system its potential role in *Pseudomonas aeruginosa* pathogenesis”, it should be “Analysing the integrated quorum sensing (iqs) system and its potential role in *Pseudomonas aeruginosa* pathogenesis”.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.