frontiers | Frontiers in Chemistry

TYPE Correction
PUBLISHED 09 October 2025
DOI 10.3389/fchem.2025.1706525

OPEN ACCESS

EDITED AND REVIEWED BY
Marco Paolino,
University of Siena, Italy

*CORRESPONDENCE
Yaguang Liu,
h418561754@163.com

RECEIVED 16 September 2025
ACCEPTED 30 September 2025
PUBLISHED 09 October 2025

CITATION
Liu Y, Hu L, Liu B and Qu Z (2025) Correction: Membrane-targeting antibacterial isoniazid schiff base against *S. aureus* and biofilms. *Front. Chem.* 13:1706525.
doi: 10.3389/fchem.2025.1706525

Correction: Membrane-targeting antibacterial isoniazid schiff base against *S. aureus* and biofilms

Yaguang Liu*, Lianzhi Hu, Binbin Liu and Zheng Qu

Pharmacy Department, The Second Hospital of Qinhuangdao, Qinhuangdao, China

KEYWORDS

isoniazid, schiff base, antibacterial activity, anti biofilm, anti inflammatory

A Correction on
Membrane-targeting antibacterial isoniazid schiff base against *S. aureus* and biofilms

by Liu Y, Hu L, Liu B and Qu Z (2025). Front. Chem. 13:1654358. doi: 10.3389/fchem.2025.1654358

There was a mistake in Figure 7 as published. Panels A and B inadvertently contained duplicate images. The corrected Figure 7 appears below.

The original article has been updated.

Generative AI statement

Any alternative text (alt text) provided alongside figures in this article has been generated by Frontiers with the support of artificial intelligence and reasonable efforts have been made to ensure accuracy, including review by the authors wherever possible. If you identify any issues, please contact us.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

10.3389/fchem.2025.1706525



FIGURE 7
Anti-inflammatory activity of the C5 compounds in RAW 264.7 macrophage cells was evaluated in the LPS-enhanced leukocyte migration assay. **(A)** C5 affects the level of NO. **(B)** C5 affects the level of TNF-α. Compared with the LPS model group, *$p < 0.05$, **$p < 0.01$, ***$p < 0.001$; $^{###}p < 0.001$ vs. control group. Data are presented as means ± SEM from three independent experiments.