



# Corrigendum: FGF10 Protects Against Renal Ischemia/Reperfusion Injury by Regulating Autophagy and Inflammatory Signaling

Xiaohua Tan<sup>1,2</sup>, Hongmei Zhu<sup>1</sup>, Qianyu Tao<sup>1</sup>, Lisha Guo<sup>1</sup>, Tianfang Jiang<sup>3</sup>, Le Xu<sup>3</sup>, Ruo Yang<sup>1</sup>, Xiayu Wei<sup>4</sup>, Jin Wu<sup>4</sup>, Xiaokun Li<sup>1,4\*</sup> and Jin-San Zhang<sup>1,3,4\*</sup>

## OPEN ACCESS

### Edited and reviewed by:

Saverio Bellusci,  
University of Giessen, Germany

### \*Correspondence:

Xiaokun Li  
profxiaokunli@163.com  
Jin-San Zhang  
Zhang\_jinsan@163.com

### Specialty section:

This article was submitted to  
Stem Cell Research,  
a section of the journal  
Frontiers in Genetics

Received: 27 June 2021

Accepted: 20 October 2021

Published: 12 November 2021

### Citation:

Tan X, Zhu H, Tao Q, Guo L, Jiang T,  
Xu L, Yang R, Wei X, Wu J, Li X and  
Zhang J-S (2021) Corrigendum:  
FGF10 Protects Against Renal  
Ischemia/Reperfusion Injury by  
Regulating Autophagy and  
Inflammatory Signaling.  
Front. Genet. 12:731406.  
doi: 10.3389/fgene.2021.731406

<sup>1</sup>School of Pharmaceutical Sciences, Wenzhou Medical University, Wenzhou, China, <sup>2</sup>Qingdao University Medical College, Qingdao, China, <sup>3</sup>The First Affiliated Hospital, Wenzhou Medical University, Wenzhou, China, <sup>4</sup>Institute of Life Sciences, Wenzhou University, Wenzhou, China

**Keywords:** FGF10, ischemia-reperfusion (I/R), acute kidney injury, autophagy, inflammation, HMGB1

## A Corrigendum on

### FGF10 Protects Against Renal Ischemia/Reperfusion Injury by Regulating Autophagy and Inflammatory Signaling


by Tan, X., Zhu, H., Tao, Q., Guo, L., Jiang, T., Xu, L., Yang, R., Wei, X., Wu, J., Li, X., and Zhang, J. S. (2018). *Front. Genet.* 9:556. doi: 10.3389/fgene.2018.00556

In the original article, there were mistakes in **Figure 2A**, **Figure 6A**, and **Figure 7A** as published. The immunofluorescence and immunohistochemistry images in the Sham group (**Figure 2A**) and RAPA groups in **Figure 6A** and **Figure 7A**, respectively, were erroneously used. The corrected Figures appear below.

The authors deeply apologize for these errors and state that these corrections do not change the scientific conclusions of the article in any way. The original article has been updated.

**Publisher's Note:** All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2021 Tan, Zhu, Tao, Guo, Jiang, Xu, Yang, Wei, Wu, Li and Zhang. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.



**FIGURE 2 |** FGF10 protects against I/R induced apoptosis in RTCs. **(A)** Representative sections of nuclear DNA fragmentation staining were performed using TUNEL in different groups at 24, 48, and 72 h, respectively, after reperfusion. Scale bars = 50  $\mu$ m. **(B)** Quantitative analysis of the number of TUNEL-positive RTCs. Data are presented as the mean  $\pm$  SD ( $n = 5$ ). \* $p < 0.05$ , \*\*\* $p < 0.001$ . The percentage of positive cells was analyzed with 5 individual magnification  $\times$  400 fields per group.

