

OPEN ACCESS

EDITED AND REVIEWED BY
Fabio Bagnoli,
GlaxoSmithKlin, Italy

*CORRESPONDENCE
Kwok-Yung Yuen
kyuen@hkucc.hku.hk

SPECIALTY SECTION
This article was submitted to
Vaccines and Molecular Therapeutics,
a section of the journal
Frontiers in Immunology

RECEIVED 26 September 2022

ACCEPTED 10 October 2022

PUBLISHED 21 October 2022

CITATION
Li C, To KKW, Zhang AJX,
Lee ACY, Zhu H, Mak WWN,
Hung IFN and Yuen K-Y (2022)
Corrigendum: Co-stimulation
with TLR7 agonist imiquimod and
inactivated Influenza virus particles
promotes mouse B cell activation,
differentiation, and accelerated antigen
specific antibody production.
Front. Immunol. 13:1053779.
doi: 10.3389/fimmu.2022.1053779

COPYRIGHT

© 2022 Li, To, Zhang, Lee, Zhu, Mak,
Hung and Yuen. This is an open-access
article distributed under the terms of
the [Creative Commons Attribution
License \(CC BY\)](#). The use, distribution
or reproduction in other forums is
permitted, provided the original
author(s) and the copyright owner(s)
are credited and that the original
publication in this journal is cited, in
accordance with accepted academic
practice. No use, distribution or
reproduction is permitted which does
not comply with these terms.

Corrigendum: Co-stimulation with TLR7 agonist imiquimod and inactivated Influenza virus particles promotes mouse B cell activation, differentiation, and accelerated antigen specific antibody production

Can Li^{1,2,3,4}, Kelvin K.W. To^{1,2,3,4}, Anna J. X. Zhang^{1,2,3,4},
Andrew C.Y. Lee^{1,2,3,4}, Houshun Zhu⁵, Winger W.N. Mak^{1,2,3,4},
Ivan F. N. Hung⁵ and Kwok-Yung Yuen^{1,2,3,4*}

¹Department of Microbiology, Li Ka Shing Faculty of Medicine, University of Hong Kong, Pokfulam, Hong Kong, ²State Key Laboratory for Emerging Infectious Diseases, University of Hong Kong, Pokfulam, Hong Kong, ³Carol Yu Centre for Infection, University of Hong Kong, Pokfulam, Hong Kong, ⁴Research Centre of Infection and Immunology, University of Hong Kong, Pokfulam, Hong Kong, ⁵Department of Medicine, Li Ka Shing Faculty of Medicine, University of Hong Kong, Pokfulam, Hong Kong

KEYWORDS

TLR7, imiquimod, inactivated influenza, A(H1N1)pdm09, B cell, peritoneal, mouse


A Corrigendum on:

Co-stimulation with TLR7 agonist imiquimod and inactivated influenza virus particles promotes mouse B cell activation, differentiation, and accelerated antigen specific antibody production.

by Li C, To KKW, Zhang AJX, Lee ACY, Zhu H, Mak WWN, Hung IFN and Yuen K-Y (2018)
Front. Immunol. 9:2370. doi: 10.3389/fimmu.2018.02370

In the published article, there were errors in **Figure 8** as published. The images of ELISPOT for PBS control treatment in **Figure 8B, C and D** were duplicated. The image of mdLN IgG ELISPOT in IMQ group (**Figure 8B**) was duplicated with spleen IgM in IMQ group (**Figure 8A**). The corrected **Figure 8** and its caption appear below.

The authors apologize for these errors and state that they do not change the scientific conclusions of the article in any way. The original article has been updated.



Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated

organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.