



## OPEN ACCESS

APPROVED BY  
Frontiers Editorial Office,  
Frontiers Media SA, Switzerland

\*CORRESPONDENCE  
Byung Ha Chung  
✉ chungbh@catholic.ac.kr

RECEIVED 19 July 2024  
ACCEPTED 22 July 2024  
PUBLISHED 01 August 2024

## CITATION

Lee H, Lee H, Sun IO, Park JH, Park J-W, Ban TH, Yang J, Kim MS, Yang CW, Chung BH and Korean Organ Transplantation Registry Study Group (2024) Corrigendum: Pre-transplant crossmatch-negative donor-specific anti-HLA antibody predicts acute antibody-mediated rejection but not long-term outcomes in kidney transplantation: an analysis of the Korean Organ Transplantation Registry. *Front. Immunol.* 15:1467474. doi: 10.3389/fimmu.2024.1467474

## COPYRIGHT

© 2024 Lee, Lee, Sun, Park, Park, Ban, Yang, Kim, Yang, Chung and Korean Organ Transplantation Registry Study Group. This is an open-access article distributed under the terms of the [Creative Commons Attribution License \(CC BY\)](#). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

# Corrigendum: Pre-transplant crossmatch-negative donor-specific anti-HLA antibody predicts acute antibody-mediated rejection but not long-term outcomes in kidney transplantation: an analysis of the Korean Organ Transplantation Registry

Haeun Lee<sup>1</sup>, Hanbi Lee<sup>2</sup>, In O Sun<sup>1</sup>, Jung Hwan Park<sup>3</sup>, Jong-Won Park<sup>4</sup>, Tae Hyun Ban<sup>5</sup>, Jaeseok Yang<sup>6</sup>, Myoung Soo Kim<sup>7</sup>, Chul Woo Yang<sup>2</sup> and Byung Ha Chung<sup>2\*</sup> and Korean Organ Transplantation Registry Study Group

<sup>1</sup>Division of Nephrology, Department of Internal Medicine, Presbyterian Medical Center, Jeonju, Republic of Korea, <sup>2</sup>Division of Nephrology, Department of Internal Medicine, Seoul St. Mary's Hospital, The Catholic University of Korea, Seoul, Republic of Korea, <sup>3</sup>Department of Nephrology, Konkuk University School of Medicine, Seoul, Republic of Korea, <sup>4</sup>Department of Nephrology, Yeungnam University Hospital, Daegu, Republic of Korea, <sup>5</sup>Division of Nephrology, Department of Internal Medicine, Eunpyeong St. Mary's Hospital, The Catholic University of Korea, Seoul, Republic of Korea, <sup>6</sup>Division of Nephrology, Department of Internal Medicine, Yonsei University College of Medicine, Severance Hospital, Seoul, Republic of Korea, <sup>7</sup>Department of Surgery, Yonsei University College of Medicine, Seoul, Republic of Korea

## KEYWORDS

kidney transplantation, donor-specific anti-HLA antibody, solid phase assay, rejection, antibody-mediated rejection, desensitization

## A Corrigendum on

**Pre-transplant crossmatch-negative donor-specific anti-HLA antibody predicts acute antibody-mediated rejection but not long-term outcomes in kidney transplantation: an analysis of the Korean Organ Transplantation Registry**

By Lee H, Lee H, Sun IO, Park JH, Park J-W, Ban TH, Yang J, Kim MS, Yang CW, Chung BH and Korean Organ Transplantation Registry Study Group (2024). *Front. Immunol.* 15:1420351. doi: 10.3389/fimmu.2024.1420351

In the published article, there was an error in affiliation 2. Instead of “Division of Nephrology, Department of Internal Medicine, Seoul St. Mary’s Hospital, Seoul, Republic of Korea”, it should be “Division of Nephrology, Department of Internal Medicine, Seoul St. Mary’s Hospital, The Catholic University of Korea, Seoul, Republic of Korea”.

In the published article, there was an error in affiliation 5. Instead of “Division of Nephrology, Department of Internal Medicine, Eunpyeong St. Mary’s Hospital, Seoul, Republic of Korea” it should be “Division of Nephrology, Department of Internal Medicine, Eunpyeong St. Mary’s Hospital, The Catholic University of Korea, Seoul, Republic of Korea”.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

## Publisher’s note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.