



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Chaojun Hu
✉ huchaojun818@qq.com

[†]These authors have contributed
equally to this work and share
first authorship

RECEIVED 17 June 2025
ACCEPTED 20 June 2025
PUBLISHED 03 July 2025

CITATION

Lu R, Yu R, Huang R, Xue C, Song N, Zhao J,
Zeng X and Hu C (2025) Correction:
Comparative evaluation of three anti-dsDNA
antibody detection methods in systemic lupus
erythematosus: insights from a large
monocentric cohort.
Front. Immunol. 16:1648472.
doi: 10.3389/fimmu.2025.1648472

COPYRIGHT

© 2025 Lu, Yu, Huang, Xue, Song, Zhao, Zeng
and Hu. This is an open-access article
distributed under the terms of the [Creative
Commons Attribution License \(CC BY\)](#). The
use, distribution or reproduction in other
forums is permitted, provided the original
author(s) and the copyright owner(s) are
credited and that the original publication in
this journal is cited, in accordance with
accepted academic practice. No use,
distribution or reproduction is permitted
which does not comply with these terms.

Correction: Comparative evaluation of three anti-dsDNA antibody detection methods in systemic lupus erythematosus: insights from a large monocentric cohort

Ruijing Lu^{1,2†}, Rui Yu^{1,3†}, Rong Huang^{1,4†}, Chiyuan Xue¹,
Ning Song¹, Jiuliang Zhao¹, Xiaofeng Zeng¹ and Chaojun Hu^{1*}

¹Department of Rheumatology and Clinical Immunology, Peking Union Medical College Hospital, Chinese Academy of Medical Sciences, Peking Union Medical College, National Clinical Research Center for Dermatologic and Immunologic Diseases (NCRC-DID), Ministry of Science & Technology, Key Laboratory of Rheumatology and Clinical Immunology, Ministry of Education, Beijing, China, ²Department of Laboratory Medicine, Shenzhen Baoan Women's and Children's Hospital, Shenzhen, China, ³Eight-year Medical Doctor Program, Chinese Academy of Medical Sciences & Peking Union Medical College, Beijing, China, ⁴Department of Clinical Laboratory, The People's Hospital of Yuhuan, Taizhou, Zhejiang, China

KEYWORDS

anti-double-stranded DNA, systemic lupus erythematosus, indirect immunofluorescence assay, digital liquid chip method, chemiluminescence immunoassay

A Correction on

**Comparative evaluation of three anti-dsDNA antibody detection methods
in systemic lupus erythematosus: insights from a large monocentric cohort**

by Lu R, Yu R, Huang R, Xue C, Song N, Zhao J, Zeng X and Hu C (2025). *Front. Immunol.* 16:1529484. doi: 10.3389/fimmu.2025.1529484

In the published article, an author name was incorrectly written as “Jiulang Zhao”. The correct spelling is “Jiuliang Zhao”.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.