



Corrigendum: Biomarkers and Microscopic Colitis: An Unmet Need in Clinical Practice

Laura Francesca Pisani¹, Gian Eugenio Tontini¹, Beatrice Marinoni¹, Vincenzo Villanacci², Barbara Bruni³, Maurizio Vecchi^{1,4} and Luca Pastorelli^{1,4*}

¹ Gastroenterology and Digestive Endoscopy Unit, IRCCS Policlinico San Donato, San Donato Milanese, Italy, ² Institute of Pathology, "Spedali Civili" Brescia, Brescia, Italy, ³ Pathology and Cytodiagnostic Unit, IRCCS Policlinico San Donato, San Donato Milanese, Italy, ⁴ Department of Biomedical Sciences for Health, University of Milan, Milan, Italy

Keywords: microscopic colitis, collagenous colitis, lymphocytic colitis, biomarkers, chronic diarrhea

A Corrigendum on

OPEN ACCESS

Approved by:

Frontiers Editorial Office, Frontiers Media SA, Switzerland

*Correspondence:

Luca Pastorelli luca.pastorelli@unimi.it

Specialty section:

This article was submitted to Gastroenterology, a section of the journal Frontiers in Medicine

Received: 17 December 2019 Accepted: 07 January 2020 Published: 31 January 2020

Citation:

Pisani LF, Tontini GE, Marinoni B, Villanacci V, Bruni B, Vecchi M and Pastorelli L (2020) Corrigendum: Biomarkers and Microscopic Colitis: An Unmet Need in Clinical Practice. Front. Med. 7:4. doi: 10.3389/fmed.2020.00004

Biomarkers and Microscopic Colitis: An Unmet Need in Clinical Practice

by Pisani, L. F., Tontini, G. E., Marinoni, B., Villanacci, V., Bruni, B., Vecchi, M., et al. (2017). Front. Med. 4:54. doi: 10.3389/fmed.2017.00054

In the original article, there was a mistake in the legend for **Figure 1** as published as Villanacci et al. (2011) was inadvertently not cited.

FIGURE 1 | Histological features of microscopic colitis. Hematoxylin and eosin (**A**) and anti-CD3 (**B**) staining in lymphocytic colitis; black arrows indicate intraepithelial lymphocyte infiltration. Hematoxylin and eosin (**C**) and Masson's Trichrome staining (**D**) in collagenous colitis; arrows point to the subepithelial collagen band. All images also show surface epithelial injury and lamina propria increased cellularity (original magnification: $40\times$). This figure was obtained from Villanacci et al. (101) with permission.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

REFERENCES

101. Villanacci V, Manenti S, Antonelli E, Chiudinelli M, Giuliano V, Bassotti G. Non-IBD colitides: clinically useful histopathological clues. Rev Esp Enferm Dig. (2011) 103:366–72. doi: 10.4321/s1130-01082011000700006

Copyright © 2020 Pisani, Tontini, Marinoni, Villanacci, Bruni, Vecchi and Pastorelli. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

1