Check for updates

Corrigendum: Early detection of Alzheimer's disease in structural and functional MRI

Rudrani Maity[1], Vellupillai Mariappan Raja Sankari[1], Umapathy Snekhalatha[1,2]*, Shubashini Velu[3], Tahani Jaser Alahmadi[4], Zaid Ali Alhababi[5] and Hend Khalid Alkahtani[4]

[1]Department of Biomedical Engineering, Faculty of Engineering and Technology, SRM Institute of Science and Technology, Chennai, Tamil Nadu, India, [2]College of Engineering, Architecture and Fine Arts, Batangas State University, Batangas, Philippines, [3]MIS Department, Prince Mohammad Bin Fahd University, Khobar, Saudi Arabia, [4]Department of Information Systems, College of Computer and Information Sciences, Princess Nourah Bint Abdulrahman University, Riyadh, Saudi Arabia, [5]Riyadh First Health Cluster, Ministry of Health, Riyadh, Saudi Arabia

A Corrigendum on
Early detection of Alzheimer's disease in structural and functional MRI

by Maity, R., Raja Sankari, V. M., Snekhalatha, U., Velu, S., Alahmadi, T. J., Alhababi, Z. A., and Alkahtani, H. K. (2024). *Front. Med*. 11:1520878. doi: 10.3389/fmed.2024.1520878

In the published article, there was an error in the Funding statement. It needed to include the same content as provided in the acknowledgment section. The correct Funding statement appears below.

Funding

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.