



## OPEN ACCESS

EDITED AND REVIEWED BY  
Massimo Busin,  
University of Ferrara, Italy

\*CORRESPONDENCE  
Marcus Ang  
✉ marcus.ang@sneec.com.sg

RECEIVED 07 May 2025  
ACCEPTED 09 June 2025  
PUBLISHED 24 June 2025

CITATION  
Cheong EZK, Ng Yin Ling C, Wong QY,  
Chua CSQ, Htoon HM and Ang M (2025)  
Corrigendum: Clinical outcomes of DMEK  
comparing endothelium-out injector and  
endothelium-in pull-through techniques in  
Asian eyes. *Front. Med.* 12:1624456.  
doi: 10.3389/fmed.2025.1624456

COPYRIGHT  
© 2025 Cheong, Ng Yin Ling, Wong, Chua,  
Htoon and Ang. This is an open-access article  
distributed under the terms of the [Creative  
Commons Attribution License \(CC BY\)](#). The  
use, distribution or reproduction in other  
forums is permitted, provided the original  
author(s) and the copyright owner(s) are  
credited and that the original publication in  
this journal is cited, in accordance with  
accepted academic practice. No use,  
distribution or reproduction is permitted  
which does not comply with these terms.

# Corrigendum: Clinical outcomes of DMEK comparing endothelium-out injector and endothelium-in pull-through techniques in Asian eyes

Ezekiel Ze Ken Cheong<sup>1</sup>, Clarissa Ng Yin Ling<sup>2</sup>, Qiu Ying Wong<sup>2,3</sup>,  
Chloe Si Qi Chua<sup>2,3</sup>, Hla Myint Htoon<sup>1,3</sup> and Marcus Ang<sup>1,2,3\*</sup>

<sup>1</sup>Ophthalmology and Visual Sciences Academic Clinical Program, Duke-NUS Medical School, Singapore, Singapore, <sup>2</sup>Singapore National Eye Centre, Singapore, Singapore, <sup>3</sup>Singapore Eye Research Institute, Singapore, Singapore

## KEYWORDS

Descemet membrane endothelial keratoplasty (DMEK), clinical outcomes, graft survival, surgical techniques, pull-through, endothelium-in

## A Corrigendum on

### Clinical outcomes of DMEK comparing endothelium-out injector and endothelium-in pull-through techniques in Asian eyes

by Cheong, E. Z. K., Ng Yin Ling, C., Wong, Q. Y., Chua, C. S. Q., Htoon, H. M., and Ang, M. (2025). *Front. Med.* 12:1555620. doi: 10.3389/fmed.2025.1555620

In the published article, there was an error in [Figure 1](#) as published. Panels C and D of [Figure 1](#) have been erroneously swapped. The corrected [Figure 1](#) with its unchanged caption appear below.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.




FIGURE 1

Intraoperative procedure for pull-through DMEK. (A) Insertion of the cartridge into the anterior chamber through a clear cornea incision. (B) Grasping and pulling-through of graft with forceps. (C) Natural unfolding of the graft with endothelium-down. (D) Injection of gas to tamponade the donor graft to the recipient cornea.