



Corrigendum: Metagenomic Analysis Reveals Microbial Interactions at the Biocathode of a Bioelectrochemical System Capable of Simultaneous Trichloroethylene and Cr(VI) Reduction

OPEN ACCESS

Bruna Matturro 1*, Marco Zeppilli 2, Agnese Lai 2, Mauro Majone 2 and Simona Rossetti 1

Approved by:

Frontiers Editorial Office, Frontiers Media SA, Switzerland

*Correspondence:

Bruna Matturro bruna.matturro@irsa.cnr.it

Specialty section:

This article was submitted to Microbiotechnology, a section of the journal Frontiers in Microbiology

Received: 20 February 2022 Accepted: 21 February 2022 Published: 11 March 2022

Citation:

Matturro B, Zeppilli M, Lai A,
Majone M and Rossetti S (2022)
Corrigendum: Metagenomic Analysis
Reveals Microbial Interactions at the
Biocathode of a Bioelectrochemical
System Capable of Simultaneous
Trichloroethylene and Cr(VI)
Reduction.
Front. Microbiol. 13:879964.
doi: 10.3389/fmicb.2022.879964

¹ Water Research Institute, IRSA-CNR, Rome, Italy, ² Department of Chemistry, Sapienza University of Rome, Rome, Italy

Keywords: reductive dechlorination, Cr(VI) reduction, bioelectrochemical remediation, *Dehalococcoides mccartyi*, *Methanobacterium formicicum*, *Methanobrevibacter arboriphilus*

A Corrigendum on

Metagenomic Analysis Reveals Microbial Interactions at the Biocathode of a Bioelectrochemical System Capable of Simultaneous Trichloroethylene and Cr(VI) Reduction by Matturro, B., Zeppilli, M., Lai, A., Majone, M., and Rossetti, S. (2021). Front. Microbiol. 12:747670. doi: 10.3389/fmicb.2021.747670

An author name was incorrectly spelled as Zepilli. The correct spelling is Zeppilli.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's Note: All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Copyright © 2022 Matturro, Zeppilli, Lai, Majone and Rossetti. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.