



Corrigendum: Unmet Needs in the Management of Cervical Dystonia

Maria Fiorella Contarino^{1,2}, Marenka Smit³, Joost van den Dool^{3,4,5}, Jens Volkmann^{6†} and Marina A. J. Tijssen^{3*†}

¹Department of Neurology, Leiden University Medical Centre, Leiden, Netherlands, ²Department of Neurology, Haga Teaching Hospital, Den Haag, Netherlands, ³Department of Neurology, University Medical Center Groningen, University of Groningen, Groningen, Netherlands, ⁴Faculty of Health, ACHIEVE Centre of Applied Research, Amsterdam University of Applied Sciences, Amsterdam, Netherlands, ⁵Department of Neurology, Academic Medical Center, Amsterdam, Netherlands, ⁶Department of Neurology, University Clinic of Würzburg, Würzburg, Germany

Keywords: cervical dystonia, botulinum toxin, deep brain stimulation, physical therapy modalities, non-motor features

A Corrigendum on

Unmet Needs in the Management of Cervical Dystonia

by Contarino MF, Smit M, van den Dool J, Volkmann J, Tijssen MA. *Front Neurol* (2016) 7:165. doi: 10.3389/fneur.2016.00165

OPEN ACCESS

Edited and Reviewed by:

Alberto Albanese,
Catholic University of the Sacred
Heart, Italy

*Correspondence:

Marina A. J. Tijssen
m.a.j.de.koning-tijssen@umcg.nl

[†]Jens Volkmann and Marina A. J.
Tijssen contributed equally to the
manuscript.

Specialty section:

This article was submitted to
Movement Disorders,
a section of the journal
Frontiers in Neurology

Received: 15 November 2016

Accepted: 02 December 2016

Published: 19 December 2016

Citation:

Contarino MF, Smit M,
van den Dool J, Volkmann J and
Tijssen MAJ (2016) Corrigendum:
Unmet Needs in the Management of
Cervical Dystonia.
Front. Neurol. 7:232.
doi: 10.3389/fneur.2016.00232

DESCRIPTION OF THE MISTAKE BEING FIXED

In the original article, we neglected to thank our sponsor, European Cooperation in Science and Technology (COST), Action BM1101 “European network for the study of dystonia syndromes.” The authors apologize for this oversight.

This error does not change the scientific conclusions of the article in any way.

The correct text of the acknowledgments should read as below.

ACKNOWLEDGMENTS AND FUNDING

This work was supported by European Cooperation in Science and Technology (COST) Action BM1101 “European network for the study of dystonia syndromes”.

Conflict of Interest Statement: MC, Advisory board: Medtronic, Boston Scientific, is co-inventor on a patent application relevant to Deep Brain Stimulation (2014). Speaking fees: Abbvie, Medtronic, Boston Scientific, ECMT. Grant: Stichting Parkinson Fonds. MS: Grants: University Medical Centre Groningen, Stichting Wetenschapsfonds Dystonie Vereniging. JD: Grants: Dutch organizations in scientific research, the Fonds NutsOhra, Jacques and Gloria Gossweiler foundation and Stichting Wetenschapsfonds Dystonie Vereniging. JV: advisory boards: Boston Scientific, Medtronic; grant support: Boston Scientific, Medtronic; Speaking fees: Boston Scientific, Medtronic, St. Jude, UCB, TEVA, and Allergan. MT: Grants: Netherlands organization for scientific research-NWO, Medium, Fonds NutsOhra, Prinses Beatrix Fonds, Gossweiler foundation, Stichting wetenschapsfonds dystonie vereniging, Phelps Stichting, educational grants and national DystonieNet grants from Ipsen and Allergan Famaceutics, Merz, Medtronic and Actelion.

Copyright © 2016 Contarino, Smit, van den Dool, Volkmann and Tijssen. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) or licensor are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.