



# Corrigendum: Remote Assessment of Post-Stroke Elbow Function Using Internet-Based Telerobotics: A Proof-of-Concept Study

Jonghyun Kim<sup>1†</sup>, Minki Sin<sup>2†</sup>, Won-Seok Kim<sup>3†</sup>, Yu-Sun Min<sup>3</sup>, Woojin Kim<sup>3</sup>, Daegeun Park<sup>4</sup>, Nam-Jong Paik<sup>3\*</sup>, Kyujin Cho<sup>5\*</sup> and Hyung-Soon Park<sup>6\*</sup>

## OPEN ACCESS

**Approved by:**  
Frontiers Editorial Office,  
Frontiers Media SA, Switzerland

### \*Correspondence:

Nam-Jong Paik  
njpaik@snu.ac.kr  
Kyujin Cho  
kjcho@snu.ac.kr  
Hyung-Soon Park  
hyungspark@kaist.ac.kr

†These authors have contributed  
equally to this work

### Specialty section:

This article was submitted to  
Neurorehabilitation,  
a section of the journal  
Frontiers in Neurology

**Received:** 11 December 2020

**Accepted:** 30 December 2020

**Published:** 04 February 2021

### Citation:

Kim J, Sin M, Kim W-S, Min Y-S,  
Kim W, Park D, Paik N-J, Cho K and  
Park H-S (2021) Corrigendum:  
Remote Assessment of Post-Stroke  
Elbow Function Using Internet-Based  
Telerobotics: A Proof-of-Concept  
Study. *Front. Neurol.* 11:640537.  
doi: 10.3389/fneur.2020.640537

<sup>1</sup> School of Mechanical Engineering, Sungkyunkwan University, Suwon, South Korea, <sup>2</sup> Department of Medical Assistant Robot, Daegu Research Center, Korea Institute of Machinery and Materials, Daegu, South Korea, <sup>3</sup> Department of Rehabilitation Medicine, Seoul National University College of Medicine, Seoul National University Bundang Hospital, Seongnam, South Korea, <sup>4</sup> Department of Advanced Robotics, Istituto Italiano di Tecnologia, Genoa, Italy, <sup>5</sup> School of Mechanical and Aerospace Engineering, Seoul National University, Seoul, South Korea, <sup>6</sup> Department of Mechanical Engineering, Neurorehabilitation Engineering Lab., Korea Advanced Institute of Science and Technology, Daejeon, South Korea

**Keywords:** telemedicine, telerehabilitation, telerobotics, bilateral haptic feedback, remote assessment, stroke, internet

## A Corrigendum on

### Remote Assessment of Post-Stroke Elbow Function Using Internet-Based Telerobotics: A Proof-of-Concept Study

by Kim, J., Sin, M., Kim, W.-S., Min, Y.-S., Kim, W., Paik, N.-J., et al. (2020). *Front. Neurol.* 11:583101. doi: 10.3389/fneur.2020.583101

Daegeun Park was not included as an author in the published article. The corrected author list, affiliations, and Author Contributions Statement appear below.

Corrected author list and affiliations:

Jonghyun Kim<sup>1†</sup>, Minki Sin<sup>2†</sup>, Won-Seok Kim<sup>3†</sup>, Yu-Sun Min<sup>3</sup>, Woojin Kim<sup>3</sup>, Daegeun Park<sup>4</sup>, Nam-Jong Paik<sup>3\*</sup>, Kyujin Cho<sup>5\*</sup>, Hyung-Soon Park<sup>6\*</sup>

<sup>1</sup> School of Mechanical Engineering, Sungkyunkwan University, Suwon, South Korea

<sup>2</sup> Department of Medical Assistant Robot, Daegu Research Center, Korea Institute of Machinery and Materials, Daegu, South Korea

<sup>3</sup> Department of Rehabilitation Medicine, Seoul National University College of Medicine, Seoul National University Bundang Hospital, Seongnam, South Korea

<sup>4</sup> Department of Advanced Robotics, Istituto Italiano di Tecnologia, Genoa, Italy

<sup>5</sup> School of Mechanical and Aerospace Engineering, Seoul National University, Seoul, South Korea

<sup>6</sup> Department of Mechanical Engineering, Neurorehabilitation Engineering Lab., Korea Advanced Institute of Science and Technology, Daejeon, South Korea

experiments. JK, Y-SM, and WK analyzed the data. JK and W-SK drafted the manuscript, and all authors revised the manuscript.

## AUTHOR CONTRIBUTIONS

H-SP, KC, and N-JP conceived the study idea and coordinated the study. JK, MS, and DP developed the telerobotic system. H-SP and KC supervised the engineering development. H-SP, JK, MS, Y-SM, DP, and WK involved in the

*Copyright © 2021 Kim, Sin, Kim, Min, Kim, Park, Paik, Cho and Park. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.*