Check for updates

OPEN ACCESS

APPROVED BY Frontiers Editorial Office, Frontiers Media SA, Switzerland

*CORRESPONDENCE Liang Wen ⊠ wenliang@zju.edu.cn Xiaofeng Yang ⊠ zjcswk@zju.edu.cn

[†]These authors have contributed equally to this work

SPECIALTY SECTION

This article was submitted to Neurotrauma, a section of the journal Frontiers in Neurology

RECEIVED 01 February 2023 ACCEPTED 09 February 2023 PUBLISHED 27 February 2023

CITATION

Li Z, Wang H, Zhang H, Yang JQ, Yang XF and Wen L (2023) Corrigendum: Lumboperitoneal shunt surgery *via* continuous two-stage procedure: Technique notes and outcomes. *Front. Neurol.* 14:1156059. doi: 10.3389/fneur.2023.1156059

COPYRIGHT

© 2023 Li, Wang, Zhang, Yang, Yang and Wen. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Corrigendum: Lumboperitoneal shunt surgery *via* continuous two-stage procedure: Technique notes and outcomes

Zhao Li^{1†}, Hao Wang^{2†}, Han Zhang³, Jiqi Yang², Xiaofeng Yang^{2*} and Liang Wen^{2*}

¹Shengzhou Hospital of Traditional Chinese Medicine, Shengzhou, China, ²First Affiliated Hospital, School of Medicine, Zhejiang University, Hangzhou, Zhejiang, China, ³Shengzhou People's Hospital, First Affiliated Hospital, School of Medicine, Zhejiang University, Shengzhou, China

KEYWORDS

hydrocephalus, lumboperitoneal shunt, rehabilitation, shunt implantation, cerebrospinal fluid

A corrigendum on

Lumboperitoneal shunt surgery *via* continuous two-stage procedure: Technique notes and outcomes

by Li, Z., Wang, H., Zhang, H., Yang, J. Q., Yang, X. F., and Wen, L. (2022). *Front. Neurol.* 13:1059316. doi: 10.3389/fneur.2022.1059316

In the published article, there was an error in the **Funding** statement. The incorrect funding number was used for the Medical Health Science and Technology Project of Zhejiang Provincial Health Commission. The correct Funding statement appears below.

Funding

This work was supported by Medical Health Science and Technology Project of Zhejiang Provincial Health Commission (2021KY1169), the Basic Public Welfare Research Program of Zhejiang Province (LGF21H090010), and the National Natural Science Foundation of China (NFSC No. 81971159).

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.