



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE

Bing Zhang
✉ sjnkhz@163.com
Ying Liu
✉ liuy2365@mail.sysu.edu.cn

RECEIVED 12 September 2025
ACCEPTED 12 September 2025
PUBLISHED 23 September 2025

CITATION

Wang J, Ma H, Jiang X, Pan R, Zhang B and
Liu Y (2025) Correction: The predictive value
of TyG index in patients with vertebrobasilar
system thrombectomy.
Front. Neurol. 16:1704033.
doi: 10.3389/fneur.2025.1704033

COPYRIGHT

© 2025 Wang, Ma, Jiang, Pan, Zhang and Liu.
This is an open-access article distributed
under the terms of the [Creative Commons
Attribution License \(CC BY\)](#). The use,
distribution or reproduction in other forums is
permitted, provided the original author(s) and
the copyright owner(s) are credited and that
the original publication in this journal is cited,
in accordance with accepted academic
practice. No use, distribution or reproduction
is permitted which does not comply with
these terms.

Correction: The predictive value of TyG index in patients with vertebrobasilar system thrombectomy

Jiazhen Wang¹, Honggang Ma¹, Xuanfei Jiang¹, Ru Pan²,
Bing Zhang^{1*} and Ying Liu ^{1*}

¹Department of Neurology, Huzhou Central Hospital, The Fifth School of Clinical Medicine of Zhejiang Chinese Medical University, Huzhou, China, ²Department of Pathology, Huzhou Central Hospital, The Fifth School of Clinical Medicine of Zhejiang Chinese Medical University, Huzhou, China

KEYWORDS

triglyceride-glucose index, vertebrobasilar system thrombectomy, modified Rankin score, ischemic stroke, metabolic-nutritional status

A correction on

The predictive value of TyG index in patients with vertebrobasilar system thrombectomy

by Wang, J., Ma, H., Jiang, X., Pan, R., Zhang, B., and Liu, Y. (2025). *Front. Neurol.* 16:1597323.
doi: 10.3389/fneur.2025.1597323

An incorrect **Funding** statement was provided. In the original funding statement, the following grants were erroneously included: “the Zhejiang Provincial Natural Science Foundation of China under Grant No. LQN25H090017 and the Huzhou Municipal Science and Technology Bureau Project under Grant No. 2024GYB04 from Ying Liu.”

The corrected funding statement appears below:

“The author(s) declare that financial support was received for the research and/or publication of this article. This research was supported by Zhejiang Provincial Medical and Healthcare Science and Technology Plan under Grant No. 2024KY1641 from Bing Zhang.”

The original version of this article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.